

REPORT NO. CG-D-26-81/



A STUDY OF OIL SPILL RATES IN FOUR U.S. COASTAL REGIONS

J.F. BELLANTONI

U.S. DEPARTMENT OF TRANSPORTATION
RESEARCH AND SPECIAL PROGRAMS ADMINISTRATION
Transportation Systems Center
Cambridge MA 02142



DTIC ELECTE AUG 2 8 1981

FINAL REPORT

DOCUMENT IS AVAILABLE TO THE PUBLIC THROUGH THE NATIONAL TECHNICAL INFORMATION SERVICE, SPRINGFIELD, VIRGINIA 22161

Prepared for

U.S. DEPARTMENT OF TRANSPORTATION
UNITED STATES COAST GUARD
Office of Marine Environment and Systems
Washington DC 20593

ONE FILE COPY

80 8 28 134

I.F. Bellantoni  I.F. Bellantoni  I.F. Bellantoni  I.F. Bellantoni  I.F. Bellantoni  I.S. Department of Transportation Research and Special Programs Administration Research of Transportation Research of Transportation I.S. Department of Transportation I.S. Department of Transportation I.S. Coast Guard Research of Research Res	Repart No.	2. Government Accession No.	3. Recipient's Catalag Na.
A. STUDY OF OIL SPILL RATES IN FOUR U.S. COASTAL  REGIONS  A. Authorit  I.F. Bellantoni  Performing Organization News and Address I.S. Department of Transportation Research and Special Programs Administration Research and Special Programs Adminis	CG-D-26-81	AD-A103430	
Achieve 1  1.F. Bellantoni  1.C. Work Univ Ne. CG022/R000  1.C. Co22/R000  1.C. Co22/R000  1.C. Co22/R000  1.F. Convector of Reportant Portant Porta	Title and Subtitle	toughturnate after infogracionate is so a company	5. Repart Date
A. A		ES IN FOUR U.S. COASTAL	A Butana Cara
TSC-US  Performing Organization Name and Address I.S. Department of Transportation Research and Special Programs Administration Research and Systems Center Rembridge MA 02142  2. Soonseing Agency Name and Address I.S. Department of Transportation I.S. Coast Guard Research and Systems Research and Systems Research and Systems Research and Research Research and Research Research and Research Research and Research Research and Systems Research and Systems Research and Research Research and Research Research and Research Research and Systems Research and Special Research Re	2010/13		d. Performing Organization Cade
I.F. Bellantoni    Parlaming Organization Normy and Address   S. Department of Transportation     Research and Special Programs Administration     CGG22/ROOD     Cransportation Systems Center     Cambridge MA 02142     2. Soonsering Agency Norms and Address     I.S. Department of Transportation     I.S. Coast Guard     Fifice of Marine Environment and Systems     I.S. Coast Guard     Fifice of Marine Environment and Systems     I.S. Supplementary Norms     I.S. Supplementary Norms     I.S. Coast Guard     I.S. Coast Guard     Fifice of Marine Environment and Systems     I.S. Supplementary Norms     I.S. Coast Guard     I.S. Coast Guard     I.S. Coast Guard     Final Fifice of Marine Environment and Systems     I.S. Department of Transportation     I.S. Coast Guard     I.S. Coast Guard     Final Fifice of Marine Environment and Systems     I.S. Department of Transportation     I.S. Coast Guard     Final Fifice of Marine Environment and Systems     I.S. Department of Transportation     I.S. Coast Guard     Final Fifice of Marine Environment and Systems     I.S. Department of Transportation     I.S. Coast Guard     Final Fifice of Marine Environment and Systems     I.S. Department of Transportation     I.S. Coast Guard     Final Fifice of Marine Environment and Systems     I.S. Department of Transportation     I.S. Coast Guard     Final Fifice of Marine Environment and Systems     I.S. Department of The Sponsoring Agency     I.S. Department of The Sponsoring Agency     I.S. Coast Guard     I.S. Coast Guard	Authorital		8 Performing Organization Report No.
Research and Special Programs Administration Fransportation Systems Center Cambridge MA 02142  2. Soonsering Agency Nome and Address J.S. Department of Transportation T.S. Coast Guard Office of Marine Environment and Systems  Jashington DC 20593  3. Supplementary Nores  4. Acomparison of the rates of incidence of oil spills over 10,000 the years 1974 through 1977 was made for four regions in the United the years 1974 through 1977 was made for four regions in the United the years 1974 through 1977 was made for four regions in the United the Pollution Incident Reporting System (PIRS), the records of the Pollution Incident Reporting System (PIRS), the records of the Denter (NRC), and the Vessel Casualty Reporting System (VCS). Oil betained from the Army Corps of Engineers, Waterborne Commerce of the spill rates calculated for the four regions showed no signification of the New York - New Jersey region. An examination of the spill rate was noted for the Hudson division of the New York - New Jersey region. An examination of the New York - New Jersey region. An examination of the New York - New Jersey region. An examination of the New York - New Jersey region. An examination of the New York - New Jersey region. An examination of the New York - New Jersey region. An examination of the New York - New Jersey region. An examination of the New York - New Jersey region. An examination of the New York - New Jersey region. An examination of the New York - New Jersey region and the Office River which the New York - New Jersey region are not the New York - New Jersey region and Terrespondent of the New York - New Jersey region and Terrespondent of the New York - New Jersey region and Terrespondent of the New York - New Jersey region and Terrespondent of the New York - New Jersey region and Terrespondent of the New York - New Jersey Region and Te		(-	rsc-uscg-80-3)
Research and Special Programs Administration Fransportation Systems Center Cambridge MA 02142  2. Soonsering Agency Nome and Address J.S. Department of Transportation T.S. Coast Guard Office of Marine Environment and Systems  Jashington DC 20593  3. Supplementary Nores  4. Acomparison of the rates of incidence of oil spills over 10,000 the years 1974 through 1977 was made for four regions in the United the years 1974 through 1977 was made for four regions in the United the years 1974 through 1977 was made for four regions in the United the Pollution Incident Reporting System (PIRS), the records of the Pollution Incident Reporting System (PIRS), the records of the Denter (NRC), and the Vessel Casualty Reporting System (VCS). Oil betained from the Army Corps of Engineers, Waterborne Commerce of the spill rates calculated for the four regions showed no signification of the New York - New Jersey region. An examination of the spill rate was noted for the Hudson division of the New York - New Jersey region. An examination of the New York - New Jersey region. An examination of the New York - New Jersey region. An examination of the New York - New Jersey region. An examination of the New York - New Jersey region. An examination of the New York - New Jersey region. An examination of the New York - New Jersey region. An examination of the New York - New Jersey region. An examination of the New York - New Jersey region. An examination of the New York - New Jersey region and the Office River which the New York - New Jersey region are not the New York - New Jersey region and Terrespondent of the New York - New Jersey region and Terrespondent of the New York - New Jersey region and Terrespondent of the New York - New Jersey region and Terrespondent of the New York - New Jersey region and Terrespondent of the New York - New Jersey Region and Te	Performing Organization Name and A.S. Department of Trans	ddress portation	10. Work Unit No. (TRAIS)
Cambridge MA 02142  2. Sponsoring Agency Nome and Address U.S. Department of Transportation U.S. Coast Guard U.S. Department and Systems  A comparison of the rates of incidence of oil spills over 10,000  A comparison of the rates of incidence of oil spills over 10,000  The years 1974 through 1977 was made for four regions in the United by heavy oil traffic: Greater New York - New Jersey, Delaware Bay, Coast, and the Northern Texas Coast. The spill data for the study the Pollution Incident Reporting System (PIRS), the records of the Center (NRC), and the Vessel Casualty Reporting System (VCS). Oil Obtained from the Army Corps of Engineers, Waterborne Commerce of the spill rates calculated for the four regions showed no significate division of the New York - New Jersey region. An examination of the New York - New Jersey region. An examination of the New York - New Jersey region. An examination of the New York - New Jersey region. An examination of the New York - New Jersey region. An examination of the New York - New Jersey region. An examination of the New York - New Jersey region. An examination of the New York - New Jersey region. An examination of the New York - New Jersey region. An examination of the New York - New Jersey region. An examination of the New York - New Jersey region. An examination of the New York - New Jersey region. An examination of the New York - New Jersey region. An examination of the New York - New Jersey region. An examination of the New York - New Jersey region. An examination of the New York - New Jersey region. An examination of the New York - New Jersey region. An examination of the New York - New Jersey region and the Yes York - New Jersey Region of the New York - Ne	esearch and Special Pro	grams Administration	11 Contract or Great No.
2. Sponsoring Agency Nome and Address 2. S. Department of Transportation 2. S. Coast Guard 2. S. Supplementary Notes 2. Sup	The state of the s	enter	JUJun 80
As. Coast Guard  Office of Marine Environment and Systems  Assington DC 20593  6. Abstract  A comparison of the rates of incidence of oil spills over 10,6  the years 1974 through 1977 was made for four regions in the United  ry heavy oil traffic: Greater New York - New Jersey, Delaware Bay,  Coast, and the Northern Texas Coast. The spill data for the study  the Pollution Incident Reporting System (PIRS), the records of the  Center (NRC), and the Vessel Casualty Reporting System (VCS). Oil  Obtained from the Army Corps of Engineers, Waterborne Commerce of the  spill rates calculated for the four regions showed no significate  New York - New Jersey region. An examination of the  showed that most of the spills were associated with poor weather coacte, fog). A partial study was also made of spills in the Mississi  Chio Rivers. It was found that the spill rates in the Chio River we higher than in the Mississippi or Illinois Rivers or in the coastal  Throughout Texantowal Est  Through Texantowal Est  Thro			Type of Report and Period Covered
A comparison of the rates of incidence of oil spills over 10.0 the years 1974 through 1977 was made for four regions in the United by heavy oil traffic: Greater New York - New Jersey, Delaware Bay, Coast, and the Northern Texas Coast. The spill data for the study the Pollution Incident Reporting System (PIRS), the records of the Center (NRC), and the Vessel Casualty Reporting System (VCS). Oil obtained from the Army Corps of Engineers, Waterborne Commerce of the spill rates calculated for the four regions showed no signification of the New York - New Jersey region. An examination of the showed that most of the spills were associated with poor weather cate, fog). A partial study was also made of spills in the Mississi Chio Rivers. It was found that the spill rates in the Chio River we higher than in the Mississippi or Illinois Rivers or in the coastal Collection, Coastal Oil Spills, Coast Document Stevenson Countries National Response Center,	.S. Department of Trans	portation	Final Report
A comparison of the rates of incidence of oil spills over 10.6 the years 1974 through 1977 was made for four regions in the United by heavy oil traffic: Greater New York - New Jersey, Delaware Bay, Doast, and the Northern Texas Coast. The spill data for the study the Pollution Incident Reporting System (PIRS), the records of the Denter (NRC), and the Vessel Casualty Reporting System (VCS). Oil obtained from the Army Corps of Engineers, Waterborne Commerce of the Spill rates calculated for the four regions showed no signification of the New York - New Jersey region. An examination of the Showed that most of the spills were associated with poor weather calce, fog). A partial study was also made of spills in the Mississi thio Rivers. It was found that the spill rates in the Chio River we higher than in the Mississippi or Illinois Rivers or in the coastal of the Coastal Oil Spills, Coast  Journal of the		ment and Systems	May 1979—Jun 1980
A comparison of the rates of incidence of oil spills over 10.0 the years 1974 through 1977 was made for four regions in the Unitedry heavy oil traffic: Greater New York - New Jersey, Delaware Bay, Doast, and the Northern Texas Coast. The spill data for the study the Pollution Incident Reporting System (PIRS), the records of the Denter (NRC), and the Vessel Casualty Reporting System (VCS). Oil obtained from the Army Corps of Engineers, Waterborne Commerce of the spill rates calculated for the four regions showed no signification of the New York - New Jersey region. An examination of the showed that most of the spills were associated with poor weather calculated for the spills were associated with poor weather calculated. A partial study was also made of spills in the Mississi Chio Rivers. It was found that the spill rates in the Chio River whigher than in the Mississippi or Illinois Rivers or in the coastal coastal coastal coastal calculated. PIRS, National Response Center,		ment and Systems	14. Sponsoring Agency Code
A comparison of the rates of incidence of oil spills over 10,00 the years 1974 through 1977 was made for four regions in the United by heavy oil traffic: Greater New York - New Jersey, Delaware Bay, Coast, and the Northern Texas Coast. The spill data for the study the Pollution Incident Reporting System (PIRS), the records of the Center (NRC), and the Vessel Casualty Reporting System (VCS). Oil obtained from the Army Corps of Engineers, Waterborne Commerce of the spill rates calculated for the four regions showed no signification of the New York - New Jersey region. An examination of the showed that most of the spills were associated with poor weather coast to the four regions. It was found that the spill rates in the Mississi Chio Rivers. It was found that the spill rates in the Chio River we migher than in the Mississippi or Illinois Rivers or in the coastal Collection, Coastal Oil Spills, Coast Country States of the Spills, National Response Center,	. Supplementary Notes		
A comparison of the rates of incidence of oil spills over 10,00 the years 1974 through 1977 was made for four regions in the United by heavy oil traffic: Greater New York - New Jersey, Delaware Bay, Coast, and the Northern Texas Coast. The spill data for the study the Pollution Incident Reporting System (PIRS), the records of the Center (NRC), and the Vessel Casualty Reporting System (VCS). Oil obtained from the Army Corps of Engineers, Waterborne Commerce of the spill rates calculated for the four regions showed no signification of the New York - New Jersey region. An examination of the showed that most of the spills were associated with poor weather coast to the four regions. It was found that the spill rates in the Mississi Chio Rivers. It was found that the spill rates in the Chio River we migher than in the Mississippi or Illinois Rivers or in the coastal Collection, Coastal Oil Spills, Coast Country States of the Spills, National Response Center,			
A comparison of the rates of incidence of oil spills over 10,00 the years 1974 through 1977 was made for four regions in the United by heavy oil traffic: Greater New York - New Jersey, Delaware Bay, Coast, and the Northern Texas Coast. The spill data for the study the Pollution Incident Reporting System (PIRS), the records of the Center (NRC), and the Vessel Casualty Reporting System (VCS). Oil obtained from the Army Corps of Engineers, Waterborne Commerce of the spill rates calculated for the four regions showed no signification of the New York - New Jersey region. An examination of the showed that most of the spills were associated with poor weather coast to the four regions. It was found that the spill rates in the Mississi Chio Rivers. It was found that the spill rates in the Chio River we migher than in the Mississippi or Illinois Rivers or in the coastal Collection, Coastal Oil Spills, Coast Country States of the Spills, National Response Center,			
the years 1974 through 1977 was made for four regions in the United by heavy oil traffic: Greater New York - New Jersey, Delaware Bay, Coast, and the Northern Texas Coast. The spill data for the study the Pollution Incident Reporting System (PIRS), the records of the Center (NRC), and the Vessel Casualty Reporting System (VCS). Oil obtained from the Army Corps of Engineers, Waterborne Commerce of the spill rates calculated for the four regions showed no signification of the New York - New Jersey region. An examination of the showed that most of the spills were associated with poor weather coast and the following the Mississiphian Rivers. It was found that the spill rates in the Chio River whigher than in the Mississiphi or Illinois Rivers or in the coastal migher than in the Mississiphi or Illinois Rivers or in the coastal Guard, PIRS, National Response Center,	Abstroct		
Follution, Coastal Oil Spills, Coast DOCUMENT IS AVAILABLE TO THROUGH THE NATIONAL TEX	y heavy oil traffic: G	reater New York - New Jersey	, Delaware Bay, the Louisiana
Follution, Coastal Oil Spills, Coast DOCUMENT IS AVAILABLE TO THROUGH THE NATIONAL TEX	y heavy oil traffic: G oast, and the Northern he Pollution Incident R enter (NRC), and the Ve btained from the Army C he spill rates calculat owever, a significantly ivision of the New York howed that most of the ce, fog). A partial st hio Rivers. It was fou	reater New York - New Jersey Texas Coast. The spill data eporting System (PIRS), the ssel Casualty Reporting Systorps of Engineers, Waterborned for the four regions show higher spill rate was noted - New Jersey region. An expills were associated with udy was also made of spills nd that the spill rates in t	y, Delaware Bay, the Louisiana for the study were drawn from records of the National Responsion (VCS). Oil movement data we see Commerce of the United States and no significant differences. For the Hudson River subsamination of the spill reports poor weather conditions (viz., in the Mississippi, Illinois, a he Ohio River were significantly
Follution, Coastal Oil Spills, Coast DOCUMENT IS AVAILABLE TO THROUGH THE NATIONAL TEX	y heavy oil traffic: G oast, and the Northern he Pollution Incident R enter (NRC), and the Ve btained from the Army C he spill rates calculat owever, a significantly ivision of the New York howed that most of the ce, fog). A partial st hio Rivers. It was fou	reater New York - New Jersey Texas Coast. The spill data eporting System (PIRS), the ssel Casualty Reporting Systorps of Engineers, Waterborned for the four regions show higher spill rate was noted - New Jersey region. An expills were associated with udy was also made of spills nd that the spill rates in t	y, Delaware Bay, the Louisiana for the study were drawn from records of the National Responsion (VCS). Oil movement data we see Commerce of the United States and no significant differences. For the Hudson River subsamination of the spill reports poor weather conditions (viz., in the Mississippi, Illinois, a he Ohio River were significantly
Guard, PIRS, National Response Center, THROUGH THE NATIONAL TEX	y heavy oil traffic: Goast, and the Northern he Pollution Incident Renter (NRC), and the Vebtained from the Army Che spill rates calculat owever, a significantly ivision of the New York howed that most of the ce, fog). A partial sthio Rivers. It was four igher than in the Missi	reater New York - New Jersey Texas Coast. The spill data eporting System (PIRS), the ssel Casualty Reporting Syst orps of Engineers, Waterborn ed for the four regions show higher spill rate was noted - New Jersey region. An ex spills were associated with udy was also made of spills nd that the spill rates in a ssippi or Illinois Rivers or	y, Delaware Bay, the Louisiana for the study were drawn from records of the National Responsitem (VCS). Oil movement data we see Commerce of the United States and no significant differences. For the Hudson River subsamination of the spill reports poor weather conditions (viz., in the Mississippi, Illinois, a he Chio River were significantly in the coastal regions.
	y heavy oil traffic: Goast, and the Northern he Pollution Incident Renter (NRC), and the Vebtained from the Army Che spill rates calculat owever, a significantly ivision of the New York howed that most of the ce, fog). A partial sthio Rivers. It was four igher than in the Missi	reater New York - New Jersey Texas Coast. The spill data eporting System (PIRS), the ssel Casualty Reporting Syst orps of Engineers, Waterborn ed for the four regions show higher spill rate was noted - New Jersey region. An ex spills were associated with udy was also made of spills nd that the spill rates in t ssippi or Illinois Rivers or	y, Delaware Bay, the Louisiana for the study were drawn from records of the National Responsion (VCS). Oil movement data we see Commerce of the United States and no significant differences. For the Hudson River subtamination of the spill reports poor weather conditions (viz., in the Mississippi, Illinois, a he Ohio River were significantly in the coastal regions.
9. Security Classif, (of this record) 22. Security Classif. (of this page) 11. No. of F Unclassified Unclassified 160	y heavy oil traffic: Goast, and the Northern he Pollution Incident Renter (NRC), and the Vebtained from the Army Che spill rates calculat owever, a significantly ivision of the New York howed that most of the ce, fog). A partial sthio Rivers. It was four igher than in the Missi ollution, Coastal Oil Suard, PIRS, National Re	reater New York - New Jersey Texas Coast. The spill data eporting System (PIRS), the ssel Casualty Reporting Syst orps of Engineers, Waterborn ed for the four regions show higher spill rate was noted - New Jersey region. An ex spills were associated with udy was also made of spills nd that the spill rates in t ssippi or Illinois Rivers or  Spil Rates, pills, Coast sponse Center,  THACORN	The laware Bay, the Louisiana for the study were drawn from records of the National Responsite (VCS). Oil movement data we see Commerce of the United States and no significant differences. For the Hudson River subtamination of the spill reports poor weather conditions (viz., in the Mississippi, Illinois, a he Ohio River were significantly in the coastal regions.  Stotement Entits AVAILABLE TO THE PUBLIC SHIPLE NATIONAL TECHNICAL INTION SERVICE, SPRINGFIELD.

Form DOT F 1700.7 (8-72)

Reproduction of campleted page authorized

\_\_\_\_\_

JOB.

#### PREFACE

This memorandum reports on work undertaken by the Office of Air and Marine Systems of the Transportation Systems Center for the U.S. Coast Guard Office of Marine Environment and Systems, under Project Plan Agreement CG 915. The task covered by this report was initiated in October 1978 and completed in May 1979.

The assistance of CDR J. Valenti, Lt. M. Tobbe, Lt. CDR J. Clow, CDR W. Ecker, and of Ensigns R. Miller and M. Ives of the U.S. Coast Guard is acknowledged with appreciation.

NTIS GRA&I	
	-
DTIC TAB	
Unannounced	
Justification	
By	
Distribution/	
Availability	r Codes
Aveil a	
Dist Speci	
Λ	

,										
White Yes Known	Maltade by	3	771.5		]	Witer Von Room	Maltight by	1	ļ	
							LENGTH			
	11.5451									
					1 9	andimeters.	<b>:</b>	achos achos	1 1	
							2	* 4	4	
*****	~	Cantimotes a	5		•		7	a pared	2	
1 .	3	200100000000000000000000000000000000000	<b>.</b>		3	& charmed at 8	:	Pa-101	ì	
		b-turneter t	5	11						
							AREA			
	AFILA			1	4				•	
			7		3-		9 .	September and hear	`r	
Separate Market	. 3		53	!	. "1	Parent brigaries	: :	Service of the servic	ı Î	
	:		٠,		2	A 140.000 1	•	1		
depart melan	:	Severa biliniedera	<b>^</b> 3	1						
	:	•	1	1						
4	MASS (weight)					3	MASS (weight)			
					•		#0.0	90mmC 91	2	
			- 3		, :	Lifting men	1.1	i	2	
-				'!'	•	House a (flower ha)		short tons		
(some)				l'l'						
	ADIONE					1	VOLUME			
								377.0		
be speed a	•	And Holiston	ī		1	a.M.h.te.	= :	Band mannes	3 = 1	
Latifoopulan	=	See Histogram	7				; }	7	. 1	
Head man, on	2	molifilites &	1	!'					, ī	
2	•7•	1		1	. ~			Confect for	17	
					ı <b>~</b> e	100	-	Cubic sands	7	
				•						
Cubic lead			·*•							
their tends	2 .		•,				ICMPERATURE (SESCE)			
TEMPL	fEMPERATURE (sect)				'n	Colows	**	I ple profes :		
			٠			langua dhan	121	lemen sture		
Salvanders terryanologo	adverting	a property of	,					٠.		
	ā					0	21	002 091		
						02-	9		۷.,	

## TABLE OF CONTENTS

Section		Page
1.	INTRODUCTION	1
	1.2 Background	. 1
2.	DEFINITION OF THE FOUR REGIONS	. 5
3.	EXPANSION OF THE SPILL DATA BASE	. 8
	<ul> <li>3.1 Selection Criteria</li></ul>	· · ċ
	Reporting Facility Data	. 15 . 16 . 25
4.	EXPOSURE VARIABLE DATA	. 28
	4.1 Oil Movement as an Exposure Variable	. 32
5.	SPILL PATES	. 38
	5.1 Spills per Million Tons	. 41 . 42 . 49
	5.5.1 Under-Reporting of Exposure	. 50 . 52
	5.6 Hudson River Spills	. 56
6.	SUMMARY OF RESULTS	. 63
	APPENDIX A - OIL SPILLS OF 10,000 GALLONS OR MORE IN FOUR COASTAL REGIONS OF THE UNITED STATES 1974-1977	
	APPENDIX B - ESTIMATION OF THE NUMBER OF OIL SPILLS WITH INFORMATION FROM TWO SOURCES	. 3-1

# TABLE OF CONTENTS (CONTINUED)

	1 ago
APPENDIX C - MOVEMENT OF CRUDE, HEAVY, AND LIGHT OILS IN 1974-1977 FOR FOUR GEOGRAPHIC REGIONS OF THE UNITED STATES	C-1
APPENDIX D - TRIPS OF TANKERS, TANK BARGES, AND ALL VESSELS IN 1974-1977 FOR FOUR GEOGRAPHIC REGIONS OF THE UNITED STATES	D-1
APPENDIX E - A BRIEF DISCUSSION OF THREE TECHNIQUES TO ESTIMATE OIL SPILL RATES FROM HISTORIC DATA	E-1
APPENDIX F - SIGNIFICANCE TESTING FOR POISSON PROCESSES	FeI
APPENDIX G - OIL SPILL RATES IN SELECTED WESTERN RIVERS	G-1
REFERENCES	R-1
LIST OF ILLUSTRATIONS	
	Page
PIRS Data Form (Page 1)	11
Hudson River Oil Movement, 1974-77, ACOE Data	51
Greater New York and Delaware Bay Regions	A-1
Louisiana Coast and North Texas Coast Regions	4-2
Population Estimation Technique	B-2
Probability p3 of a Spill being recorded vs. Transfer Probability, t	3-10
Illustration of Two Spill Rate Estimation Techniques	E-5
	OILS IN 1974-1977 FOR FOUR GEOGRAPHIC REGIONS OF THE UNITED STATES

## LIST OF TABLES

Table		Page
3-1.	SPILL CLASSIFICATION	12
3-2.	ANALYSIS OF PIRS SPILL RECORDS - JANUARY 1974-DECEMBER 1977	14
3-3.	PIRS AND NRC SPILLS OVER 10,000 GALLONS, 1974-77 NEW YORK	17
5-4.	PIRS AND NRC SPILLS OVER 10,000 GALLONS, 1974-77 DELAWARE BAY	18
3-5.	PIRS AND NRC SPILLS OVER 10,000 GALLONS, 1974-77 LOUISIANA COAST	19
3-6.	PIRS AND NRC SPILLS OVER 10,000 GALLONS, 1974-77 NORTH TEXAS COAST	20
3-7.	PIRS AND NRC SPILLS OVER 10,000 GALLONS, 1974-77 ALL FOUR REGIONS	21
3-8.	SPILLS RECORDED BY PIRS AND NRC	22
4-1.	SPILL SOURCES AND OIL MOVEMENT TYPES	30
4 - 2.	SPILL SOURCES AND VESSEL MOVEMENT TYPES	30
4-3.	ANALYSIS OF U.S. OIL MOVEMENT BY VESSEL TYPE	31
4-4.	OIL MOVEMENT FOR FOUR COASTAL REGIONS, BY YEAR (1)	34
4-5.	OIL MOVEMENT FOR FOUR COASTAL REGIONS, BY CARRIAGE (1)	35
4-6.	VESSEL TRIPS FOR FOUR COASTAL REGIONS, 1974-77 (1)	36
5-1.	OVERALL SPILL RATES, 1974-77 (SPILLS PER MILLION TONS)	39
5-2.	SIGNIFICANCE TEST RESULTS (1) FOR ALL SPILLS IN THE FOUR REGIONS, EXCLUDING THE HUDSON RIVER	40
5-3.	VESSEL-RELATED SPILL RATES, 1974-77 (SPILLS PER MILLION TONS)	4 3
5-4.	SIGNIFICANCE TESTS (1) FOR VESSEL-RELATED SPILLS IN FOUR REGIONS, ENCLUDING THE MUDSON RIVER	44
5-5.	VESSEL-RELATED SPILLS PER TRIPT 1974-77	15

# LIST OF TABLES (CONT.)

Table		Page
5-6.	SIGNIFICANCE TESTS (1) FOR VESSEL-RELATED SPILLS PER THOUSAND TANKER AND BARGE TRIPS, IN FOUR REGIONS, EXCLUDING THE HUDSON RIVER	46
5-7.	OIL TONNAGE PER TANKER OR BARGE TRIP IN FOUR REGIONS	47
5-8.	ESTIMATED PERCENT UNREPORTED SPILLS, AUGUST 1974 - DECEMBER 1977	53
5-9.	TOTAL ESTIMATED SPILLS, ALL REGIONS, 1974-77	54
5-10.	TOTAL ESTIMATED SPILL RATES, ALL REGIONS, 1974-77.	5.5
5-11.	SIGNIFICANCE TESTS FOR TOTAL ESTIMATED SPILLS, ALL REGIONS, 1974-77.	57
5-12.	ANALYSIS OF HUDSON RIVER SPILLS, (1) 1974-1977	58
5-13.	COMPARISON OF GROUNDINGS, COLLISIONS AND MARINE FACILITY SPILLS IN HUDSON RIVER WITH OTHER REGIONS(1)	59
B-1.	INDEPENDENT AND COMBINED RECORDING PROBABILITIES	B - 7
D-1.	WATERWAYS IN THE NEW YORK CONSOLIDATED STATEMENT, ACOE DATA	D-2
D-2.	LOUISIANA INLAND WATERWAYS	D-3

## 1. INTRODUCTION

#### 1.1 BACKGROUND

The United States Coast Guard has long been involved in the protection of the marine environment against spills of oil and other injurious substances. (1). The Water Quality Improvement Act (1970) and the Federal Water Pollution Control Act Amendments of 1972, however, gave the Coast Guard extensive responsibilities in the prevention, enforcement, surveillance, response, abatement, amd impact assessment of oil spills. These responsibilities fall under the USCO Marine Environment Protection (MEP) program. The need for comprehensive oil spill statistics was soon recognized by the U.S. Coast Guard, which established the Pollution Incident Reporting System (PIRS) in December 1971. Soon after the 1972 legislation, and in compliance with it, the National Response Center (NRC) was established. The NRC includes a Central Reporting System for oil and hazardous materials. (2) The accumulation by PIRS and NRC of detailed oil spill data since 1971 opens several possibilities for quantitative management techniques. (See, for example, Reference 2). Some of the uses of these data are (a) evalution of effectiveness of proposed MEP measures, (3) (b) evaluation of effectiveness of measures previously put in force, and (c) program and budget planning.

Many analyses can be accomplished using oil spill data alone. A few methods, however, require rate data, i.e., spill data

<sup>(1)</sup> The Rivers and Harbors Act of 1899, which prohibits the dumping of refuse in U.S. navigable waters, is jointly administered by the U.S. Army Corps of Engineers; the Department of Justice and the U.S. Coast Guard. The term 'refuse' has been interpreted by the courts to include oil.

The Central Reporting System is required by the Hazardous Materials Transportation Control Act of 1970.

 $<sup>^{(5)}</sup>$ As an example of this application, see Reference 1.

normalized to some exposure measure such as petroleum movement, production, use, or storage. The major uses to which rate information has been put are spill prediction or projection, and comparative risk studies.

Spill projection methods were developed extensively in the early 1970's by Devanney and Stewart (References 3,4 and 5) in order to provide an assessment of offshore oil development risks. They derived the posterior distribution of the number of spills that would occur for an expected future exposure, given historical spills and exposure. In practice, this distribution (the negative binomial) is very close to a Poisson distribution using the historical spill rate as a parameter. Needless to mention, spill projection methods derive their usefulness from the knowledge (or estimates) of anticipated change in the underlying exposure variable. Thus, the impact on oil spills of increased oil imports may be estimated by these methods.

In comparative risk studies the emphasis is on the differences of spill rates, such as occur from one transport method to another, or from one geographic area to another. To make the comparison meaningful, the same or equivalent exposure variables must be used in both cases. This technique has been conspicuous in the tanker/pipeline controversy (Reference 6), in the U.S./ foreign flag tanker question (Reference 7) and in offshore/ onshore production risk comparisons. A recent study has shown (Reference 8) differences in rates of occurrence of spills over 50,000 gallons from one part of the U.S. coastal area to another. Such differences, if they exist, may provide insight into different MEP measures, shipping practices, geography, navigational aids or other characteristics that vary from one coastal area to another. It is the investigation of these regional spill rate differences that motivates the present report.

#### 1.2 OBJECTIVE

The present study deals with spill rates in the New York, Delaware Bay, Louisiana and North Texas regions of the U.S. coast, as employed in Reference 8. The purpose is to determine what differences, if any, exist in the spill rates for the four regions when a larger set of spills (i.e., spills over 10,000 gallons) is considered, and to analyze the possible causes of such differences.

Spill rates were obtained for the four regions in Reference 8 by dividing the number of spills in the region in 1974-77, as contained in the Major Oil Spill Information System (MOSIS) file, by an estimate of the total tonnage of waterborne oil movement in the same region and time period. The MOSIS file is a composite of spills over 50,000 gallons extracted from the U.S. Coast Guard Pollution Incident Reporting System (PIRS) and the National Response Center (NRC) files. The oil movement in the regions was estimated from Army Corps of Engineers (ACOE) data (Reference 9) on Waterborne Commerce of the United States.

The least square fits to the regional spill and throughput data, as given in Reference 8, Section 5.5.1.2, are as follows:

Greater New York:

n = -0.171 + 0.0212 V

Delaware Bay:

n = 0.0627 V

Louisiana Coast

n = 0.852 + 0.0682 V

North Texas Coast:

n = 0.818 + 0.0193 V.

where n is the number of spills and V is the oil throughput volume in millions of short tons. These estimates are affected not only by the restriction on spill size (only spills over 50,000 gallons) but also by the geographic limits taken to define the regions, and by the selection of type of spill (vessel, transfer, pipeline, onshore, etc.) and by the type of oil movement considered.

The first step taken in this report will be to refine the definitions of the four regions. The next, and most important, step will be to expand the data base of spills to encompass all spills over 10,000 gallons in the four regions in the calendar years 1974-77. Then, the oil movement data will be analyzed and various exposure data developed. From the spill data and the exposure data, the corresponding spill rates will be calculated.

Finally, the possible causal factors will be analyzed and the significance of the results ascertained.

The above steps are carried out in the remainder of this report, as follows:

Section 2: Definition of the Four Regions

Section 3: Expansion of the Spill Data Base

Section 4: Analysis of Exposure Variable Data

Section 5: Calculation of Spill Rates

Section 6: Discussion of Results.

In addition to the four regions, a calculation of spill rates was carried out for the major Western Rivers. The results are reported in Appendix G of this report.

## 2. DEFINITION OF THE FOUR REGIONS

The four regions were selected in Reference 8 because the large number of spills and heavy oil movement within them offered the best prospects for statistically significant results. In this section the four regions are defined more precisely. The definitions take into account three considerations:

- a. The boundaries of the regions should be clear enough that any spill may be classified unambiguously as being within a region or not. Moreover, a clear-cut boundary will allow one to identify those spills that are marginally in or out of the region, thus facilitating a sensitivity analysis of the regional boundaries.
- b. Regional boundaries should be chosen, as far as possible, to encompass entire waterways, as defined in the ACOE Waterborne Commerce data, which is the major source of oil movement data to be employed.
- c. Boundaries should coincide with the meridians and parallels to facilitate computer sort of the PIRS data on latitude and longitude.

The four regions are illustrated in Figures A-1 and A-2 in Appendix A and are described as follows:

## Greater New York

Latitude 40° 00' to 43° 00' Longitude 72° 00' to 74° 40'.

The latitudes are chosen to cover both the Port of New York and the Hudson River to Troy, N.Y. The longitudes are chosen to include most of Long Island Sound on the east and the northern part of the New Jersey seacoast (Sandy Hock, Perth Amboy, south to Manasquan) on the west.

The greatest oil movement, about 130 million tons/year in this region, is in the Port of New York, which includes oil movement on the New Jersey side of the harbor as well. The

Hudson River from New York to Troy is the next largest sub-area of oil movement and spills. The third level of activity occurs along the northern shore of Long Island Sound (New Haven, New London, Bridgeport). It is of some interest to determine spill rates for these sub-areas, which are indicated by the dashed lines in Figure A-1.

## Delaware Bay

Latitude 38° 30' to 40° 30' Longitude 74° 40' to 75° 45'.

This region encompasses all of Delaware Bay and the Delaware River up to Frenchtown, NJ, (about 18 miles north of Trenton, NJ). It also encompasses the ocean approaches to Delaware Bay, from the Cape May area of New Jersey to approximately the Maryland-Delaware border.

This region comprises both the large open-water body of Delaware Bay and the confined waters of the Delaware River from Wilmington DE to Trenton NJ. It is not possible to segregate the ACOE oil movement data into these two sub-regions; Delaware Bay traffic is aggregated with that from Philadelphia (south of Allegheny Avenue) and Wilmington in the ACOE tabulations.

#### Louisiana Coast

Latitude 28° 00' to 50° 30' Longitude SS° 20 to 93° 40'.

This encompasses all of the central part of the Gulf Coast, from just east of Mobile and Pascagoula, AL, almost to the Texas-Louisiana border on the west. It includes Lake Charles and the Calcasieu River and Lake, but not Port Arthur, Orange, Beaumont or the Sabine-Neches Waterways. It includes almost all of the drilling platforms offshore of Louisiana and Mississippi. To the north, it covers the Mississippi River up to and including Baton Rouge, LA.

The eastern, western, and northern boundaries of this region were selected so as to avoid cutting waterways for which data is tabulated as a whole by the ACOE. On the east, the Gulf

Intracoastal waterway is tabulated from Mobile AL to New Orleans LA. On the west, the Intracoastal Waterway from Lake Charles to Sabine is tabulated as a whole. The northern boundary, unfortunately, cuts off the northern end of the Atchafalaya River, but coincides with the New Orleans - Baton Rouge section of the Mississippi River, which carries heavy traffic and which is tabulated separately, as will be seen.

## N. Texas Coast

Latitude 28° 00' to 30° 30' Longitude 95° 30' to 96° 00'.

This region is adjacent to the Louisiana Coast Region defined above, going from approximately the Texas-Louisiana border to just south of the Matagordo ship channel, which is about 40 nautical miles southwest of Freeport, TX. The major oil movements in this region take place in the Sabine-Neches Waterway (Port Arthur, Sabine, Orange, Beaumont) and in the Galveston-Houston-Texas City area. The western boundary selected for this region presents a slight problem, for it is impossible to select a meridian to the west of Freeport TX and Houston TX which does not intersect the Galveston-Corpus Christi section of the Intracoastal Waterway. The limited amount of traffic on that waterway, however, assures that any inaccuracy introduced is minor.

## 3. EXPANSION OF THE SPILL DATA BASE

The purpose now is to establish a data base of spills over 10,000 gallons of oil and oil products in the four geographic regions of interest in the period 1974 through 1977. Several sources of spill data are available. The primary sources employed are the Pollution Incident Reporting System (PIRS) file and the National Response Center (NRC) files. Supporting data were also extracted from the Commercial Vessel Casualty File (CVCF). All three data sources are maintained by the U.S. Coast Guard.

Although other data sources for spills in U.S. waters in the years 1974-77 are available,\* they were not systematically consulted because it was believed that the PIRS and NRC files contained the vast majority of spills of interest. The validity of that assumption will be discussed later.

#### 3.1 SELECTION CRITERIA

In addition to the geographic and temporal limits stated, two other selection criteria were employed. They are:

- (a) Spills of oil or oil products. These are to be classed as crude, heavy (including asphalt, creosote, road tar, as well as the common residual oils, #4, #5, and #6), and light (including gasoline, naphtha and diesel fuels)
- (b) Spills of 10,000 gallons or more. The quantity spilled (not the amount in the water) is referred to here. The value of 10,000 gallons was expected to yield a large enough data base to provide statistically significant results.

Among these sources one may mention (1) The Center for Short Lived Phenomenon, Cambridge MA, (2) Lloyd's Weekly Casualty Reports, (3) The Tanker Advisory Center, New York, NY.

No constraints were applied to the spill source in the data extraction phase. Thus spills from both transportation-related and non-transportation-related sources were extracted initially, as were both enshore and effshore sources. The extent to which spills from various sources can be related to different measures of exposure was determined after the data extraction phase.

Neither were any constraints applied to the spill cause(s) or to jurisdiction (EPA vs USCG) in the extraction phase, for the same reason. Thus the intent was to obtain initially a list of all spills within the designated limits of time, location and material, that could later be related to available exposure measures.

#### 3.2 POLLUTION INCIDENT REPORTING SYSTEM (PIRS) DATA

The Federal Water Pollution Control Act (FWPCA) Amendment of 1972 requires (Section 311 (b) (5)) that:

"Any person in charge of a vessel or of an onshore facility or an offshore tacility shall, as soon as he has knowledge of any discharge of oil or a hazardous substance from such vessel or facility in violation of paragraph (3) of this subsection, immediately notify the appropriate agency of the United States Government of such discharge."

The discharges referred to in paragraph (3) are those of "oil or hazardous substances into or upon the navigable waters of the United States, adjoining shorelines, or into or upon the waters of the contiguous zone in harmful quantities as determined by the President..." In Executive Order 11735. August 3, 1973, the Coast Guard was designated as the "appropriate agency" to be notified.

The PIRS pre-dates the above statute, having been put into operation in the U.S. Coast Guard in December 1971.\* From that date it was required of Coast Guard personnel to report all spills that they observed or that they came to know about, the same requirement as was imposed in 1972 on non-Coast Guard personnel

<sup>&</sup>quot;See page 1 of Reference 10.

by the above Amendment to the FWPCA. Also, the Coast Guard is charged with enforcement of the 1972 Amendment, for all offending discharges in U.S. navigable waters, so that the PIRS includes information on penalty action as well as the spill itself. Thus, in theory, the PIRS covers all offending spills in the United States.

A facsimile of the PIRS coding sheet for a discharge is shown in Figure 3-1 (The two other coding forms, one for response and one for penalty action, are not shown). It should be noted that the water body code refers to the type of water body (one of 7 types allowed for inland and Great Lake spills, 11 types for coastal spills). The name of the water body is not recorded in PIRS. Similarly, vessel type and identification number are given, but the vessel name is not given. Ten sizes of tankships and ten sizes of barges are allowed for, plus seven other types of vessels.

The PIRS classification of sources (Reference 10, pages 26-28) served as the basis for the spill classification used in this report. As will be seen in the next section, oil movement and vessel trip data are available (Reference 9) for tankships and barges. Hence spills involving tankers and barges were segregated. Spills involving dockside oil facilities, such as transfer spills, were also extracted separately from the spill data, since they are directly related to waterborne oil movement. The remaining spills are not directly related to oil movement and were classified as (1) those connected with offshore drilling, and (2) onshore facility spills. The complete classification list, with corresponding PIRS source code numbers from Reference 10, is given in Table 3-1.

When the PIRS data tape was examined for spills over 10,000 gallons it was found to contain many records for which the latitude and longitude, or river and mile, at which the spill occurred were not recorded. These incidents all bear dates prior to

υ.	PAPTMENT OF ANSPORTATION S. CCAST GUARD H4590 (Rev. 12-75)	POLLUTION INCIDENT REPO (PIRS) (DISCHARGE)	RTING S	SYSTEM	INPUT TO PIRS PRE-EDIT 12210M			
•	NOTE: 1. A - Alphe, N - Numeri 2. Columns 1 thru 16 sen	c (zero-fill), A.N Alpho/Numeric no fer both cords.						
	FIELD	CARD COLUMN			DA	TA		
	District	1-2 (N)						
0 0	Sequence Number	3-7 (N)					·	
RECORD 10	Date of 1	8 - 13 (N)	Yr.		Month		Day	
	Transaction Code	14 - 16 (A)			ADD/COI	R/DEL		
	Card Number	17 (N)			1			
-	Time of Occurrence	21 - 23 (N)	Day	of Week		Hour of Day		
-	Location	24 - 33 (A/N)						
	State	34-35 (A)						
	Water Body	36 - 38 (N)						
	Source	39 - 41 (A/N)						
	Source Identifier	42 - 49 (N)						
	Cause	51-52 (A)						
	Operation	54-55 (N)						
1GE	Material	56 - 59 (N)						
DISCHARGE	Quantity	60 - 67 (A/N)						
5	Affected Resources	69 - 74 (A/N)						
	Report Period Date	75 - 80 (N)	Yr.		Month		Day	
	Card Number	17 (N)			2			
	Wind Speed/Direction	21 - 25 (N)		Kno	ts		° True	
	Sea Hgt.Swell Directio	n 26 - 30 (N)		Fee	t		True	
	Current Speed/Directio	n 31 - 35 (N)		Kno	ts		True	
	Notifier	39-41 (A/N)						
	Anticipated Response	42 (N)						
	OPFAC Number	44 - 53 (A/N)						
	Report Period Date	75 - 80 (N)	Yr.		Month		Day	

FIGURE 3-1. PIRS DATA FORM (Page 1)

## TABLE 3-1. SPILL CLASSIFICATION

PIRS CODE NUMBER

Vessel Spills	
Tankships	010 through 019
Tank Barges	030 through 039
Other Vessels	000, 050 through 058

## Marine Facility\*

SPILL SOURCE

## Offshore

Production	506
Pipelines	402

## Onshore

Pipelines	400, 401
Other Transportation	200 through 399
Non-Transportation	500 through 504, 507 and 508
Other	900, 999

<sup>\*</sup>Spills from these sources include so-called "transfer spills".

January 1976: 95 of the 316 spills over 10,000 gallons from January 1974 through January 1976 have no latitude and longitude or river and mile. These records, however, have the state in which the spill occurred, and on that basis it was possible to narrow down to 38 the number that could have occurred in any of the regions of interest. Of these, only 3 could be classified with any assurance into a region, since they were recorded as coastal spills. The remaining 35 spills bore an inland water body type code, and could not be definitely classified as in a region.

Table 3-2 shows a breakdown of the 555 PIRS records for spills of 10,000 gallons or more, from 1974 through 1977. One hundred forty-seven, or about 26%, are recorded to have occurred in these regions; 373, or 67%, are recorded as outside any of the regions; and 35, or about 6%, are possibly within the regions of interest. Of these 35 possible regional spills, the preponderance is in Texas for some unknown reason. The exact distribution of the 35 spills by state is:

Connecticut 0
New York 0
New Jersey 2
Pennsylvania 2
Louisiana 4
Texas 27.

All 35 spills occurred in 1974 or 1975.

5.3 NATIONAL RESPONSE CENTER (NRC) CENTRAL REPORTING FACILITY DATA

The National Response Center was established at USCG Headquarters and began functioning in August 1974, in accordance with the National Oil and Hazardous Substances Pollution Contingency Plan (Title 40 CFR, Part 1510). Until Jan. 1, 1977 the NRC was one of four USCG elements to which a spill could be

# TABLE 3-2. ANALYSIS OF PIRS SPILL RECORDS JANUARY 1974 - DECEMBER 1977

Number of PIRS records, oil spills of 10,000 gallons or more	<u> 3 5 5</u>
Latitude and Longitude specified	405
River and Mile specified	5 5
State only specified	9 5 5 5 5
Categorized to one of four regions on basis of latitude and longitude, or river and mile	
New York Region	51
Delaware Bay Region	19
Louisiana Coast Region	45
North Texas Region	.29
Probably within one of the four regions, on basis of state only and water body type	3
Possibly within one of the four regions, on basis of state only and water body type	35
	573
	555

reported.\* From January 1, 1977 on it was required that all spills be reported to the NRC, if practical. Duties of the NRC include receiving, evaluating and disseminating reports of spills, and maintenance of case files on medium coastal and major inland pollution incidents. Thus a scan of the NRC files can be expected to yield spills of 10,000 gallons or more, based on the definitions of medium and major discharges. (See Reference 17, 1510.5 (1)). While reporting to the NRC did not become a requirement until January 1, 1977, it nevertheless was expected, from the nature and history of the NRC, that most spills over 10,000 gallons from August 1974 onward would be recorded in its files.

The NRC case files are not coded and must be scanned manually. This was done for all cases within the four regions from August 1974 through December 1977. The process yielded a total of 79 incidents of oil spills over 10,000 gallons. The primary data extracted for each spill were:

Latitude and Longitude, or River and Mile
Location Name and State
Water Body Name
Source Name, Type Code, and Identification Number
Material Code (as in PIRS)
Quantity Spilled
Date and Time
Cause and Factor Code (as in PIRS).

It was found that quantity discharged was not always stated in the NRC files. Often the quantity recovered was reported but no estimate given of the total quantity discharged or reaching the water. In such cases, unless the information could be extracted from the PIRS file, a nominal factor of 2.0 was

The others were (a) the pre-designated On-Scene-Coordinator, (b) the Officer-in-Charge of any Coast Guard unit in the vicinity of the discharge, and (c) the Commander of the Coast Guard District in which the spill occurs.

applied to the quantity recovered to estimate the quantity discharged. This process was followed also when the quantity reported discharged was less than the total quantity reported recovered.

The latitude and longitude of the spill, or the river mile, when not given in the PIRS or NRC reports, were obtained from an atlas, based on the described location. Hence some are approximate. Similary, the source code, material code, and cause/factor code were assigned using the PIRS coding manual and the NRC narrative account whenever a PIRS record for the spill could not be identified.

#### 3.4 COMBINED PIRS AND NRC DATA - UNRECORDED SPILLS

The combined PIRS and NRC spills are listed in Appendix A. This listing also includes data from the Commercial Vessel Casualty File, the uses of which will be discussed in the next section. An analysis of the PIRS and NRC data by source and year is given for each region in Tables 3-3, 3-4, 3-5, and 3-6. The analysis for all four regions combined is given in Table 3-7. In all of these tables there is shown the number of spills in the PIRS files, in the NRC files, and in both files, in the form X/Y/Z.

The most striking feature of Table 3-7 is the relatively low fraction of all reported spills that appear both in the PIRS and NRC files. The number of distinct spills appearing in the two files is X + Y - I, or 146 + 76 - 46 = 176, as obtained from the total shown in Table 3-7. The number of spills that appear in both files, however, is only 46, giving an "overlap" of only 26%. Since NRC did not commence operation until August 1974, however, it does not contain many spills occurring prior to that month. Hence, only the period August 1974 through December 1977 should be considered in any estimate of recording overlap. When this is done, however, the result is still only 30%, as seen in Table 3-8.

TABLE 3-3. PIRS AND NRC SPILLS OVER 10,000 GALLONS, 1974-77

- NEW YORK -

	.1974	1975	1976	1977	Total
Vessels	•				
Tankers	1/1/1	2/2/2	1/1/1	0/0/0	4/4/4
Barges	7/1/1	2/2/2	0/1/0	3/1/1	12/5/4
Other	2/0/0	0/0/0	1/0/0	1/0/0	4/0/0
Marine Facilities	3/1/1	1/0/0	1/0/0	3/0/0	8/1/1
Offshore					
Production	0/0/0	0/0/0	0/0/0	0/0/0	0/0/0
Pipelines	0/0/0	0/0/0	0/0/0	0/0/0	0/0/0
Onshore					
Pipelines	1/0/0	0/1/0	1/1/0	0/0/0	2/2/0
Other Transportation	1/0/0	0/0/0	0/0/0	2/1/1	3/1/1
Non-Transport	3/1/1	2/0/0	6/2/1	3/2/1	14/5/3
Other and Unknown	3/0/0	1/0/0	1/2/0	1/1/0	6/3/0
<u>Total</u>	21/4/4	8/5/4	11/7/2	13/5/3	53/21/13

TABLE 5-4. PIRS AND NRC SPILLS OVER 10,000 GALLONS, 1974-71

— DELAWARE BAY —

	19-4	1975	1976	1977	Total
Vessels					
Tankers	2/1/1	1/1/1	2/2/2	0/0/0	5/4/4
Barges	0/0/0	0/0/0	0/0/0	0/0/0	0/0/0
Other	0/0/0	1/0/0	0/0/0	0/0/0	1/0/0
Marine Facilities	0/0/0	0/0/0	2/0/0	0/0/0	2/0/0
Offshore					
Production	0/0/0	0/0/0	0/0/0	0/0/0	0/0/0
Pipelines	0/0/0	0/0/0	0/0/0	0/0/0	0/0/0
Onshore					
Pipelines	0/0/0	0/0/0	0/0/0	0/0/0	0/0/0
Other Transportation	0/0/0	0/0/0	0/0/0	0/0/0	0/0/0
Non-Transport	2/0/0	3/2/0	2/1/0	1/0/0	3/3/0
Other	0/0/0	0/0/0	0/0/0	1/0/0	1/0/0
Total	4/1/1	5/3/1	6/3/2	2/0/0	17/7/4

TABLE 3-5. PIRS AND NRC SPILLS OVER 10,000 GALLONS, 1974-77

## - LOUISIANA COAST -

	1974	1975	1976	1977	Total
Vessels					
Tankers	1/1/1	2/2/2	0/1/0	0/1/0	3/5/3
Barges	3/3/1	2/3/2	3/3/3	5/3/1	13/12/7
Other	1/0/0	0/0/0	2/0/0	1/0/0	4/0/0
Marine Facilities	0/0/0	0/0/0	0/0/0	0/0/0	0/0/0
Offshore					
Production	1/1/0	1/1/1	6/2/2.	0/0/0	8/4/3
Pipelines	0/1/0	1/0/0	1/1/1	1/1/1	3/3/2
Onshore					
Pipelines	2/0/0	2/1/1	1/1/0	1/1/0	6/3/1
Other Transportation	0/0/0	0/0/0	0/0/0	0/0/0	0/0/0
Non-Transport	1/0/0	3/2/0	1/2/1	2/1/0	7/5/1
Other	1/1/1	0/1/0	0/0/0	2/0/0	3/2/1
Total	10/7/3	11/10/6	14/10/7	12/7/2	47/34/18

TABLE 5-6. PIRS AND NRC SPILLS OVER 10,000 GALLONS, 1974-77

- NORTH TEXAS COAST -

	1974	1975	1976	1977	Total
Vessels					
Tankers	1/0/0	1/1/1	1/1/1	1/1/1	4/3/3
Barges	3/1/1	1/1/1	2/2/2	1/1/1	6/4/4
Other	0/0/0	.0/0/0	1/0/0	1/0/0	2/0/0
Marine Facilities	0/0/0	0/0/0	0/1/0	1/1/1	1/2/1
Offshore					
Production	1/0/0	0/0/0	1/0/0	0/0/0	8/3/1
Pipelines	0/0/0	1/1/1	0/0/0	0/0/0	1/1/1
Onshore					
Pipelines	6/2/1	0/1/0	0/0/0	1/0/0	7/3/1
Other Transportation	0/0/0	0/0/0	0/0/0	0/0/0	0/0/0
Non-Transport	1/1/1	2/0/0	1/0/0	1/0/0	5/1/1
Other	0/0/0	1/0/0	0/0/0	0/0/0	1/0/0
Total	12/4/3	6/4/3	5/3/2	6/3/3	29/14/11

TABLE 3-7. PIRS AND NRC SPILLS OVER 10,000 GALLONS, 1974-77

- ALL FOUR REGIONS -

	1974	1975	1976	1977	Total
Vessels					
Tankers	5/3/3	6/6/6	4/5/4	1/2/1	16/16/14
Barges	13/5/3	5/6/5	5/6/5	9/5/3	31/21/15
Other	3/0/0	1/0/0	4/0/0	3/0/0	11/0/0
Marine Facilities	3/1/1	1/0/0	3/1/0	4/1/1	11/3/2
Offshore					
Production	2/1/0	1/1/1	6/2/2	0/0/0	9/4/3
Pipelines	0/1/0	2/1/1	1/1/1	1/1/1	4/4/3
Onshore					
Pipelines	9/2/1	2/3/1	2/2/0	2/1/0	16/8/2
Other Transportation	1/0/0	0/0/0	0/0/0	2/1/1	3/1/1
Non-Transport Facility	7/2/2	10/4/0	10/5/2	7/3/1	34/14/5
Other	4/1/1	2/1/0	1/2/0	4/1/0	11/5/1
Total	47/16/11	30/22/14	36/24/14	33/15/8	146/76/46

TABLE 3-8. SPILLS RECORDED BY PIRS AND NRC

	By PIRS	By NRC	By Both	9 Overlap
Aug. 74 - Dec. 74	15	12	8	42%
1975	30	22	14	37%
1976	36	2 4	14	30%
1977	33	15	8	20%
Net	·	<b>γ</b> =	I=	
Aug. 74 - Dec. 77	114	7 3	44	30%

Since only 30% of the reported spills appear in both files, one is led to inquire: How many spills occurred, but appeared in neither file? Surprisingly, it is possible to estimate how many spills were not recorded at all. In fact, the method for making such an estimate has long been used in estimating game population (Reference 18, p. 43) and demographic characteristics. It has also been employed by the Federal Aviation Administration (Reference 19) to estimate the actual number of near mid-air collisions (NMAC's) from two sets of pilot reports.

To apply this technique, it is necessary to assume that the spills listed in the PIRS or NRC records are selected at random from all spills over 10,000 gallons that occurred between August 1974 and December 1977. This assumption would not hold if certain types of spills were recorded by one source more consistently than other types. If, for example, vessel-related spills were not recorded by NRC with the same reliability as pipeline spills, then the estimation method would not be valid. It was not possible to ascertain, from interviews with the relevant USCG personnel, whether such a bias did indeed exist. Neither does examination of the data of Table 3-7 show any intelligible pattern. One might expect that the PIRS records, which are entered by the USCG personnel at the District level, would contain relatively more records of vessel, offshore and other marine spills than the NRC records, which are reported by all observers in the country. This, however, is not reflected in the data of Table 5-7, which show that vessel, offshore and other marine spills constitute 48% of the PIRS records and 52% of the NRC records.

Given the above assumption, however, one may estimate from Table 3-8 (see Appendix B) that the number N of spills that have actually occurred from Aug. 1974 to December 1977 in the four regions is:

 $X = X \cdot X \setminus I$ 

= 114.73/44

= 189

The number of distinct spills recorded by the two sources, 144, is therefore about 75% of the number estimates to have actually occurred.

One may justifiably inquire as to the confidence that may be placed in the estimate of N. As discussed in Appendix B, the overlap I is approximately normally distributed about NY/N with variance V:

$$V = X (N-X) Y (N-Y)/X^{3}$$

As different values of N are assumed, the distribution of the overlap I varies, according to the following table:

Assumed Value of N	<b>=</b>	150	165	190	235	250
Expected Overlap I	=	55.5	50.9	44.0	35.4	33.3
Variance V of Overlap	<b>=</b> .	5.1	8.7	10.7	12.6	12.8
Probability of 2 < 44	=	<.0001	.02	. 50		
<u>&gt;</u> 44				.50	.02	.002

From the last line of the above table it appears unlikely that N is less than 165 or more than 235. It should be reiterated that this N applies only to the period August 1974 through December 1977.

One also may inquire as to the effect of the assumption of independent reporting. While no formal mechanism exists for PIRS or NRC to obtain data from the other system, it is possible that informal communication existed between them during the time frame of interest. If this was so, however, the estimated total number of spills would be greater than 189, rather than less, for the data. This, also, is demonstrated in Appendix B.

In summary, one must conclude that at least 15%, and most likely 25% of all oil spills over 10,000 gallons in 1974-77 went unrecorded in either PIRS or NRC, in the four regions studied. If one considers only vessel and other marine spills, however,

the most likely estimate of unrecorded spills is 15% rather than 25%.

#### 3.5 COMMERCIAL VESSEL CASUALTY FILE (CVCF)\*

The Commercial Vessel Casualty File is based on U.S. Coast Guard reports made on Forms CG-2692, CG-924E, and related reports. It encompasses all casualties to U.S. vessels, or to foreign vessels in U.S. waters, provided the casualty involved one or more of the following:

- a. Property damage in excess of \$1500
- b. Damage affecting the seaworthiness of the vessel
- c. Stranding or grounding
- d. Loss of life
- e. Injury producing at least 72 hours incapacity.

Oil leakage or spillage alone does not require the filing of a casualty report, unless the value of the oil or its damage exceeds \$1500. Moreover, the amount of oil spilled is not included in CG-2692 and is recorded in the computerized file only as: 0 = no significant data, 1 = light oil pollution, 2 = moderate oil pollution, 3 = heavy oil pollution. The narrative reports and Form CG-2692 give more specific data than the computerized file. It was found that the computer file was adequate only for a coarse screening, because it records the date only to the month, and location only to the nearest Maritime Position number, \*\* and the quantity of oil only approximately, as 0,1,2, or 5. Therefore it was necessary, in many cases, to examine the actual casualty file to determine whether an incident listed in the CVCF printout was distinct from a similar incident recorded in PIRS or NRC, and if so, how much oil was spilled. Even when this was done there remained some 23 cases

Referred to as the Merchant Vessel Casualty File (MVCF) in Reference 15.

<sup>\*\*</sup>These "Bowditch numbers" are a set of 5- digit numbers assigned to recognizable coastal points, usually from 2 to 20 miles apart. See H.O. Publication No. 9, American Practical Navigator, N. Bowditch, any recent edition.

in the four regions, for which the CVCF was the only information source (i.e., no FIRS or NRC data) and with only the 0,1,2,3 indicator of the amount of oil spilled. This indicator, therefore, was examined in some detail.

Comparison of the CVCF pollution indicator (0,1,2,3) with quantity spilled as recorded in PIRS and in the CVCF Investigating Officer's Report yielded the following breakdown:

CVCF INDICATOR

= 1	= 2	= 3
(light polluti	ion) (moderate pollution)	(heavy pollution)
20,000 P	11,000 P	105,000 P
13,000 P	82,000 P	32,000 P
100 V	21,000 P	102,000 P
V 000	90,000 P	63,000 P
000 · V	277,000 P	210,000 F
200 V	420,000 P	378,000 P
200 V	5,000 V	900 V
1,500 V	1,474 V	
126 V	· 500 V	
15 V	1,000 V	
S 4 V	84,000 P	
5 1.	103,000 P	
0 V		
160,000 P	23,000 P	
200 V	\$40,000 P	

84,000 P 16,800 P

60 V

0 V 0 V 420 V

P = amount spilled, in gallons, recorded in PIRS file

V = amount spilled, in gallons, shown in CVCF Investigating Officer's Report.

From this breakdown it appears that the amount recorded in the VCF Investigating Officer's Report is usually less than the amounts recorded in PIRS, for spills bearing the pollution indicator 1 or 2. Further, the VCF pollution indicator is not always consistent with itself. A spill described in the VCF case report #72373 as being approximately 1500 gallons bears an indicator of 1, (light pollution) while one described as approximately 900 gallons in case #51795 bears an indicator of 3, (heavy pollution). It should also be noted that many VCF reports did not attempt to estimate amount of pollution, referring the reader to the report of the OCMI or COTP cognizant of the spill.

Given the above uncertainties in quantity spilled, as indicated by the CVCF, the following compromise with accuracy was made: Spills for which the CVCF pollution indicator was the only information on quantity spilled were considered to be 10,000 gallons or more if the indicator was 2 or 3. This procedure, plus the Investigating Officer's estimates, yielded a total of 9 spills over and above the 144 recorded in PIRS or NRC for 1974-77: two in the New York region, one in Delaware Bay, five in Louisiana and one in North Texas.

## 4. EXPOSURE VARIABLE DATA

The numbers of spills in the four regions cannot be compared meaningfully unless they are normalized to some measure of spill threat exposure in each region. A useful exposure variable must be related to the type of spill that it is intended to explain. For example, transfer spills might be related to the amount of oil loaded or unloaded; collisions and groundings might be related to the total vessel miles in a waterway or harbor; onshore spills might be related to the total oil entering and leaving a region. For each of the classes of spills shown in Table 3-1, candidate exposure variables were selected from the oil and vessel movement data available in the ACOE "Waterborne Commerce of the United States." (Reference 9) This publication is the most comprehensive data source available on U.S. oil movement. The selections possible are shown in Tables 4-1 and 4-2. A check mark indicates that the spill source on the left is possibly related to the oil or vessel movement type shown at the top. Table 4-1 shows possible oil movement types and Table 4-2 shows possible vessel movement types.

#### 4.1 OIL MOVEMENT AS AN EXPOSURE VARIABLE

It is seen in Table 4-1 that tanker spills might be related to all types of oil movement except local, and barge spills to all types of movement except foreign. When the various types of oil movement are broken down by vessel type, however, one finds the data of Table 4-3. The tonnage movement breakdown suggests that one may attempt to relate tanker spills to foreign and coastal movement, and to relate barge spills to internal and local movement. Alternately, one may attempt to relate all vessel spills to the total oil movement. The vessel trip breakdown, however, shows that most trips are made by tank barges, particularly in the Gulf coast ports. These possibilities will be explored further in the next section. It suffices to note at this point that it may be useful to segregate the oil movement

# TABLE 4-1. SPILL SOURCES AND OIL MOVEMENT TYPES

0	1.0		. ~
( ) 3	110.31	aman.	+ 1.ma
U 1 2	1101	- 111 - 11	t Twoe

Spill Source	Foreign	Coastal	Internal	Local
Vessels				
Tankers Barges Other	✓	√ √	√ √	✓
Marine Facilities Offshore Production	√	✓	√	<b>√</b>
Pipeline  Onshore  Pipelines	<b>✓</b> ==	<b>✓</b>	✓	<b>√</b>
Other Transport Non-Transport Other	√ √ √	√ √ √	√ √ √	v' v' v'

## TABLE 4-2. SPILL SOURCES AND VESSEL MOVEMENT TYPES

## VESSEL TRIPS BY

Self-Propelled Non-Self Propelled

Spill Source Tankers Dry Cargo Others Tankers Dry Cargo

Vessels

Tankers

Barges

Other

Marine Facilities ✓ ✓

Offshore

Production

Pipeline

Onshore

Pipelines

Other Transport

Non-Transport

Other

# TABLE 4-3. ANALYSIS OF U.S. OIL MOVEMENT BY VESSEL TYPE

# PERCENT BY TONNAGE MOVEMENT (1)

	Tankers	Tank Barges
Foreign	100	0
Coastal	89	11
Internal	2	98
Local	14	86

# PERCENT BY VESSEL TRIPS (2)

	Tankers	Tank Barges
Atlantic Ports	39	61
Pacific Ports	27	73
Gulf Ports	10	90
Combined Ports	24	76

<sup>(1)</sup> Reference 20, Tables I-A and II-A.

<sup>(2)</sup> Reference 20, Appendix E.

data into two groups: foreign and coastal in one group and internal and local in the other.

Spills from onshore activity cannot be directly related to any one type of cil movement. Onshore pipeline spills, in particular, may not involve oil that appears in waterborne oil movement data at all. Onshore storage tank leaks, a common source of onshore spills, may involve only oil that has had land transport in its history, and that would involve only land transport in its future. Clearly, distinguishing such onshore spills from those of waterborne oil is not practical, since it requires investigation of the transport history of the spilled oil. The only practical possibility appears to be to relate all onshore spills in the region to the total waterborne movement in the region.

Transfer spills and other marine spills are logically related to the total amount of oil that is loaded or unloaded on vessels in the region of interest. This is measured by the total of I foreign, coastal, internal and local tonnages excluding the "through" component of such movements. The "through" movement in a waterway is the tonnage that enters and leaves the waterway without being loaded or unloaded within the waterway. Fortunately, ACOE data list through tonnages separately within the foreign, coastal, and internal categories. (Local movements do not encompass any through traffic). Subtracting the through tonnages from the total movement should yield an exposure variable that may be related to transfer spills.

#### 4.2 VESSEL TRIPS AS AN EXPOSURE VARIABLE

As noted above, the ACOE oil tonnage data do not distinguish barge from tanker movements for each of the four regions of interest.\* However, the data do show tanker and tank barge trips by port or waterway, but not for separate commodities. If one assumes that all tankers carry oil, then the trip data may be used as a measure of tanker and tank barge activity by port or waterway. However, not all tankers carry oil, and an estimate is

<sup>\*</sup>Part 5 of the ACOE volumes does give barge tonnages by commodity for the country as a whole.

needed of what fraction do so, and how that fraction varies from region to region. A check of the PIRS liquid spills over 10,000 gallons involving tankers or tank barges from 1973 through 1977, shows that 5% of tanker spills and 18% of tank barge spills were liquids other than petroleum or its derivatives.\* (These percentages are unchanged when spills on the Mississippi-Ohio-Illinois River systems are excluded from the count). Hence it appears that 95% of tankship trips are connected with petroleum movement, while about 80% of tank barge trips are so connected. It is not possible to determine, from published data, how this percentage varies from region to region. It is apparent then that vessel trips can reasonably serve as an exposure variable for tanker spills but some unknown loss in accuracy occurs when applied to barge movements.

#### 4.3 TABULATIONS

Appendix C gives oil movement tonnages for the four regions of interest, extracted from the ACOE volumes. Within each region the data are broken down by year, by type of oil (heavy, light, crude), and by waterway. Through movements are noted separately.

Appendix D gives vessel trips for the four regions of interest, also extracted from the ACOE volumes. Within each region, the data are broken down by year, by type of vessel (tanker, barge, all vessel types), and by waterway.

The totals for the four regions are given in Tables 4-4, 4-5, and 4-6. The striking feature of Tables 4-4 and 4-6 is the strong rise in tonnage in the Louisiana and North Texas regions from 1974-77. Total tonnage increased by about 57% in these four years. Tanker trips, however, increased by only 56% and barge trips were virtually unchanged. Most of the tonnage increase can be traced to crude oil imports into Baton Rouge, Lake Charles, Port Arthur, Houston/Texas City, and Freeport. (See Appendix C)

<sup>\*</sup>The percentage for tank barges excludes intentional dumping of chemicals under permit.

TABLE 4-4. OIL MOVEMENT FOR FOUR COASTAL REGIONS, BY YEAR (1)

# (MILLIONS OF SHORT TONS)

NEW YORK REGION	1974	1975	1976	1977	Total
Port of New York	138.8	129.4	137.5	145.9	551.7
Long Island Sound	26.6	26.3	28.0	24.7	105.7
Hudson River	18.6	17.7	18.0	17.6	71.9
Total NY Region	184.0	173.4	183.5	188.2	729.3
DELAWARE BAY, Total	105.5	96.8	106.1	105.0	413.4
LOUISIANA COAST, Total	195.8	222.9	263.2	330.1	1012.0
NORTH TEXAS, Total	161.8	156.7	189.4	228.7	736.6

<sup>(1)</sup> Extracted from Appendix C.

TABLE 4-5. OIL MOVEMENT FOR FOUR COASTAL REGIONS, BY CARRIAGE (1)

# (MILLIONS OF SHORT TONS)

	Receipts &	Shipments	Thro	ugh	Total
	Ocean- going	Inter- nal	Ocean -going	Inter -nal	
NEW YORK REGION					
Port of New York	366.0	185.7	0.0	0.0	351.7
Long Island Sound	100.8	4.9	0.0	0.0	105.7
Hudson River	19.4	49.7	0.1	2.6	71.9
Total, NY Region	486.2	240.3	0.1	2.6	729.3
DELAWARE BAY REGION					
Total	287.9	95.4	26.8	5.4	413.4
LOUISIANA COAST REGION					
Total	272.0	276.6	198.0	265.4	1012.0
NORTH TEXAS REGION					
Total	404.6	171.6	28.6	160.4	736.6

<sup>(1)</sup> Extracted from Appendix C.

TABLE 4-6. VESSEL TRIPS FOR FOUR COASTAL REGIONS, 1974-77 (1)

	(THOUSANDS	OF VESSEL	TRIPS)		
	1974	1975	1976	1977	Total
NEW YORK REGION					
Port of New York					
Tankers	74.2	63.8	60.0	51.8	249.8
Barges	93.6	85.7	84.3	78.5	342.1
All Vessels	793.5	675.9	616.0	518.2	2603.6
Long Island Sound					
Tankers	5.1	4.4	4.2	3.7	17.4
Barges	7.7	7.8	6.5	6.0	28.0
All Vessels	127.4	115.3	114.2	105.4	462.3
Hudson River					
Tankers	2.3	1.9	1.8	1.5	7.5
Barges	8.5	7.4	7.7	7.1	30.7
All Vessels	110.9	93.0	78.9	62.5	345.1
Total, NY Region					
Tankers	81.6	70.1	66.0	57.0	274.7
Barges	109.8	100.8	98.5	91.6	400.7
All Vessels	1031.7	884.1	809.2	685.9	3410.9

<sup>(1)</sup> Extracted from Appendix D.

TABLE 4-6. VESSEL TRIPS FOR FOUR COASTAL REGIONS, 1974-77 (CONTINUED)

	(THOUSANDS	OF VESSEL	TRIPS)		
	1974	1975	1976	1977	Total
DELAWARE BAY REGIO	Ÿ.				
Tankers	5.1	4.5	4.5	4.1	18.2
Barges	16.5	13.5	14.3	12.5	- 56.8
All Vessels	118.8	119.6	94.9	87.2	420.5
LOUISIANA COAST REC	GION				
Tankers	7.5	8.4	8.9	9.7	34.5
Barges	171.5	182.6	177.4	183.1	714.6
All Vessels	565.0	799.9	838.8	896.6	3100.3
NORTH TEXAS REGION					
Tankers	8.3	7.9	8.8	8.9	33.9
Barges	110.5	102.3	109.2	106.5	428.5
All Vessels	275.7	258.6	291.6	292.1	1118.1

## 5. SPILL RATES

The spill data and exposure data developed in the preceding sections will be combined here to yield spill rate estimates for the four regions. First, a set of estimates will be developed using tonnage of oil movement as the exposure variable, and then a set will be developed using vessel trips as the exposure variable. In both cases the spill rate estimates will be for spills of oil and oil products of 10,000 gallons or more in the four regions and in 1974-1977, derived by the method selected in Appendix E.

#### 5.1 SPILLS PER MILLION TONS

The gross spill rates for the four regions, counting all spill sources and oil movements, are shown in Table 5-1. It appears that all regions have spill rates in the range of .04 to .07 spills per million tons except the Hudson River subsection of the New York region. The statistical significance of the observed spill rate in the Hudson River area can be tested by the method described in Appendix F. The normal approximation described there indicates that the odds against the Hudson River having the same spill rate as the remainder of the four regions are about 10,000,000,000 to 1, based on the data of Table 5-1.

It is clear then, that either the spill rate in the Hudson River is significantly different from that in the remainder of the regions, or that the Hudson River data (either spills or oil movement) are in error. This question will be treated in Section 5.5. First, it is appropriate to exclude the Hudson River data and to inquire whether any of the other regions or subregions show significant deviations from the remainder.

Table 5-2 summarizes the results of significance testing on the data for the four regions, excluding the Hudson River. The normal approximation and test procedure outlined in Appendix F were used once again. It is clear from the last column of Table 5-2 that none of the separate observations is very unlikely, given

TABLE 5-1. OVERALL SPILL RATES, 1974-77 (SPILLS PER MILLION TONS)

	A11 Cil Spills(1) 1974-77	Waterborne Oil Movement 1974-77	Spills per Million Tons Movement
NEW YORK			
Port of NY	38	551.7	.069
LI Sound	6	105.7	.057
Hudson River	19	71.9	.264
DELAWARE BAY	22	413.4	.053
LOUISIANA COAST	68	1012.0	.067
NORTH TEXAS	34	736.6	.046
	187	2891.3	.065

<sup>(1)</sup> Includes spills from all sources, as recorded in NRC, PIRS or VCF. See Appendix A.

<sup>(2)</sup> Millions of tons. See Table 4-4 or 4-5.

TABLE 5-2. SIGNIFICANCE TEST RESULTS (1) FOR ALL SPILLS IN THE FOUR REGIONS, EXCLUDING THE HUDSON RIVER

Region or Subregion	Oil (4)	Expected Spills(2)	Expected Variance	Probability o(3) Observed Spills
Port of NY	551.7	32.9	26.3	0.30
L1 Sound	105.7	6.3	0.9	0.91
Delaware Bay	413.4	24.6	20.9	0.44
Louisiana Coast	1012.0	60.3	38.4	0.20
N. Texas Coast	736.6	43.9	32.2	0.08
Total	2819.4	168.00	!	1

(1) Based on tests described in Appendix F.

(2) Assumes a total of 168 spills for 1974-77 in all regions, and the oil movement of column 1.

(3) Probability of all observations that deviate from the expected number of spills by as much as or more than does the actual observation, Table 5-1.

(4) Millions of tons, in the years 1974-77.

the total of 167 spills and the hypothesis that all regional spill rates are equal. The only possible exception is North Texas, which shows a .08 probability for the actually observed number of spills.

In assessing the significance of the North Texas spill rate, it should be recalled that an inordinate number of spills of unknown location (i.e., no latitude and longitude or river and mile) were located in Texas in 1974-77. As pointed out in Section 3.2, there were a total of 27 spills of 10,000 gallons or more in the PIRS file for which the location is given only as in the state of Texas. Although all 27 spills are classified by PIRS as inland, it is possible that a large fraction of them occurred in the North Texas region as defined in this report, i.e., below 30°30' latitude and east at 96°00'. The preponderance of Texas refineries are located in this area. If only one third fell into that region, for example, then the observed number of spills would be 43 instead of 34, and the probability would be .97 instead of 0.08. In fact it is necessary for only 6 of the 27 to fall within the region to make the probability of observation reach .50.

In contrast to the situation in the North Texas region, the other three regions have relatively few possible additions to their spill totals from the list of PIRS spills with only a state location. Louisiana shows 4 such spills, and Pennsylvania and New Jersey only 2 each. These spills cannot significantly alter the observed spill numbers in the Louisiana, Delaware Bay, or New York regions.

It is to be concluded, then, that no great significance can be attached to the .08 probability calculated for the observed North Texas spills. The outcome of significance testing on the gross spill rates for the four regions, then, is that only the Hudson River subregion shows a significant variation from the other regions.

#### 5.2 VESSEL-RELATED SPILLS PER MILLION TONS

Since total waterborne oil movement should influence vesselrelated spills more directly than all spills within a region, the regional vessel-related spill rates were calculated. These are shown in Table 5-3. The first column shows spills from tankers, barges, and marine facilities such as loading and unloading areas. Offshore production and pipelines as well as all onshore spills are excluded (see Table 3-1). The second column shows total waterborne oil movement in millions of tons, as given in Table 5-1. The third column shows spills per million tons.

It is apparent once again that the Hudson River spill rate far exceeds those in the remainder of the region. The high overall spill rate, .264 spills/million tons, exhibited for the Hudson River in Table 5-1 is almost equalled by the vessel-related spill rate, .195 spills/million tons, for the Hudson River shown in Table 5-3. Therefore, pending its subsequent examination, the Hudson River will be excluded from the vessel-related spill data and the rates examined for the remainder.

Table 5-4 shows the results of significance tests on the vesselrelated spill rates of all four regions, excluding the Hudson River. It is in the same format as Table 5-2, for all spill rates.

It is seen in Table 5-4, that in all regions, other than the Hudson River, the observed number of spills is not a rare event on the hypothesis that all regions have the same spill rate. Even the addition of say, 25% of the 27 non-specifically located spills in the state of Texas, to the North Texas Coast observation, would actually increase the probability of the observation from 0.38 to over 0.90. Hence it is not possible to reject the hypothesis of a single spill rate for vessel-related spills any more than for all spills, when the Hudson River is excluded.

#### 5.3 VESSEL-RELATED SPILLS PER VESSEL TRIP

A third possibility that should be explored is that of a difference of spill rates employing vessel trips as the exposure variable. The most promising exposure variable is obviously trips by tankers and barges, since a very large fraction of them carry oil exclusively. These trips may be construed as the variable underlying the vessel-related oil spills. Table 5-5 shows the

TABLE 5-3. VESSEL-RELATED SPILL RATES, 1974-77 (SPILLS PER MILLION TONS)

	Vessel- Related Spills(1)	Waterborne Oil Movement (2)	Vessel-Related Spills per Million Tons Movement
NEW YORK			
Port of NY	14	551.7	.025
LI Sound	3	105.7	.028
Hudson River	14	71.9	.195
DELAWARE BAY	9	413.4	.022
LOUISIANA COAST	32	1012.0	.032
NORTH TEXAS	16	736.6	.022
	8.8	2891.3	.030

<sup>(1)</sup> See Appendix A.

<sup>(2)</sup> Millions of short tons.

TABLE 5-4. SIGNIFICANCE TESTS<sup>(1)</sup> FOR VESSEL-RELATED SPILLS IN FOUR REGIONS, EXCLUDING THE HUDSON RIVER

				Developinity of
Region or Subregion	Oil Movement (4)	Expected Spills(2)	Expected Variance	Observed Spills(3)
Port of NY	551.7	14.5	9.11	0.88
LI Sound	105.7	2.8	2.7	06.0
Delaware Bay	413.4	10.8	9.3	0.66
Louisiana Coast	1012.0	26.6	17.0	0.20
N. Texas Coast	736.6	19.3	14.3	0.38
	2819.4	74.00		

(1) Based on Appendix F.

(2) Assumes a total of 72 spills for 1974-77 in all regions, and the oil movement of column 1.

(3) probability fo all observations that deviate from the expected number of spills by as much as or more than does the actual observation, Table 5-3.

(4) Millions of tons, in the years 1974-77, as given in Appendix C.

TABLE 5-5. VESSEL-RELATED SPILLS PER TRIP, 1974-77

	Vessel- Related Spills	Tanker and Barge Trips	Vessel-Related Spills per Thousand Trips
NEW YORK			
Port of NY	14	591,825	0.0236
LI Sound	3	45,353	0.0661
Hudson River	14	38,369	0.3649
DELAWARE BAY	0	75,035	0.1200
LOUISIANA COAST	32	749,142	0.0427
NORTH TEXAS	16	462,393	0.0346
	88	1,962,117	0.0448

rates for the four regions. The barge and tanker trip data are taken from Appendix D, while the vessel-related spills are the same as in Table 5-3.

Once again the spill rate for the Hudson River stands out well above all other regions or sub-regions. A significance test using the method of Appendix F shows the probability of observing 14 spills in the Hudson River, given a total of 86 spills and the indicated tanker and barge trips, is less than 1 in  $10^{10}$ . Therefore the Hudson River data will be reserved for later examination, and tests performed on the remaining data. The results are shown in Table 5-6.

From Table 5-6, it is seen that Delaware Bay shows a significantly higher number of vessel-related spills per tanker and barge trip than do the other regions. The data show a total of 9 such spills, while only 2.9 are expected on the basis of the region's vessel trips.

TABLE 5-6. SIGNIFICANCE TESTS<sup>(1)</sup> FOR VESSEL-RELATED SPILLS PER THOUSAND TANKER AND BARGE TRIPS, IN FOUR REGIONS, EXCLUDING THE HUDSON RIVER

(1) Employing method of Appendix F.

(2) Thousands of trips, 1974-77, as given in Appendix D.

(3) Assumes a total of 72 spills, and vessel trips of preceding column.

(4) probability of all observations that deviate from the expected number of spills by as much as or more than does the actual observation, Table 5-5. Since Delaware Bay does not show a high spill rate when total cil tonnage is employed as the exposure variable, one is led to explore the total tonnage per barge or tanker trip for the four regions. This comparison is made in Table 5-7. The figures vary from a low of 932 tons per trip for the Port of New York subregion, to a high of 5512 tons per trip for Delaware Bay. (It will be noticed that the ratio for the Hudson River subregion is not substantially different from the average.) Delaware Bay, however, shows almost 4 times the average tons per trip, while none of the other regions or subregions deviates by more than 60% from the average.

TABLE 5-7. OIL TONNAGE PER TANKER OR BARGE TRIP IN FOUR REGIONS, 1974-77

Region or Subregion	Oil Movement Tons/10 <sup>6</sup>	Tanker and Barge Trips/10 <sup>3</sup>	Tons per Trip
NEW YORK			
Port of NY	551.7	591.8	932.2
LI Sound	105.7	45.4	2528.2
Hudson River	71.9	38.4	1872.4
DELAWARE BAY	413.4	75.0	5512.0
LOUISIANA COAST	1012.0	749.1	1350.9
N. TEXAS COAST	736.6	462.4 1,962.1	1593.0 1,473.7

It was estimated in Section 3 that about 80% of barge cargoes were oil, averaged over the U.S. Thus if, in a certain region, 100% of barge cargoes were oil, then its tons/barge trip figure would increase from the average by 25%. Similarly, if only 40% of barge cargoes were oil in a certain region, then its tons/barge trip figure would drop by 50%. The corresponding possible range of variation for tankers, which carry oil on 95% of their laden trips, on the average, is +5% and -58%. Therefore the +400%

variation from the average seen in Delaware Bay cannot be due to the mix of oil vs. other liquid cargoes, but can only be due to a substantially larger average tanker and barge cargo in Delaware Bay, or to a heavier percentage of tanker trips vs. barge trips in Delaware Bay. Neither supposition is borne out by an analysis of trips and drafts in Delaware Bay, compared to other port regions.\* It seems likely, then, that there are substantial inaccuracies in the barge and tanker trips data employed for Delaware Bay.

Another possibly significant deviation from the mean spill rate is observed in Table 5-6 under the Port of New York subregion. The observation probability here is seen to be .05, employing the test method of Appendix F with normal approximation. This deviation is significant, by a small margin, if a 95% significance level is employed, as has been done in previous tests. When so close a margin of significance is involved it is advisable to employ an additional test for corroboration. This may be done by hypothesizing a uniform spill rate of .0385 spills per thousand trips, obtained from the total number of vessel-relates spills (74) and total number of barge and tanker trips (1,923,700) shown in Table 5-6. Thereupon, the expected number of vessel-related spills in the Port of New York is 22.8, based on the 591,800 tanker and barge trips for the sub-region shown in Table 5-6. The actually observed number of spills, however, is only 14, or about 8 spills less than expected. Assuming a Poisson distribution for the number of spills in the subregion leads to the conclusion that the probability is about .07 that an observation would differ from the expected 22.8 by as much as 9 spills, i.e., be as low as 14 or as high as 32. This approach, then, does not corroborate the results of the previous one, since it leads to only 93% level of significance instead of a 97% level. The deviation of spill rate in the Port of New York subregion, shown in Tables 5-5 and 5-6, then, can be considered of only marginal significance.

The average self-propelled tanker draft in 1975 was about 27.9 feet in the Delaware River, 24.4 feet in New York Lower Entrance Channels, and 28.5 feet in the Mississippi River between New Orleans and the Passes.

#### 5.4 OTHER SPILL RATES

Several possible spill rate calculations have been omitted because they offer less promise of insight into the spill process than the three treated above.

One spill rate calculation not performed is that of tanker spills (or barge spills) per tanker trip (or per barge trip). This has been omitted because the tanker-barge indicator in PIRS has been found to be unreliable, both in this and other studies (Reference 23). Considering the relatively small number of tanker and barge spills in the data in any one region, a rate calculation for tankers or for barges is subject to substantial errors if the barge/tanker breakout is not accurate. Any result would be suspect, and therefore no such calculations were made.

Another possible spill rate calculation is that of vesselrelated spills per vessel trip, rather than per tanker and barge
trip. This calculation was not made because trips of all vessels
vary substantially from port to port and do not bear a fixed
relation to tanker and barge trips. Expanding the vessel trips
to include other than tankers would add many vessel trips (particularly ferries, and chemical or dry-cargo vessels) that bear no
relation to oil spills. For this reason neither gross spills per
vessel trip nor vessel-related spills per vessel trip were
calculated.

Among other possible spill rates not here investigated are: crude oil spills per ton of crude movement heavy oil spills per ton of heavy oil movement light oil spills per ton of light oil movement spills per ton for individual years.

#### 5.5 ANALYSIS OF SPILL RATES

The calculations of the previous subsections show that the spill rates in the four selected regions have no significant deviations from their expected values with one major exception,

the Hudson River subregion. A minor exception also occurs in the vessel-related spills per tanker and barge trip in Delaware Bay.

The extraordinarily high spill rates calculated for the Hudson River in 1974-77 appear in three cases:

- o gross spills per million ton of oil movement
- o vessel-related spills per million tons of oil movement
- o vessel-related spills per thousand barge and tanker trips.

Before concluding that the Hudson River subregion does, indeed, have a higher than normal number of spills, two other explanations must be explored:

- a. Under-reporting of the exposure.
- b. Over-reporting of the spills.

# 5.5.1 Under-reporting of Exposure

The two exposure variables involved are gross oil movement tonnage and tanker plus barge trips. The ACOE reporting of trips and of tons for domestic movements is done through the same mechanism, i.e., a single form. If both the trips and total tonnage were under-reported then this under-reporting probably occurred at the source, rather than in the compilation of statistics, because the spill rates derived from both variables are high. This possibility cannot be excluded because no alternate information source exists that may be used to verify the ACOE data.

A plot of Hudson River oil tonnage as reported by the ACOE by year is shown in Figure 5-1. If these data are under-reported, then the omissions must be consistent for each of the four years, particularly in the case of foreign and coastal light and internal heavy, which show little variation from year to year. Also, the crude movements are probably accurate because of the lack of refineries of any size in the Hudson valley. In short, if the spill rate anomalies for the Hudson River are due to under-reporting




FIGURE 5-1. HUDSON RIVER OIL MOVEMENT, 1974-77, ACOE DATA

of oil movement, then there would have to have been a systematic under-reporting at the data origination point over the years 1974-77. Although it cannot be excluded such a systematic error is considered unlikely.

## 5.5.2 Over-reporting of Spills

Over-reporting of spills could occur if fewer spills in the Hudson River subregion went unreported than in the other regions or subregions. The following tabulation (Table 5-8) shows the estimated unreported spill percentages, based on PIRS and NRC reports from August 1974 through December 1977. The Hudson River does, indeed, have a low percent of unrecorded spills. In obtaining these percentages, the PIRS spills that bore no specific location other than the state were allowed for. One-third of the inland spills located by state and occurring from August 1974 to December 1977, were assigned to the nearest region. This gave 6.0 additional spills to the North Texas Coast, 1.3 to the Louisiana Coast, 1.0 to Delaware Bay, and 0.3 to New York. Since none of these spills involved vessels or marine facilities, no assignments were made for vessel-related spills. The percent unreported was calculated as

$$\frac{X \cdot Y/\overline{z} - (X + Y - Z)}{X \cdot Y/\overline{z}} \cdot 100$$

where X is the total of PIRS spills, Y is the total of NRC spills, and I is the number reported by both.

In the next calculation (Table 5-9) the reporting factor was applied to total reported spills, including VCF spills, to obtain the total estimated spills in all regions and subregions in 1974-1977. One third of the PIRS spills recorded by state only were assigned, as before, to the corresponding regions in order to obtain the estimate of total reported spills. This estimate was then multiplied by 100/percent reported to obtain the total spill estimate. The spill rates obtained from the estimated total spills (Table 5-10), however, still show that the Hudson River

TABLE 5-8. ESTIMATED PERCENT UNREPORTED SPILLS, AUGUST 1974 - DECEMBER 1977

	PIRS (1)	PIRS State Only(2)	NRC	Both	Unreported Percent (3)
ALL SPILLS					
Port of NY	23	0.3	14	7	35%
LI Sound	3	0.0	2	1	33
Hudson River	13	0.0	4	4	0
Delware Bay	13	1.0	6	3	39
Louisiana Coast	42	1.3	32	18	26
N. Texas Coast	20	6.0	13	10	14
VESSEL-RELATED SPI	ILLS				
Port of NY	9	0.0	5	3	27%
LI Sound	1	0.0	1	1	0
Hudson River	11	0.0.	4	4	0
Delaware Bay	6	0.0	3	3	0
Louisiana Coast	18	0.0	16	10	17
N. Texas Coast	10	0.0	8	7	4

<sup>(1)</sup> PIRS spills with specific location in the region from Appendix A.

 $<sup>^{(2)}</sup>$ PIRS spills without specific location, allocated 1/3 to adjacent region.

<sup>(3)</sup> Estimated unreported spills as percent of total of reported and unreported.

TABLE 5-9. TOTAL ESTIMATED SPILLS, ALL REGIONS, 1974-77

	PIRS and NRC(1)	VCF only	PIRS, State only	Total Reported	Total E <u>stimated</u>
ALL SPILLS					
Port of NY	36	2	0.3	38.3	58.9
LI Sound	6	0	0.0	6.0	9.0
Hudson River	19	0	0.0	19.0	19.0
Delaware Bay	21	1	1.0	23.0	37.7
Louisiana Coast	63	5	1.5	69.3	95.6
N. Texas Coast	52	2	9.0	43.0	50.0
VESSEL-RELATED SPI	ILLS				
Port of NY	12	2	0.0	14.0	19.2
LI Sound	3	0	0.0	3.0	3.0
Hudson River	14	0	0.0	14.0	14.0
Delaware Bay	8	1	0.0	9.0	9.0
Louisiana Coast	27	5	0.0	52.0	38.6
N. Texas Coast	14	2	0.0	16.0	16.7

<sup>(1)</sup> See Tables 3-3, 3-4, 5-5, and 3-6.

TABLE 5-10: TOTAL ESTIMATED SPILL RATES, ALL REGIONS, 1974-77

	Estimated Spills	Exposure	Spill Rate
SPILLS PER MILLION TO:	<b>S</b>		
Port of NY LI Sound Hudson River Delaware Bay Louisiana Coast N. Texas Coast	58.9 9.0 19.0 37.1 93.6 50.0	551.7 105.7 71.9 413.4 1012.0 736.6	0.107 0.085 0.264 0.090 0.092 0.068
	267.6	2891.5	0.093
VESSEL-RELATED SPILLS	PER MILLION TO	)XS	
Port of NY LI Sound Hudson River Delaware Bay Louisiana Coast N. Texas Coast	19.2 3.0 14.0 9.0 38.6 16.7	551.7 105.7 71.9 413.4 1012.0 756.6	0.035 0.028 0.195 0.022 0.038 0.023
	100.5	2891.3	0.035
VESSEL-RELATED SPILLS	PER 10 <sup>3</sup> TANKER	AND BARGE	TRIPS
Port of NY LI Sound Hudson River Delaware Bay Louisiana Coast N. Texas Coast	19.2 3.0 14.0 9.0 58.6 16.7	591.0 45.4 38.4 75.0 749.1 462.4	0.032 0.066 0.363 0.120 0.052 0.036
	100.5	1962.1	0.051

has much higher spill rates than the other regions. Moreover, it appears that the North Texas Coast shows noticeably lower spill rates.

The significance of the spill rates of Table 5-10 is calculated in Table 5-11. The following results emerge:

- a. The Hudson River has a significantly higher spill rate than other regions or sub-regions, even when unrecorded spills are allowed for. The significance levels for all three spill rates are above 99.9%.
- b. The North Texas Coast shows a probability of .01 for the estimated spills in that region. This estimate (50 spills), however, includes a somewhat arbitrary assignment of one third of the PIRS spills located only by state.
- c. Delaware Bay shows significantly more vessel-related spills than other regions, based on tanker and barge trips. But for the reasons outlined in 5.5.1, the Delaware Bay trip data for barges and tankers probably explain this phenomenon.

Of the three anomalies above, only that of the Hudson River indicates without doubt an aberration in spills per million tons of oil movement or per thousand tanker and barge trips. Accordingly, the causes of these high spill rates will be analyzed next.

#### 5.6 HUDSON RIVER SPILLS

Since neither under-reporting of exposure nor over-reporting of spills is a likely explanation of the high spill rate for the Hudson River, one is led to analyze the spills themselves. The breakdown of Hudson River spills over 10,000 gallons from 1974 to 1977, as extracted from Appendix A, is shown in Table 5-12.

It appears that groundings and marine facilities account for an inordinate percentage of spills in the Hudson River. Accordingly, a comparison of rates for groundings, collisions (including

SIGNIFICANCE TESTS FOR TOTAL ESTIMATED SPILLS, ALL REGIONS, 1974-77 TABLE 5-11.

	Estimated Spills	Exposure	Expected Spills	Expected Variance	Probability of Estimated
SPILLS PER MILLION TONS					
Port of NY	58.9	551.7	51.1	41.3	.22
L1 Sound	0.6	105.7	8.6	0.4	67.
Hudson River	19.0	71.9	6.7	6.5	0000.
Delaware Bay	37.1	413.4	38.3	32.8	.83
Louisiana Coast	93.6	1012.0	93.6	60.09	66.
N. Texas Coast	50.0	736.6	08.2	50.8	5.
	267.6	2891.3			
VESSEL-RELATED SPILLS PER	HER MILLION TONS				
Port of NY	19.2	551.7	19.2	15.5	66.
Punos 17	3.0	105.7	3.6	3.5	.40
Hudson River	14.0	71.9	2.5	2.4	0000
Delaware Bay	0.6	413.4	14.4	12.3	.12
Louisiana Coast N Texas Coast	38.6	1012.0	35.2	22.9	æ <del>7</del> .
1. Long Const					
	100.5	2891.3			
VESSEL-RELATED SPILLS PER	TER 103 TANKER AND	D BARGE TRIPS			
Port of NY	19.2	591.0	30.3	21.2	70.
L1 Sound	3.0	45.4	2.3	2.3	. 65
Indson River	14.0	38.4	2.0	1.9	000
Delaware Bay	0.6	75.0	3.8	3.7	.007
Louisiana Coast	38.6	749.1	38.4	23.7	.6.
N. Texas Coast	(6.7	462.4	23.7	- 8-	<u>-</u>
	100.5	1962.1			

TABLE 5-12. ANALYSIS OF HUDSON RIVER SPILLS, (1)

	1974	1975	1976	1977	Total
Groundings	4	1	0	1	6
Collisions*	0	1	0	0	1
Weather	0	0	0	1	1
Marine facilities	2	1	1	2	6
Onshore facilities	2	1	0	0	3
Miscellaneous	0	1	0	1	2
	8	3	1	5	19

<sup>(1)</sup> See Appendix A for list of spills.

rammings) and marine facility spills was made between all regions and the Hudson River. The results are summarized in Table 5-13, given as absolute number of spills in 74-77/spills per million tons in 74-77.

The six groundings shown in Table 5-15 for the Hudson River subregion are significantly higher than can be expected on the basis of the .006 groundings/million tons shown in that table for all regions together. The probability for six groundings in the Hudson River, given the average rate for all regions, is well under 1 in  $10^{10}$ . Similarly, the probability of six marine facility spills in the Hudson River subregion is also under 1 in  $10^{10}$ , given the average rate for all regions. These significance levels leave little doubt that there was a significantly higher rate of groundings and marine facility spills in the Hudson River subregion than in the other regions.

<sup>\*</sup>Includes rammings.

TABLE 5-13. COMPARISON OF GROUNDINGS, COLLISIONS AND MARINE FACILITY SPILLS IN HUDSON RIVER WITH OTHER REGIONS(1)

	Groundings	Collisions	Marine Facilities
Hudson River	6/.083	1/.014	6/.085
New York, exclusive of Hudson River	7/.011	3/.006	2/.003
Delaware Bay	1/.002	3/.007	2/.005
Louisiana Coast	4/.004	18/.017	0/.000
N. Texas Coast Total	<u>0/:004</u> 18/.006	7/.009 32/.011	2/.003 12/.004

<sup>(1)</sup> The first number given is the number of spills, as extracted from Appendix A, and the second number gives the spills, per million tons of oil movement, 1974-77.

# Groundings

The Commercial Vessel Casualty File was reviewed for groundings and other vessel casualties occurring in the Hudson River from 1974 through 1977, in order to determine the principal factors in these incidents. A synopsis of the eight casualties, taken from the Third District Marine Safety Office reports follows:

- a. Barge HYGRADE NO. 32, grounding at the Maue Oil Terminal, Ossining, January 11, 1974. "The proximate cause of the casualty was that heavy ice conditions delayed the barge's arrival at the terminal and subsequent discharging, so that at 0130, the barge's draught exceeded the depth of the water at the terminal due to the falling tide, thus resulting in the barge sitting on the bottom and puncturing one of the cargo tanks."
- b. Barge HYGRADE NO. 2, grounding off Magdelan Island, on July 19, 1974. The proximate cause of the casualty was an error in judgment on the part of the mate on watch, in that he relied

- heavily on the use of radar as his means of navigation in heavy rain and fog, which resulted in straying out of the channel and grounding.
- C. Barge B NO. 75, grounded on Diamond Reef, New Ham'surg, November 15, 1974. "The proximate cause of the casualty was negligence on the part of the mate on watch in that he failed to allow sufficient distance between his tow and Diamond Reef Lighted Buoy LLN 1889."
- d. Barge NEW LONDON, grounding near Con Hook Island, on February 5, 1974. "At approximately 0130, as the operator was unable to ascertain his position using radar, and searchlight due to the icing over the shoreline, icing over of navigational aids, and snow storm conditions, the tow went inside of the location of Buoy #21 (LLNR 1870) and touched bottom."
- e. Tanker COLORADO, striking of unknown underwater object near Athens, March 29, 1975. Hole in Number 2 Port Tank noticed after reaching Mobile, AL.
- f. Barge DELAWARE, struck Tappan Zee Bridge, on December 51, 1975. The tug barge struck the west pier of the west pass at about 0705 while under tow. Visibility was reduced to less than one-quarter mile by fog.
- g. Barge ETHYL H. grounded and sunk about 500 yards south of Con Hook, on February 4, 1977. "The proximate cause of the casualty was a failure on the part of the operator of the MV MCALLISTER BROS. to accurately ascertain his position in the river with respect to the charted rock." Because the radar had been showing a great deal of ice return and the visibility was good, the operator was not using the radar.
- h. Barge B.F.T. NO. 50, ice damage near Stuyvesant on January 11, 1977. "The proximate cause of the casualty was extreme cold and ice conditions in the Hudson River which resulted in the cracking of the hull of the T/B B.F.T. NO. 50. Ice in the Hudson River in this area ranged from 1.5 to 2.5 ft."

The major factors that appear from these incidents are that

- (1) They predominantly involve barges rather than tankers. The proportion of barge incidents (7 out of 8) is not surprising, since about 80% of tank vessel trips in the Hudson are by barges. (See Appendix D).
- (2) Weather was a factor in six of the eight incidents. It may be described as the major factor in two of the incidents (1., 6.) and appears to have been the only factor in two others (4. and 8.). The other major factor was piloting error. A breakdown (somewhat subjective) follows:

Incident #	Weather	Piloting	Other
1	✓		✓
2	✓	✓	
3		✓	
4	✓		
. 2			√
6	$\checkmark$	√	
7	. 🗸	✓	
8	✓		

# Marine Facility Spills

The six marine facility spills in the Hudson River subregion could not be investigated in any detail. None of these spills involved casualties, and hence had no casualty report; only one was recorded in the NRC files. The only information obtained for the remaining five was that of the PIRS files. The PIRS data contain no narrative report. The PIRS spill source and cause/factor codes, however, were as follows;

Incident	Source	Cause/Factor
1	101	Tank overflow/Improper valve operation
2	101	Natural or chronic phenomenon/Leaching from saturated ground
3	101	Valve Failure/PE-overpressuriza- tion
4	101	Tank rupture or leak/PE-over-pressurization.
5	101	Improper equipment handling or operation/ Improper valve operation
6 ·	101	Tank overflow/Improper valve operation.

The 101 source code indicates onshore bulk cargo transfer at a marine facility. Four of the six incidents occurred in port or harbor areas; one occurred in a river or channel or other restricted navigable waterway; and one occurred on a beach or shore adjoining a navigable waterway or tributary to navigable water.

The 8-digit source identifiers associated with the above incidents indicate that only three of the spills (1, 4 and 6) occurred during a transfer operation. It is not recorded whether a vessel was involved in the transfers. It may be conjectured that such was the case in spills 1 and 6, but probably not in 4.

Unlike the vessel incidents, it is difficult to select a predominant cause or pattern to the marine facility incidents. If any single cause is prevalent it is that of improper valve operation, which was cited as a factor in three of the six cases, and in both (possibly) vessel-related cases.

# 6. SUMMARY OF RESULTS

The results of this investigation have been developed from a data base of about 200 spills over 10,000 gallons in the period January 1974 through December 1977, (Appendix A). The data were extracted from the Pollution Incident Reporting System (PIRS), the National Response Center (NRC) files, and the Commercial Vessel Casualty File (VCF). In putting together this data base and in analyzing it, the following major results emerged:

- a. Some spills are recorded in PIRS but not NRC, and viceversa. From this, and certain assumptions on sampling, (Section 3) it is estimated that at least 13% and probably about 25% of all spills in 1974-77 went unrecorded by either PIRS or NRC. The percentages for vessel-related spills are about half of these. Pooling the PIRS and NRC data recording mechanisms would not increase the percent of spills recorded and would make it more difficult to estimate that percentage.
- b. All four regions studied (New York, Delaware Bay, Louisiana Coast, North Texas Coast) had approximately the same number of spills per million tons of oil movement, with the exception of the Hudson River subregion of New York.
- c. All four regions exhibited similar numbers of vesselrelated spills per million tons of oil movement, with the exception of the Hudson River subregion.
- d. When vessel-related spills per thousand tanker and barge trips were computed, it was found that only Delaware Bay and the Hudson River subregion have significantly different spill rates from the other regions. There is reason to believe, however, that the vessel trip data employed for Delaware Bay have substantial inaccuracies.


- e. An apparently low spill rate for the North Texas Coast region can not be attributed any statistical significance because of the large number (27) of spills recorded in PIRS only by state (Texas, in this case), many of which could have occurred in the North Texas Coast region.
- f. The high spill rates, of all three types tested, shown by the Hudson River subregion cannot be easily explained by either under-reporting of spills in the other regions (in so far as that could be estimated) or by under-reporting of the exposure variables.
- 5. The high spill rates in the Hudson River are largely due to (1) groundings of barges and (2) marine facility spills. The groundings and other vessel casualties were traced primarily to weather conditions (ice and fog) but no explanation could be found for the marine facility spills, except (perhaps) faulty valve operation.

APPENDIX A

OIL SPILLS OF 10,000 GALLONS OR MORE IN FOUR COASTAL REGIONS OF THE UNITED STATES 1974-1977



FIGURE A-1. GREATER NEW YORK AND DELAWARE BAY REGIONS



# OIL SPILLS OF 10000 GALLONS OR MORE IN FOUR U S COASTAL REGIONS 1974 THROUGH 1977

IIT TO					VCF		40340	42310		42763				42824		50361					52110
ONE DIGITION INDICATE	CODING			4	NRC												3-75				114-75
OWED BY	PIRS			u	PIRS		30001	0300034	30009	30014	30020	0300281	0300320	0300537	0300839	0300893	0300986	0301012	301	30128	0301289
0 31 0.0	PER						××××××××××××××××××××××××××××××××××××××	- <u>&gt;</u>	S	NX	CT	22	ב ב ב	NX	×	× × ×	×	XN	X:	≠ £	_ ر
MONTH, DAY, HOUR FOLLOWED EOUS SPILLS AND ONE DIGIT	RIVER AND MILE, AS		C realuke.		CITY/STATE		MILL CREEK	NEW YORK CTY		HIGHLAND FLS	NEW LONDON	PERTH AMBOY	BAYONNE	STATEN IS NY	TOTTENVILLE	MAGDALEN ISL	HOUNT	FURT TILDEN	ALBANY	MANUALIANNIC	E J
AR, LTAN	ITUDE OR	WHEN	2	•	MATER BODY		HUDSON RIVER	-	INLAND WATERWAY	HUDSON RIVER C-HK	LAND SUUND	KILL	KILL VAN KULL		PERTH AMBOY	LUNG ISLAND SUUND HUDSON RIVER	-	ROCKAWAY INLET		HOUSON KIVER	CONNECTION RIVER
<b>₽</b> :20	I rude	TER BOOY NAME,	SE NUMBERS.	ć	LOCATION	1-N0153	L422507347	1.404707356	L410207402	L412607358	L413107203	L403207415	L403907407	L403907410	L403107414	L410007305	L423507346	L403407353	L423707345	L404707359	41180/2
TWO	J E	3 2	-7 CA		DATE/TIME	ORK RE	130	010	00	010	240	190	51601	130	140	190	080	160	120	060	010
1	L 2		01. 4 01. 5		ATE,	W Y 7	010		012	020	022	031	032	050	070	071	073	080	085	100	001
CÒL	Cor	0.0	0.0	. (	0 0	E 6	4	4	4	4	4		4 4	. ~	4	4.	-	~	4	4	₹

51049	52859 62076 62093	62351	70771	71547
179-75	342-75 343-75 485-75 517-75	3-76	134-76 201-76 212-76 253-76	12-77 35-77 69-77
0301437 0301633 0301626	0300026 0300043 0300300 0300370 0300409 0301274	0300209 0300299 0300359 0300420	0300588 0300734 0301230 0301256 0301318	0300004 0300014 0300022 0300096 0300115 0300200
Z Z Z Z	XCXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	X5X7757X	X Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z	<b>C</b> X X C X C X Z X Z X X X X X X X X X X X
NEW HAMBURG HIGHLAND PRK JERSEY CITY	LICY QUEENS ALBANY STATEN IS NY ALBANY ALBANY ALBANY ALBANY ALBANY TARNYOWN	BROOKLYN HARTFORD QUEENS NY RUTHERFORD BAYONNE NEW HAVEN PERTH AMBUY	JERSEY CITY STATEN ISLND PORT NEWARK PORT ELIZABT ALBANY OCEANSIDE PERTH AMBOY CARTERET	ALBANY SECAUCUS STUYVESANT PERTH AMBUY HILAND FALLS LONG BEACH
HUDSON RIVER Raritan River Newark bay	NASSAU R NEWTONCR ISLAND CR HUDSONR HUDSON RIVER VARRAZANO NS HDSN HUDSON RIVER EAST RIVER CROSSWICK CREEK HUDSON RIVER	GOWANUS CANAL CONNECTICUT RIVER EAST RIVER PASSAIC RIVER KILL VAN KULL CONNECTICUT RIVER ARTHUR KILL	HACKENS LOWER N NEWARK DRAINAG HUDSON MIDDLE ARTHUR WOODPRI	ISLAND LR HUDSONR HACKENSACK RIVER HUDSON RIVER ARTHUR KILL HUDSON RIVER MPSO REYHOLDS CHANNEL
L413507357 L403007430 L404407406	L404407356 L423707346 L424507344 L403707404 L424307342 L404807354 L401007426 L410507355	L404007358 L414567242 L404607350 L404907407 L403907407 L411907254	L404407405 L403507404 L404207409 L404007413 L425007345 L403707339 L403207415 L402507414	L423507345 L404707403 L422207348 L403207415 L412107357 L403607340
41209	7501102301 7501102301 7503141001 7503290901 7503291801 7514090701 751221001	60213001 60213001 60223001 60318190 60401080 60417080	6 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	977"1 701021 701030 701111 702012 702271 703050

71357	53131		42770	52961	62342
103-77	117-77		4-75	288-75 400-75 095-77	120-76
0300373 0300660 0300866 0301113 0301227	0301294	0300014	0300954 0300195 0300395	0300151 0300471 0300732 0301162 0301162	0300010 0300214 0300474 0300962
2220222	2222 22220		PA PA	PPPKG PP	ACCAR
NEW YORK POUGHKEEPSIE NEWYORK CITY PEEKSKILL NEW HAVEN BAYONNE PORT NEWARK BROOKLYN	EAST HARTFRD NEW YORK STATEN IS NY RAINEY PARK	PORDENTOWN	EMAUS PAULSBORO PHILADELPHIA	MARCUS HOOK PHILADELPHIA 112M OFF SHR SALEM CAMDEN BRISTOL PHILADELPHIA CHESTER	MARCUS HOOK WESTVILLE GLOUCESIER C SIAYTONVILLE HAVERFORD
$\alpha \times \Rightarrow z$	T RIVER	RIVER	RIVER	IIVER IIVER IVER IIVER IIVER	RIVER RIVER RIVER
HEMPSTEAD HARBOR HUDSON RIVER HUDSON RIVER CONNECTICUT RIVE PLATTY KILL CREE NEWARK BAY UPPER NEWYORK BA PASSAIC RIVER	CONNECT SHINNECT PORT RI			DELAWARE RATEANTIC OSALEM RIVE PELAWARE REDELAWARE REDE	DELAWARE DELAWARE DELAWARE INLAND
L414007345 L404907356 L411807354 L411407256 L404307407 L404907408 C4110N OR		> 13	L403007530 L395107517 L395307512	L394807525 L395407512 L392507528 L395807506 L400607452 L395407512	L394807525 L395407512 L395307509 L385207530 L400007525
041108011 05221501 106020201 106120201 07171301 108130001 109230101	2190011 9270011 1090011 0111001 6150001	AWARE 4-1 104080	20 77	75-1 501315101 504241901 504030011 505171611 505171611 507235001	6-1 102130 225510 429150 701220 916000

089			71185	373		٠											122			259				410	-
176			7.1	72													512			53			4	2 6	4
247-76											5-75		56-75	03-75	69-75		134-75	21967		-	12-7	30-7	161-74	70-7	
0301465	0300042	0301265					0804755	2640	80107	80454		0802997		0802373		8036	•	2446	•	0800288		0800859	2000	KO 1 27	2000
PA	PA	PA	2	PA			7	Z Z	LA	LA	LA	LA	LA	LA	LA	TY.	5.	< <	2	LA	LA	Z .	< <	2 -	1 Z
PHILADELPHIA MARCUS HOOK	PHILADELPHIA Camden			PHILADELPHIA			BARATARIA	GOOD HOPE	IRISH BEND	ORLE	ORLEAN		LAKE CHARLES		CHANDELEUR-I		Tet DEBNIER	MEDALLY		MERAUX	PORT SULPHUR	GUODHOPE	1	NEW OBLEANS	BATON ROUGE
DELAWR-SHYLKLL RV DELAWARE RIVER	DELAWR-SHYLKLL RV DELAWARE RIVER QUANTITY UNCERTAIN	102	VER	SHUYLKILL RIVER			ŧ	LANE EASI SIPPI RIVER	U TECHE	SISSIPP	SISSIPPI RIVE	STAL	E CHARLES	SISSIPFI RVR	F OF MEXICO	STAL	L SS C	LU	1110010	88188	KE WASHING	MISSISSIPPI RIVER	A LAGISTICA	SATSATED R	d Iddistiss
L395607513 L394807525	L395707511 L395807506 OCATIUN OR				COAST REGION		L294909015	10040914	29480912	LM 0105	LM 0106		IW 0232	L291708922	29320883		<b>→</b> 9	1 M 0000	9000	LM 0087	29290894	E LM 01255	T M 00 8 A	TW OLO	T.M. O.D.O.
6120		510310101	61220001	70409001	OUISIANA	974-1	40110110	4011520	40419000	40622151	40622152	40630080	40827220	40901080	40910160	40916070	41021180	41222020	2	50129180	50217001	5031	50330160	50425440	50520140

61262		60609			62881			71559	9	70384		72030								
425-75	445-75	444-75	514-75	42-76	63-76	70-76	092-76			159-76	164-76	187-76	***************************************			021-77			12-960	
0803891	80291	0802760	80369	80211	80219	0803001	20408		0860411	0807057	0808175		8100	202	0812139		0300	0850336	80414	
EAL	LA	L'A	LA	EA EA	E E	Z Z	LA	LA	r r	5	E E	LA	LA	LA	7	LA.	C P	A A	LA	
PATIERSON CHANDELEUR MARSH ISLAND	COQUILLE BAY	100MSTH/GRLK COQUILLE BAY	REDFISH PT CAMERON PRSH	RURAS Kenner	MERAUX CAILLOU BAY	GIBSON GRAND ISLE	LAKE CHARLES		OFF CAMERON BATON RUUGE	NEW ORLEAN	GRAND PASS 65MSTHMKGNCY	CHALMETTE BRAITHWAITE	MARTINVILLE	UMSTHGRAND O-WEST PAS	90MSTHFRNKLN	OOD HOPE	PILOTSTOWN	BILOXI BATON ROUGE	HENRY Laplace	
BAYDU TECHE INTCWWY/WXLAKOUTL EASTCOTE BLANCHE	GULFOFMEXICO	GULFOFMEXICO GC GULF OF MEXICO	VERMILION BAY Grand Lake	7-1	ISSISSIPPI RIV ULF OF MEXICU	J BLACK J RIGAUD	U	INE WWY	OF ME)	SSIPPI	MISSISSIPPI RIVER GULF OF MEXICO	ISSIPPI RIVER	RAND LAKE EAST	ULF OF MEXICO AST BAY	GULF OF MEXICO	ISSISSIPPI RIVE	ISSISSIPPI	MEXICO PPI RIVE	NEANDREAL	
293309145	L292708927	24	293909200	29250893 LM 0113	LM 0088	380	200	MI	2937 LH	E	2909	R LM 00890	3011	28412909	2821	LM 0126	LM 0008	30220885 LM 0228		
7507181101	50812080	50815010	51016100	976-1 60214220 60220041	60224150	6030	60329	60414001	60415170	60708160	60712130	6092	61008060	61019020 61022160	6121810	70121020	70301020	7033114	70423170	

0500001	L285	608923	GULF OF MEXICO	80MSTHIN-ORL	LA	0805145		
0614110	L291	000606	BAY MELVILLE	GRAND ISLE	LA		113-77	
0625220	RIN	00235	MISSISSIPPI RIVER		LA	0860633		
0722001	RIM	00880	MISSISSIPPI RIVER	CHALMETTE-NO	LA			73600
0805090	Z.	00550	GULF INL WWAY WHL	HOUMA	LA	0808022	128-77	
0818060	R LX	01252	MISSISSIPPI RIVER	GOOD HOPE	LA	0808124		
0913060	R LM	01154	MISSISSIPPI RIVER	RESERVE			140-77	
1018130	L291	508849	GULF OF MEXICO	MAIN PASS		0810084	150-77	
1126030	R LA	R LM 00954	MISSISSIPPI RIVER	NEW ORLEANS	LA	0811177		
1207110	L300	709059	INLAND	PLATTENVILLE		0812063		
1215120	E LE	01816	MISSISSIPPI RIV	DONALDSVILLE		0812090		
74-77 L	OCATIO	ON OR (	QUANTITY UNCERTAIN					
0101001			INLAND		LA	80230		
0330111			INLAND		LA	0802307		
0330112			INLAND		LA	80 77		
1013001	I K	01740	GLF INLWWAY WHL	LAKE CHARLES	LA			51698
0109120			INLAND-107		LA	0801092		
0113001	R LM	01070	MISSISSIPPI RIVER	KENNER	LA			51586
1012001			ICOI	EUGENE ISLND	LA			40
0100001			100		TX			Œ
0217001			IC		X			-
0510001	T. I.	00600	RIVE	CHALMETTE	LA			-
1020002	RIM	01210	SISS	GOOD HOPE	LA			73429
611130011			F OF MEXICU17	EUGENE ISLND	LA			
H TEXA	S COAS	COAST REGION-	[ON-1					
				6	5			

									5054
			٠						6-75 5054
		0800662	0800034	0800499	TX 0802212	0800511	0800708	0801087	0803895
		X	ΤX	TX	ΤX	ΤX	ΤX	X	T.X
	1	KOUNTZE	PORT NECHES		4A Y	BUNA	MATAGORDA PA	BAYLOWN	RED BLUFF TX 0803895
	974-1	INLAND	SABINE LAKE	1403110001 L294409523 BRAYS BAYOU	INLAND	INLAND	BROWN CEDAR CVT	GALVESTON BAY	407082201 L293709500 GALVESTON BAY
T-1045 1005 0001 1110		L301509444	L295809351	L294409523	L302809419	L302309415	L284209539	L304709426	L293709500
2000	1974-1	401250001	402021101	403110001	403151701	403160001	404020601	404290001	407082201

	3136	232		0 6 4
	E	63		4.
11-75 18-75 137-75	245-75 443-75 479-75 541-75	85-76 122-76 188-76	143-77 154-77 167-77	
0801834 0801956 0801949 0804435	0803906 0803842 0804644 0803504 0803976	601 601 305 609 311	0887390 0830809 0840912 0831036 0866062	0800378 0800770 0801071 0805016 0802506 0801536
XXXXX	XXXXXXXX	******	*****	******
LAKEVIEW BEAUMONT HOUSTON ALTA LOMA TEXAS CITY	TEXAS CITY TEXAS CITY DANBURY GALVESTON FRIENDSWOOD GALVESTON IS HIGH ISLAND	PORT NECHES PORT NECHES FREEPORT SMITH POINT HOUSTON LAKEVIEW SAN LEON	FRED 25MSTHFREPRT DEERPARK SMITH POINT CONROE HOUSTON	HOUSTON
SABINE LAKE NECHES RIVER BRAYS BAYOU INLAND TC INDUSTRIAL CNL	TC INDUSTRIAL CNL HIGHLAND BAYOU FLORES BAYOU GULF OF MEXICO CLEAR CREEK WEST BAY IWWY EAST BAY BYU	NECHES RIVER NECHES RIVER BRAZOS RIVER GALVESTON, BAY HOUSTON SHP CANAL SABINE LAKE	INLAND GULF OF MEXICO HOUSTON SHIP CNL GALVESTON BAY INLAND HOUSTON SHIP CNL	Y/HSTNSHPC
L295009357 L300209359 L294509523 L292209505 L292209454	L292409454 L292009500 L291509525 L293509528 L293409447 L293409425	95909353 00009359 85609520 93009453 95809351	L302009425 L285709522 L294409505 L292109448 L301509530 L294309512 CATION OR	
40721 40805 40806 41017 41221	975*1 5010406 5012112 5041019 5053000 5081115 5112111	976-1 601114 60127 60315 60504 60628 60926 61129	70328130 70809140 70919170 71031040 71126020 71202191	7402280011 7403290011 7404190011 7405020801 7405020011 7406200011 7406200021

DUPONT TERL DOCKS BEAUMONT

and the second

SEL NUMBER. ACCORDING LLOWED BY VRVCF. EAVY POLLUTION	13 14 OIL GTY		2	040 11P					100 100 100				1052 21P		77				52		
LY VES E. IGNED IGNED NENRC, AND H			-		-	-	50		LEACHNG 10						OI NEW TO		10		GROUNDG 10		VANDALM 10
IS IS PIR OF PEP	12 CAUSE/FACTOR		TNKRPT						NATURE						TANADAT		EOPFLR		HLLRPT	œ,	SABOTG
CODING E. THIS RDED IN DESCRIP OUSANDS TIMATE: FILE.	11 ID		6	267113		O0000000	<b>~</b> .		00000089 XC	_	_	_		00	38 67844004 38 67844004	0	_	CSOOSHYJ AB	UNS29170 AB	0046	× 6
A A A A A A A A A A A A A A A A A A A	10 NAME			HBRTUG			NEW LONDON		SATURN		OILBARG-34			וופרחושם				SNKIBRG	T/B #75		
TPE COUNCION TO THE COUNCION THE COUNCION TO THE COUNCIENT TO THE CO	9 CE TYPE	2	fa.	TNK BARG	<b>20</b> i	) مع	TNK BARG	NX EDOC	9	UNSPECFD	83			۷ د	DAR YACT	NS T	RWY FFAC	16	NK BA	NS P	NS PNT
SOURCE TY NAME OF SIDENTIFIC CALL SIGN CAUSE/FAC TO PIRS CODE PIRS CODE OUANTITY LETTER IN THE LETTER	9 ME SOURCE	REGION-	2 502	2 034	2 034	2 500	2 034	2 101		2 900	2 900	2 057	2 036	460 7	2 084 6	2 101 0	2 302	2 015	2 034 T	2 401 0	2 503 0
COL 13 COL 13 COL 13 COL 13	COL 8 DATE/TIM	NEW YORK	4010413	4011101	4011906	4012310	4020301	4022024	4032516	4050521	4050521	4070114	4071419	4071901	4013108	4082112	4100509	4100601	4111323	4120911	4123015

20P	10P	12P	10P	32P	21P	102P	250N	90P		2500P	UNKN	10P	30P	20P	30P	40P	> =	150P	30P	15P	200N	150P	25P	190N	ROR	1 3 N		0.50	25	16.00	ASOLD	000	000	200	04.	0 :		14/1
1011	1097	1022	1001	1022	1001	1050	1041	1040		1050	1000	1080	1040	1052	1040	1099		1052	1052	1011	1022	1011	1011	1000	1022	1020		1040	1001	1052	1050	10401	0.00	0 * 0	0 80	0000	0001	1011
		CORROSN		COLLISN	OVRPRSR	GROUNDG		COLFDOB				UNKNOWN					CO/FLOB				LEACHNG	OVRPRSR		GRUUNDG		COLLISN	TAD COM	110-307	WEATHER	CONTORD	CROUNDS	MTLeFLT	T. ACEN	CO./SMOB		TWD-DDN	MACOLONI	Teredran 1011
EOPFLR		PIPRPT	HLLRPT	HLLRPT	VLVFLR	HLLRPT	PPLRPT	HLLRPT		TNKRPT		DIKRPT	PIPRPT		FLGFLR	PIPRPT		TNKRPT					TNKOFL	HLLRPT		TNKRPT	V1 V1 EV	60091.0	HILL RDT	HI,LADT	TUKRDT					VALVER	THE CANE	TAVAL T
Ap	77	10	AF	AB	Z Z	AB	000	AA		A O	22	00	IP	22	Op	g	AA	BC	77	IA	χÇ	BY	SK	AB	Ö	BA	6	2 0	Y	AB	4	8.1	) C	A	0	. 0	9 (	200
00040729		16000000	CS005MUM	ON245164	00018929	ON561792	25	ON537022					00000029		14218929		ON258944	00000059		00086129		36301229		CSOUSHIV	00038729	0N279964	000000	000000	0000000 0N5 37 290	DNESSBRO	POLLECHO	6000000	0000000	0000000 0000000	10000000	0000000	0000	675905/0
			DR	COLORADO		B#115		TBDELAWARE									TB E-23				DUMPING GR			田田田		TBTEXC0998		CONDATE. VO	LANTGENRIB		TARETHYLAH		PIIDTIDENTK	MVAJMCALSR		ACDTMTRIDG	Somot at usu	
PLNT		PLNT	SHIP	SHIP	TRFR	BARG	PPLN	BARG		TANK	NMO	PLHT	PLNT	VSSL	STFY	PPLN	BARG	STFY	NMO	PPLN	DUMP	TRSF	STFY	SHIP	PPLN	BARG	DVTD	2100	BARG	HARG	RARC	STFY	CTEX	HARG	3000	3 7 7 6		275
ONS	UNK	ONS	TNK	INK	ONS	INK	ONS	INK		OIL	UNKNOMN	ONS	ONS		ONS	NNT	INK	ONS	UNKN	ONS	OKS	ONS	ONS	TNK	ONS	TNK	0 20	3 3	T X	THY	TNK	ONS	ONS	E L	MIC	2 2 2	ONO	200
503		~			-					205	666	503	503	000	502			503	666	401	006	101	505	016	401	034		100	460	450	450	200	200	200	100		>	101
1975-2								7512310702	976-2	601042002	602130012	602230012	603181902	604010802	604170802	604302102	605080012								7611301102	7612301101	1971-2			7202012002							700177011	707070011

2000 3000 4000 1000 1000 1000 1000	600P 18P 285P 13P	50 14P 041P 041P 040P	# 1
1040 1052 1011 1011 1040	1022 1052 1052 1001	100 100 100 100 100 100 100 100 100 100	1001 10030 10030 10000 1000 1010
PIP-CUT CORROSN GROUNDG FOUNDRG EXP-FIR IMP-OPN	COLISN	CO/MDVS CO/FSVS LEACHNG MAT/FLT STR/FLR	LEACHNG INADSDG CULIISN SALVAGE GROUNDG
PIPRPT TINKRPT TINKRPT TINKRPT HLLRPT HLLRPT TINKOFL PIPRUT	TNKRPT HLLRPT Explsn	HLLRPT HLLRPT HLLRPT TNKRPT CHRONC FLNFLR	NATURL TNKOFIL HLLRPT INIDCH SEEPAG PIPRPT HLLRPT
HODDE OFFICH	SARO	A A A A A A A A A A A A A A A A A A A	ZZZ ABPCZZZZZZZZZZZZZZZZZZZZZZZZZZZZZZZZZZZZ
00000082 28000029 CS00908A 00084029 RTAIN DN272218 UN298620 UN176520	49561129 00000022 CSOOSZOP	UNOO1916 000000029 UNS32513 00000029 000000029	00000029 00088329 00246993 00000029 00000029 CS005MXW
YON-INDY ITY UNCE JULIN-108 I-HUOKERRTC-200 SATINGPLT	ATHOS MVELIAS GR	CORINTHOS JANET C SUPERIORZN	TG241420 OLYMICGAMS
FACY PLNT BA CGIR SHIP FLNG BAKG BI VSSL WV FACY HE	I-2 REFY FACY EL	FACY BARG STRG REFY REFY BOAT	TRSF SHIP PRFY PLNT SHIP SHIP
ONS CONS CONS CONS CONS CONS	EGION - CONS RICONS FOUNS FOUN	TANKER TINK BI TINK SI TINK SI ONS RE	0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
000 4 2 M 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	AY REG 501 500 017	000000000000000000000000000000000000000	1011 00101 00101 0010 0010 0000 0000
7707171302 7708130002 7708260902 7709081702 7709230012 1974-77 1402190012 7409270012 7411090012 75101111002	ELAWARE B. 974-2 401046802 402051502 402191202	50000 500000 500000 50000 50000 50000 50000 50000 50000 50000 50000 50000 50000 500000 50000 50000 50000 50000 50000 50000 50000 50000 50000 500000 500000 5	1976-2 7601021302 7602250102 7604291502 7607012202 7612051502 7612281602 7612281602

99P 442P 25UP LV	120P	1686P 25P 1008P 240P	2012 2013 2014 2014 2014 2014 2014 2014 2014 2014	22222222222222222222222222222222222222
1011	1011	110000	000000000000000000000000000000000000000	000 0000000000000000000000000000000000
OVR-TRN CO/FDOB FIRE-XP	COLLISN	COLLISN	OTHER GROUNDG VALVEOP	VLVEFLR COLLISN COLLISN COLLISN PPLOMGE COLLISN COLLISN COLLISN
PPLRPT TNKRPT PPLRPT HLLRPT HLLRPT	HOSRPT HLLRPT	PPLRPT PPLRPT HLLRPT STRFLR	PPLRPT VLVFLR HLLRPT BLUOUT INKOFL	TNKRPT VLVELK PPLRPT HLLRPT HLLRPT HLLRPT TLLRPT TNKOFL
FOGAG	A A A	AAA		E E E S S S S S S S S S S S S S S S S S
00061129 00061129 00021529 BRITTISH ON174769		00000046 0N524331 UN524332	00079529 00000013 CSUCICLY 00066613 0N001339	00000044 00018929 CS0062RU CG002006 000000046 000000046
QUANTITY UNCERTAIN LN LN BK LN LN COOS LN SSMOBLENRG BRIT RG INTERSTATE ON17		ABC 2311		TS-86(9VS) STULT-PINR BARG-7041 MVSCORPION
DR QU/ PPLN LQBK PPLN SHIP BARG	GION-:	ONS PPLN ONS PPLN THK BARG TUG BOAT	N Y	TNK BARG ONS PENT TANKER TNK BARG OFS PPEN TNK BARG ONS PPEN ONS PRFY
FION ONS TONS TONS TONS	ST F S ON 3 TA			4
00 4 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	502 033	440000		004000400400 W0004W0WW000
1974-77 LOCATION 7510031402 401 GNS 7510310102 201 RWY 7511221002 401 GNS 7612200012 014 TNK	LOUISIANA 1974-2 7401101102 7401152002	7401189802 7404190002 7406221512 7406300802	7408272202 7409010802 7409101602 7410211802 7412220202 7412241902	7501291802 7502170012 7503120202 7504361602 7504251402 7504251402 7507181102 7508110202 7508110202

840P 17P 2520P 42N	80 22 24 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	2 3 4 4 2 3 4 4 2 3 4 4 4 4 4 4 4 4 4 4	40P 13P 11P 55P	63N 111P 114P 211P 50P
1000 1001 1095	10011100111001	1095 1089 1095 1001 1001	1001 1040 1001	1001 1001 1001 1061 1001 1001
COLLISN OVERFIL BLOWOUT	COLLISN	IMPINST MAT/FLT COLLISN COLLISN OVERFIL	CORROSN	COLLISN
HLLRPT TNKOFL WL/BLO UNKNWN	PPLRPT STRFLR HULRPT PPLRPT HULRPT	FLNFLR HLLRPT HLLRPT HLLRPT VLVFLR TNKOFL HLLRPT	STRFLR PPLRPT	HLLRPT HLLRPT PPLRPT GSKFLR
SES	RACALO	PACAX DE DA	0 7 7 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	25 C C C C C C C C C C C C C C C C C C C
CSU02FPS 00005029 00000013	00040713 0N263376 00040746 0N501481	512033 509077 0N268387 00040729 0N512387	9010	ON512720 00088313 000000049
GLOBTKSNKY TEXACO	BARG SJT-4 T-B SULLY (OIL/WTRSE	T-B S 1511  T-B D+D1 (#501485) (TANKFARM)  AMELIAGRMU		BG NMS2600 TB DXE29 GENRTNG ST
PRFY PRFY WELL	PRFY VSSL BARG PPLN BARG PRFY	DNS PPLN DNS STTK TNK BARG DNS PPLN TNK2BARG TNK BARG UNK VSSL UNK VSSL	PRFY PRFY	BARG BARG PPLN STFY
TANKEROFS PRONS PROIL WE	OFS TINK OFS	TO TINKS TO TONKS TO TONKS TO TONKS TO TONKS	UFS OFS	TNK TNK ONS ONS
016 506 504 900	500000 00000 00000 00000	4 W O 4 O O W O O O O O O O O O O O O O		00000000000000000000000000000000000000
7508150102 7509090902 7510161002 7511180002	1976-2 7602142202 7602200412 7602241502 7602299702 7603019102	7604072202 7604151702 7604151702 7604240022 7604240022 7607081602 7609121302	7610190202 7610190202 7610221602 76122181002	1977-2 7701210202 7702260602 7703311402 7704011102 7704231702 770500012

7706141102 40	- 4	PPLN	PIPELINE	00018929 0N502508	CO	PPLRPT TNKRPT	COLLISN	1001	176N 168P
	Y Y	SHIP	MYDCLCTRNS			TNKRPT	CO/FLOB	. 70	HV
- 4	-	BARG	•	200		TNKOFL	retaine.	1052	17P
		SHIP	ATLTICMARQ				COLLISN	1001	74N
402 OFS		PPLN						1001	13P
	- 10	SARG				TAKET	DAGNELT TO	0 0 0	444
								1001	116
H	_	OR GUA	NTITY UNCE	TAIN					
	10	Q.		546			PIP-CUT	1000	32P
					CA	PPLRPT	CULLISN	1000	15P
401 ONS	.0						OTHER	1000	15P
	~		MYTH-HINES				GROUNDG		۲۸
~	10						SAB-VAN	1000	13P
ZH	-		7.1	~			GROUNDG		r r
_			MVIBERIA	ON272753			CORIGHR		77
	-	VSSL	MYBRTLCNDS	ON554083			COLLISN		2
4		BARG	OFSHRFULER	ON502611		HLLRPT	CORGSTM		<b>^</b> 7
015 TANKE	-	œ	MAMINICILY	GREEK			CORGNYRR		<b>^1</b>
=	=	<u>~</u>	GEORGEPRNC	ON 236825			COLLISA		
7 COM		SYVL	MYMRGNCTYS	ON548778			CO/FLDB	ī,	
COAST		REGIÓN	1-2						
						6			6
-		1. [		0 1		アナロスアー	0 1 2 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1000	2 1
		Y		2		INTOSC	STEPPE	1000	177
				46		PPLRPT		101	639
-				13		PPLPPT		1099	138
401 ONS				57				1099	13P
	-						OVERTRN	1040	10P
01 ONS							COLLISN	1000	176P
4 TNK		0	T/B TM-10	6	AA	HLLRPT	COLLISN	1052	378P
4				N541952			COLLISN	1052	846
01 ONS	-	PPLN				PPLRPT		1011	846

42P 21P 18P	2100P 13P 19P MV 21P 21P 27P 77P	46P 10P 21UP 21UP 42P 168P	207 207 207 317 318 318 318 318 318	245222
1011	1000 1000 1000 1000 1000	1099 1040 1052 1000 1011	10000 10000 10000 10000 10000 10000	000000
COLLISN MAT-FLT	COLLISN CURROSN SINKING IMP-OPR	SALVAGE SALVAGE COLTXSN CULLISN MAT-FLT	MAT-FLT MINORDG IMP-OPN COLLISN CORROSN UNKNOWN UNKNOWN CORROSN	CORROSN PIP-CUT CULLISN COLLISN MAT-FLT
TNKOFL PPLRPT HLLRPT	PPLRPT STRFLR HLLRPT PPLRPT HLLRPT VLVELK LDGARM	INTDCH INTDCH FLNFLR HLLRPT TNKRPT	PPLRPT VLVELK HLLRPT PIPRPT HOSLK VLVFLR PPLRPT PIPRPT	TAGATION TEACH TO THE TAGATION
SK CA SC	LA HARDERO LA CO LA COLO	CAACCAC		BCCCHHO
00020713 00004929 0N263278	00088429 000 00000046 LIBERIAN 00084029 CG017863 00000013	13220713 0N263176 000000027 0N567123 0N176709 0N569830	00000092 CS005MP CS005MP TAIN 00004482 0000004482	00008546 00008546 000008546 00000046 000044846
	SSALKESDMR BARGE #663 Amoco-yktn	TBNMS 3105 TBEXXON257 T/BSTC0225	E-Aug	*
STEY PPLN BARG	ONS PPLN UNKNOWN ONS PRFY CRG SHIP OFS PPLN TNK BARG ONS PRFY	STFY BOAT STTK SHIP BARG BARG	PPLN BAKG PRFK SHIP PPFK PPFK PPFK PPFK PPFK	PREYY PPENY PPENTY PPENTY PPENTY PPENTY PPENTY PPENTY PPENTY PPENTY PPENTY PPENY PPENTY PPENTY PPENTY PPENTY PPENTY PPENTY PPENTY PPENTY PPENTY
ONS	ONS CONS CONS CONS CONS CONS CONS CONS C	ONS TINK TINK TINK ONS		0 N S O O O N S O O O N S O O O N S O O O N S O O O O
502 401 034	401 504 650 402 011 011	502 052 102 015 034 036	40 40 M O U M 4 4 M C	500 500 500 500 500 500 500 500 500 500
7408060002 7410170002 7412211002	0602 1202 1202 0012 0012 1502 1102		1977-2 7703281302 7708091402 77103191702 7711260202 7711260202 7712021922 1974-77 E0 1974-17 E0 1403290012 7405020802	7406050011 7406050011 7406200012 7406211402 7406211402

5		COLLISN	HLLRPT	3	UN4782LI	SSOCEANCHT	SHIP	X Z T	015	7607060012
598	1000	ERROR	PPLRPT	;	00084046		PPLN	ONS	401	7501161002
210F	1000	UNKNOWN	PPLRPT	?	000R4046		NTdd	ONS	401	7501071202
210F	1000	PPLRPT UNKNOWN 1	PPLRPT	2	00084046		ONS PPLN	ONS	401	7501070302
15F	1000	UNKNOWN	PPLRPT	3	00050946		PPLN	ONO	401	7412230012
255	1011	UNKNOWN	PPLRPT	9	000000046		PPLM	ONO	401	7412191002
178	1097	UNKNOWN	CNKNEN	27	0007000		MOM	NNC	666	7412080012
205	1097	IMP-OPN	VLVFLR	3	00000001		N NO	Z Z Z	666	7411030012
11	1000	OVR-PRS	PIPRPT	3	00000000		RFRY	SNO	501	7410310302
111	1000	COLLISN	PPLRPT	Z	00000046		PPLN	ONS	401	7410310012
401	1095	NI-WHIN	PIPRPT	9	0000000		STFY	ONS	503	7410240012
161	1095	COLLISN	PPLRPT	5	00004946		PPLN	ONS	401	7410170902
218	1011	COLLISN	PPLRPT	3	00004946		PPLN	ONS	401	7410170012
25	1000	UNKNOWN	PMPFLR	5	00000059		PPLN	ONS	401	7410030012
291	1000	UNKNOWN	PPLRPT		00023646		PPLN	ONS	401	7409280902
121	1000	UNKNOWN	VLVFLR	7	00000013		PRFY	ONS	504	7409270302
121	1000	UNKNOWN	VLVFLR	3	00000013		PRFY	ONS	504	7409260012
218	1000	COLLISN	EGPFLR	2	00000013		PRFY	ONS	504	7409200012

### LIST OF ABBREVIATIONS

BARG = BARGE

BK = BULK

BLG = BILGE

BLO = BLOW (IN BLOWOUT)

CG (CRG) = CARGO

CO = COLLISION - COLLISION

CDH = DISCHARGE

CG = DMGE = DAMAGE

DIK = DIKE (DYKE)

EQP = EQUIPMENT

EXP = EXPLOSION

FCLY = FY = FACILITY

FD = FIXED

FIR = FIRE

FL - FLOATING

FLN = FLNG = FLANGE

FLR = FAILURE

FLT = FAULT

FUNG = FUELLING

FY = FCLY = FACILITY

GSK = GASKET

HBR = HARBOR

HLL = HULL

HOS = HOSE

HWY = HIGHWAY

IMP = IMPROPER

INT = INTENTIONAL

LDG ARM = LOADING ARM

LEACHING = LEACHING

LK = LEK = LEAK

LQ = LIQUID

MAT = MATERIAL

MD = MOORED

MFD = MANIFOLD

MIS = MISCELLANEOUS

MTN = MAINTENANCE

NATURL = NATURAL

OB = OBJECT

OC = OCEANOGRAPHIC

OFL = OVERFLOW

OFS = OFFSHORE

ONS = ONSHORE

OPN = OPERATION

OVERTRN = OVERTRN

OVR = OVER

PIP = PIPE

PLNT = PLANT

PMP = PUMP

PPL = PPLN = PIPELINE

PR = PRODUCTION

PRS = PRESSURIZATION

RES = RESEARCH

RPT = RUPTURE

RWY = RAILWAY

SAB = SABOTGE = SABOTAGE

SDG = SOUNDING

SM = SUBMERGED

SRCE = SOURCE

ST = STRG = STORAGE

STR = STRUCTURAL

TK = TNK = TANK

TR = TRFR = TRANSFER

TRMNL = TERMINAL

VAN = VANDALISM

VL = VSL = VESSEL

VLV = VLVE = VALVE

WR = WEATHER

XSV = EXCESSIVE

### APPENDIX B

ESTIMATION OF THE NUMBER OF OIL SPILLS WITH INFORMATION FROM TWO SOURCES

If 1,000 tagged trout are released into a lake in the spring, then the total trout population of the lake may be estimated by noting the fraction of tagged trout among all trout caught during the ensuing weeks. See Figure B-1. If, say, 5% of the specimens caught bear tags, then the population of trout may be estimated as approximately 20,000. This technique is subject to obvious errors, produced by such conditions as (1) unknown changes in the trout population, and (2) a non-representative sample being caught.

A modification of this technique may be used to estimate the true number of actual oil spills occurring over a period of time from the number reported through the USCG Pollution Incident Reporting System (PIRS) and through the National Response Center (NRC). Since the spills recorded by these two sources in 1974-77 have only a partial overlap, the true number of spills must be greater than reported by either. It can be estimated by applying elementary probability theory to some plausible assumptions, to be stated in what follows. As in the case of game population estimation, the method is subject to obvious qualifications.

### CASE I, INDEPENDENT REPORTING

In the first case, it will be assumed that the two sources report randomly and independently. The probability






FIGURE B-1. POPULATION ESTIMATION TECHNIQUE



# 20F2 AD A/03430



MICROCOPY RESOLUTION TEST CHART NATIONAL BUREAU OF STANDARDS-1963-A that the first source records a spill, given that one has occurred, is assumed to be a constant  $P_1$ . Similarly, the probability that the second source records a spill, given that one has occurred, is assumed to be a constant,  $P_2$ . If a total of N spills occur, then the number recorded by the first source will be  $N_1$ , and that by the second will be  $N_2$ :

$$N_1 = P_1 N, \qquad (B-1)$$

$$N_2 = P_2 N; (B-2)$$

and the number recorded by both will be  $N_3$ :

$$N_5 = P_1 P_2 N.$$
 (B-3)

This last equation depends upon the assumption of independent recording.

From (1), (2) and (3), one may estimate the probabilities  $P_1$  and  $P_2$ ,

$$P_1 = N_3/N_2 \tag{B-4}$$

$$P_2 = N_3/N_1$$
 (B-5)

and the total number of spills that occurred, N, as

$$N = N_1 N_2 / N_3. {(3-6)}$$

## CASE 2, NON-INDEPENDENT REPORTING

If the reporting sources influence one another then the above analysis does not apply. Moreover, the problem cannot be solved with only the data  $N_1$ ,  $N_2$  and  $N_3$  as above; its solution depends on additional parameters which often are more difficult to obtain.

Five mutually exclusive events can occur, if an oil spill is recorded:

A: Source 1 records the spill, and source 2 does not

B: Source 2 records the spill, and source 1 does not

C: Source 1 records the spill, and source 2 obtains its record from source 1

D: Source 2 records the spill, and source 1 obtains its record from source 2

E: Both sources record the spill independently.

The number  $N_1$  of spills recorded by source 1 is calculated in terms of these events as:

$$N_1 = N P(A+C+E+D)$$
  
=  $N P(A+C+E) + N P(D)$   
=  $N P_1 + N P_{1/2}P_2$  (B-7)

where P(X+Y) indicates the probability of events X or Y;  $P_1$  and  $P_2$  are the probabilities of independent recording introduced before;  $P_{1/2}$  is the probability that source 1 obtains its record from source 2, given that source 2 has obtained its data independently; and N is the total number of spills that occur. Similarly, the number of spills recorded by source 2 is:

$$N_2 = N P_2 + N P_{2/1} P_1,$$
 (B-8)

where  $P_{2/1}$  is the probability that source 2 obtains its record from source 1, given that source 1 has obtained its record independently. Finally, that number of spills that are contained in the records of both sources is  $N_3$ :

$$N_3 = N P(C+E+D)$$
  
=  $N P(C) + N P(E) + N P(D)$   
=  $N P_2/1^{P_1} + N P_1^{P_2} + N P_1/2^{P_2} (B-9)$ ,

It will be noticed that equations (7), (8) and (9) reduce to (1), (2) and (3) when  $P_{1/2}$  and  $P_{2/1}$  are zero. These two new probabilities are difficult to determine, and inject a degree of uncertainty into the estimates of  $P_1$  and  $P_2$  and N. Nevertheless, the following expressions for  $P_1$ ,  $P_2$  and N, having  $P_{1/2}$  and  $P_{2/1}$  as parameters, will prove useful.

$$P_1 = N_3^{1}/N_2^{1}$$
, (B-10)

$$P_2 = N_3'/N_1'$$
, (B-11)

$$N = N_1'/N_2'/N_3',$$
 (B-12)

where

$$N'_{1} = (N_{1} - P_{1/2}N_{2}) / (1-P_{1/2}P_{2/1}),$$

$$N'_{2} = (N_{2} - P_{2/1}N_{1}) / (1-P_{1/2}P_{2/1}),$$

$$N'_{3} = N_{3} - P_{1/2}N'_{2} - P_{2/1}N'_{1}.$$

Again, one notices that these equations reduce to the previous ones when  $P_{1/2}$  and  $P_{2/1}$  are zero. If one assumes, for simplicity, that  $P_{1/2}=P_{2/1}=\tau$  where  $\tau$  is a constant that will be termed the transfer probability, then it is possible to calculate, as a function of  $\tau$  the probabilities  $P_1$  and  $P_2$  of independent recording, and also the probability  $P_3$  that a spill will be recorded by either collection agency, i.e.,

$$P_3 = P_1 + P_2 - P_1 P_2.$$
 (B-13)

The results of these calculations are shown in Table B-1. The results are there tabulated as a function of  $\tau$ , of the ratio  $N_1/N_2$ , and of the ratio  $\lambda$ ,

$$\lambda = N_3/(N_1+N_2-N_3)$$
,

which is the fraction of reported spills that appear in the records of both sources. The quantity of ultimate interest, however, is  $P_3$ , the fraction of all spills that are recorded in either source. This fraction is plotted in Figure B-2 as a function of the transfer probability  $\tau(=P_{1/2}=P_{2/1})$ , with the overlap fraction  $\lambda$  as a parameter. The revealing aspect of these curves is that the recording probability decreases as the transfer probability increases, for a given fractional overlap. Moreover, the transfer probability can never exceed the overlap fraction. These limits on the transfer probability are seen in Figure B-2 as the points on the horizontal axis at which the recording probability goes to zero.

### QUALIFICATIONS

The qualifications on trout population estimation apply to oil spills as well.

First, there is the assumption that one is dealing with a stable spill process. This is not a serious qualification if the estimates are taken to apply only to the time interval during which the reporting and spill processes actually occurred. Extrapolating to years following, or prior to, those for which the data are available can lead to obvious inaccuracies.

TABLE E-1. INDEPENDENT AND COMBINED RECORDING PROBABILITIES

λ	τ	P <sub>1</sub>	P 2	P 3
$N_1/N_2 = 1.0$		i		
.0	.0	.000	.000	.000
.1	.0	.182	.182	.331
. 3	.0 .1 .2 .3	.462 .308 .154 .000	.462 .308 .154 .000	.710 .521 .284 .000
. 5	.0 .1 .2 .3 .4	.667 .553 .400 .267 .133	.667 .533 .400 .267 .133	.889 .782 .640 .462 .249
. 7	.0 .1 .2 .3 .4 .5 .6	.824 .706 .588 .471 .353 .235 .118	.824 .706 .588 .471 .353 .235 .118	.969 .913 .830 .720 .581 .415 .221
. 9	.0 .1 .2 .3 .4 .5 .6 .7	.947 .842 .737 .632 .526 .421 .316 .211 .105	.947 .842 .737 .632 .526 .421 .316 .211 .105	.997 .975 .931 .864 .776 .665 .532 .377 .199
$N_1/N_2 = 1.4$				
.0	.0	.000	.000	.000
.1	.0	.218	.156	.341

TABLE B-1. (CONTINUED)

λ	τ	P <sub>1</sub>	$P_2$	p <sub>3</sub>
3	.0.1.2.3	.554 .386 .205 .000	.396 .256 .123 .000	.730 .543 .303 .000
. 5	.0 .1 .2 .3 .4	.800 .670 .533 .386 .218	.571 .443 .520 .204 .096	.914 .816 .685 .511 .295
.7	.0 .1 .2 .3 .4 .5 .6	.988 .886 .784 .682 .578 .471 .353	.706 .586 .471 .359 .254 .157 .071	.997 .955 .886 .796 .685 .554 .399
$\frac{N_1/N_2 = 1.8}{}$				
.0	.0	.000	.000	.000
.1	.0	.255	.141	.360
. 3	.0 .1 .2 .3	.646 .473 .269	.359 .228 .108 .000	.773 .593 .348 .000
.5	.0 .1 .2 .3 .4	.933 .820 .700 .568 .400	.519 .395 .280 .174 .080	.968 .891 .784 .643 .448

# TABLE B-1. (CONCLUDED)

LEGEND: Given that a spill has occurred,

P, = probability spill is recorded independently by source 1,


P, = probability spill is recorded independently by source 2,

 $P_z$  = probability spill is recorded by either source,

= probability one source obtains spill record from the other source,

and

 $\lambda$  = fraction of all recorded spills that appear in both sources.



PROBABILITY P3 OF A SPILL BEING RECORDED VS. TRANSFER PROBABILITY, 1 FIGURE B-2.

Second is the requirement that the sampling process, or in this case, the recording process, be representative. By that is meant that the two recording systems aprly to the same population of spills, and that each has a fixed probability of recording any spill in that population. This is a more restrictive requirement. It is unrealized in practice to the extent that the spills (i.e., the spillers) seek out the recording system, rather than vice-versa. Reporting a spill to one of the systems, PIRS or NRC, is often considered adequate to insure that it will be reported to the other. Hence the probabilities  $P_1$  and  $P_2$  of independent reporting may not be descriptive, and the probability of two independent reports may not be P1P2. Further, certain types of spills, such as those from industrial plants and tank farms may be more likely to be reported through the NRC, and others, such as those from vessel accidents may be more likely to be reported to or by the US Coast Guard PIRS. These conditions would invalidate the assumption that the reported spills are representative samples of all spills, taken with probabilities  $P_1$  and  $P_2$  from the entire population of spills.

#### MATHEMATICAL NOTE

The formula (6) for N can be obtained by a more sophisticated method, given in Reference 18, pages 41-45. It is shown there that the probability that there will be exactly  $N_3$  spills in common, given  $N_1$ ,  $N_2$ , and  $N_3$ , is a hypergeometric distribution, and the value of N for which that probability is a maximum is given by (6).

A valuable result of the development given in Reference 18 is that it is not necessary to assume that <u>both PIRS</u> and NRC reports are made at random and independently; it is enough to assume that <u>either</u> the PIRS <u>or</u> the NRC reports are random, provided they are independent.

Another result of value in Reference 18 is the Normal approximation to the hypergeometric distribution of  $\rm N_5$ . It is seen from p. 180 of that Reference that  $\rm N_5$  is Normally distributed with mean  $\rm N_1N_2/N$  and variance  $\rm N_1N_2$  (N-N<sub>1</sub>) (N-N<sub>2</sub>)/N<sub>3</sub>. Thus, if one assumes a value for N, he may easily calculate the mean and variance of the observed overlap N<sub>3</sub>.

#### APPENDIX C

MOVEMENT OF CRUDE, HEAVY, AND LIGHT CILS IN 1974-1977 FOR FOUR GEOGRAPHIC REGIONS OF THE UNITED STATES

EXTRACTED AND EXTRAPOLATED FROM - "Waterborne Commerce of the United States" for 1974-1976, excluding ports and waterways with less than 10,000 tons annual oil movement.

ACOE oil movement data are available at present for the years 1974, 1975, 1976 and 1977. Harbors and waterways having total oil movements of less than 10,000 tons/year were ignored. It is estimated that the the total amount of oil thus eliminated in any one region is less than 100,000 tons/year, or less than 0.2% of any regional oil flow.

The data were aggregated by oil type as follows (similar to Reference 9, p. 16):

Oil Type	Commodity	Classification Numbers	
Crude	1311		
Heavy	2915,	2916, 2918	
Light	2911,	2912, 2913, 2914, 2917	•

The total oil movements tabulated for the four regions are given in the following listing by year and by port or waterway. In addition to the 10,000 tons/year exclusion, certain small rivers, canals and inland waterways were excluded. The major such exclusions, and other assumptions made in compiling the data for each region will now be discussed.

Greater New York: The greatest part of the traffic is contained in the Port of New York Consolidated Statement. This statement includes the Hudson River Channel up to 156th Street in Mahattan. The remainder of the Hudson River, through Troy, NY, may be obtained either from the statement for the Hudson River, Deepwater in Upper Bay, NY to Waterford, NY or from the statement for the Hudson River, Deepwater in Upper Bay, NY to Waterford, NY, or from the statement for the Hudson River, Mouth of Spuyten

Duyvil Creek to Waterford, NY. The former is slightly redundant with the Fort of New York, Consolidated Report, while the latter leaves a slight gap in coverage from 156th Street to Spuyten Duyvil Creek. The redundancy was chosen.

The traffic through the Federal Lock at Troy was elimated since this oil is accounted for in the Hudson River Traffic.

Delaware Bay: Almost all traffic in this region is contained in the Consolidated Report of the Delaware River, Trenton, NJ to the Sea. This tabulation includes all non-local traffic of Trenton, Philadelphia, Camden, Marcus Hook, Wilmington and the main tributaries of the Delaware. The Schuylkill River movements are also included, except local. Traffic on the inland waterway between the Delaware River and Chesapeake Bay was excluded, as was traffic on Mantua Creek, NJ.

Louisiana Coast: The major difficulty in this region concerned the choice of data to represent the New Orleans and Baton Rouge areas. On one hand, one may employ the data for the Mississippi River, Baton Rouge to New Orleans and New Orleans to the Mouth of the Passes. This provides a complete statement of the River movements from above Baton Rouge to the Gulf of Mexico, with the through traffic called out separately. On the other hand, one may employ the data for the Port of Baton Rouge (Mile 168 through Mile 253) plus that for the Port of New Orleans (Mile 127 to Mouth of Passes). It was decided to employ the river data because the two separate Ports taken together still leave a section of the Mississippi River, from Mile 127 to Mile 168, unaccounted for. Examination of the data shows a significant amount of foreign crude oil passes through the New Orleans section of the Mississippi and lands in the Baton Rouge section of the Mississippi. This movement appears in the River data but not in the separate Ports data, presumably because of the gap in the Ports coverage.

Another difficulty in compiling the data in the Louisiana region is the method of handling oil movement on the Intracoastal Waterway and other inland waterways. It will be noted that the spill data for the Louisiana region includes several spills on the Intracoastal Waterway and one in Bayou Black. The inland waterways in the Louisiana region carry about 30 million tons of oil per year, of which about half is through movement. Although oil movement on these waterways is primarily barge traffic and hence not likely to result in massive spills, it nevertheless is a significant contributor to the spill rate and for that reason was included in the oil movement total for Louisiana.

North Texas Coast: Almost all oil movements in this region were included in this Appendix, the only exclusions being less than 100,000 tons annually. The movement on the Lake Charles Deepwater channel was assigned entirely to the Louisiana Coast region. Similarly, all of the movements on the Galveston-Corpus Christi section of the Intracoastal Waterway were included in the North Texas region.

<u>General</u>: Some general observations may be made on the use of ACOE data in calculating oil spill rates.

First, it appears that the selection of the appropriate types of oil movement is not an easy task. We have, in this Appendix, taken the aggregate of imports, exports, coastwise receipts and shipments, internal receipts and shipments, and local receipts and shipments. We also have included through traffic on the grounds that it is about as likely to produce spills as traffic in the other categories.

Second, it may be observed that consistency does not necessarily avoid biasing of the resultant spill rates. For example, inclusion of inland waterway traffic has a greater impact on the Louisiana Coast spill rate than on the spill rate of any other region, because of the large amount of waterway movement in Louisiana. The same may be said of the inclusion of through traffic, which also is heavy in the Louisiana Coast region.

# ACOE OIL MOVEMENT DATA FOR FOUR US COASTAL AREAS 1974 THROUGH 1977 THOUSANDS OF SHORT TONS

	OCF	NGOING	INTE	
4	FOREIGN	THROUGH		THROUGH
	COASTAL		SHIPMNTS	
VEN LOND	ON HAPPOP,	СТ		
1974				
CRUDE	0.0	0.0	0.0	0 • 0
LIGHT	50.8.	0.0	0.9	0.0
HEAVY	1424.5	0.0	601.0	0.0
1975				
CRUDE	0.0	0.0	0.0	0.0
LIGHT	258.5	0.0	0.0	0.0
HEAVY	2683.2	0.0	385.6	0.0
1976				
CRUDE	0.0	0.0	C•0	0.0
LIGHT_	265.5	0.0	0 • 4	0.0
HEAVY	2560.9	0.0	206.6	0.0
1977				
CRIDE	0.0	0.0	0.0	0.0
LIGHT	261.0	0.0	1.7	0.0
HEAVY	1836.4	0.0	228.2	0.0
THAMES R	PIVER, CT			
1974				
CRUDE	_ 0.0	0.0	0.0	0.0
LIGHT	236.8	0.0	0.6	0.0
HEAVY	253.4	0.0	599.2	0.0
1975				
_CRUDF	<u> </u>	0.0	0.0	0.0
LIGHT	250.2	0.0	0.0	0.0
HEAVY	133.6	0.0	385.6	0.0
1976				
CRUDE	0.0	0.0	0.0	0.0
LIGHT	250.1	0.0	0.0	0.0
HEAVY	104.5	0.0	206.6	0.0
1977				
CRUDE	0.0	0.0	0.0	0.0
LIGHT	263.0	0.0	1.7	0.0
HEAVY_	48.1	0.0	228.2	0.0

1074				
CRIDE	0.0	0.0	0.0	0.0
LIGHT	1270.8	೧.೧	3.6	0.0
HEAVY	1752.0	0.0	0.0	0.0
1075		_		
CRUDE	0.0	0.0	0.0	0.0
LIGHT	1116.4	0.0	3.5	0.0
HEAVY	1436.8	0.0	0.0	0.0
1976				
CRUDE	0.0	0.0	0.0	0.0
LIGHT	1076.8	0.0	1.7	0.0
HEAVY	1135.3	0.0	0.0	0.0
1977				
CRUDE	0.0	0.0	0.0	0.0
LIGHT	1064.0	0.0	0.0	<b>.</b> • ∪
HEAVY	1070.1	0.0	23.0	0.0
NEW-HAVE	M-HARBOR, CI		, en lamin des l'angles : la l'angles de l	
CRUDE	42.3	0.0	0.0	0.0
LIGHT	7270.3	0.0	283.9	0.0
HEAVY	3325.1	0.0	27.1	0.0
1075				
CRUDE	132.6	0.0	0.0	0.0
LIGHT	6940.6	0.0	291.4	0.0
HEAVY	3034.7	0.0	209.7	0.0
1976				
CRUDE		0.0	0.0	0.0
LIGHT	0425.3	0.0	134.1	0.0
HEAVY	2886.2	0.0	81.6	0.0
1977				
CRUDE	0.0	3.0	0.0	0.0
LIGHT	7201.3	0.0	115.1	0.0
HEAVY	2824.3	0.0	36.8	0.0
	RT HARBOR, C		· ·	
1974				
CRUDE	11.7	0.0	C•0	0.0
LIGHT	1376.0	0.0	72.8	0.0
HEAVY	1363.2	0.0	0.0	0.0
1975				
CRUDE	0.0	0.0	0.0	0.0
LIGHT	1341.1	0.0	3.9	0.0
HEAVY	1151.4	0.0	29.2	0.0
1976				
CRUDE	0.0	0.0	0.0	0.0
LIGHT	1574.4	0.0	0.0	0.0
HEAVY	1312.8	0.0	11.3	0.0
1977				
CRUDE	0.0	0.0	0.0	0.0
LIGHT	1611.7	0.0	0.0	0.0
		~	3.1	0.0

	APROF. CT			1 Stranger artists
1074				
CRUDE		.0.0		ე•ე
LIGHT	178.0	0.0	0.0	0.0
_HEAVY	<u>555•1</u>	0.0	0.0	0.0
1075				
CRUDE	0.0	0.0	0.0	00
LIGHT	201.5	0.0	0.0	0.0
HEAVY .	543.5	0.0	0.0	C•0
1076				
. CRUDE	n.o.	0.0	0.0	0.0
LIGHT	232.2	0.0	0.0	0.0
HEAVY	483.7	0.0	0.0	0.0
1977				
CRIDE	0.0	0.0	0.0	0.0
LIGHT	207.0	0.0	0.0	0.0
HEAVY	573.1	0.0	0.0	0.0
	HARBOP, CT	X.:		
1074	TANDO Y CT			
CRUDE	0.0	0.0	0.0	0.0
LIGHT	485.5	0.0	0.0	0.0
HEAVY	55.2	0.0	0.0	0.0
1975	23.6	( • O	() • ()	., • (/
			0.0	0.0
CRUDE	0.0	0.0		
LIGHT HEAVY	472.1 35.6	0.0	0.0	0 • 0
1976				
CRUDE	0.0	0.0	0	0.0
LIGHT	456.1	0.0	0.0	0.0
HEAVY_	62.3		0.0	0.0
1977				
CRUDE	0.0	0.0	0.0	0.0
LIGHT	458.8	0.0	0.0	0.0
HE AVY	78.9	0.0	0.0	0.0
HEMPSTEA				
1974				
CRUDE	0.0	0.0	0.0	0.0
LIGHT	684.0	0.0	0.0	0.0
HEAVY	223.7	0.0	0.0	0.0
1975	c. 4 . • • •	VI • VI	( ( • \)	V. T. V.
CRUDE	0.0	0.0	0.0	0.0
LIGHT	714.4	0.0	0.0	0.0
	135.C	0.0	0.0	0.0
HEAVY	133.0	0.0	0.0	0.0
1976		0.0	^ ^	0 0
CRUDE	0.0	0.0	0.0	0.0
LIGHT.	578.6	0.0	0•0	0.0
HEAVY	288.7	0.0	0.0	0.0
CRUDE	0.0	2.0	0.0	0.0
LIGHT .	464.1	0.0	0.0	0.0
HEAVY	197.6	0.0	0.0	0 • 0

1074			2 2	0 0
CRUDE	6.5	0.0	<u></u>	0.0
LIGHT	3114.7	0.0	7.7	0.0
HEAVY	641.0	0.0	0.0	0.0
1975				
CRUDF	<u>.</u> 0 • 0	0.0	0 · 0	0.0
LIGHT	3150.9	0.0	0.0	0.0
HEAVY_	650.9	0.0	0.0	0.0
1976				
CRUDE	0.0	0.0	0.0	0.0
LIGHT	3271.9	0.0	0.0	0.0
	609.5	0.0	C•0	0.0
1977		2 2	0 0	0.0
_CRUDE	0.0	0.0	0.0	0.0
LIGHT	3448.9	0.0	0.0	0.0
	654.0	0.0	0.0	0.0
	STER HARBOR	, NY		
1974				
CRUDE	0.0	0.0	0.0	0.0
_LIGHT_	0.0	<u> </u>	157.6	0.0
HEAVY	0.0	0.0	0.0	0.0
1975				
CRUDE	0.0	0.0	0.0	0.0
LIGHT	0.0	0.0	_169• <u>0</u>	0.0
HEAVY	0.0	0.0	4.5	0 • 0
1976		0.0	0.0	0.0
CRUDE LIGHT	0.0	0.0	176.2	0.0
HEAVY	0.0	0.0	7.9	0.0
1977	· • ·	0.0	1.07	0 • 0
CRUDE	0.0	0.0	0.0	0.0
LIGHT	0.0	0.0	198.0	0.0
HEAVY	0.0	0.0	4.9	0.0
	SORFAH YA			
1974				
0 00110 with oil 40 40				
ĊŖIJĘ──			<u> </u>	
LIGHT	525.9	0.0	0.0	0.0
HEAVY	0.0	0.0	0.0	0 • 0
1975		0.0	<b>^ ^</b>	
CRUDE		0.0		0.0
LIGHT	468.5	0.0	0.0	0.0
HEAVY	0.0	0.0	0•0	0.0
1976		0 0	0 0	0 0
CRUDE	2.000	<u></u>	0.0	0.0
LIGHT	360.0	0.0	0 • 0	0.0

0.0

0.0

0.0

0.0 374.9 12.9

CRUDE LIGHT

HEAVY

1974	4.0	0 0	0 0	0.0
. כפייח=	60.5	<u> </u>	0.0 519.4	0.0
LIGHT	15201.8	0.0		0.0
HEAVY	0503.2	0.0	1227.3	(1 • ()
1075				0 0
CRUDF _	132.6	0.0	0.0	0.0
LIGHT	14914.2	0.0	467.8	0.0
HEAVY	9805.7	C•0	1014.6	0.0
1976				
CRUDE	0.0	0.0	0.0	0.0
LIGHT	17590.9	0.0	312.4	0.0
HEAVY	9581.7	0.0	514.0	0.0
1977				
CRUDE	0.0		0.0	0.0
LIGHT	15355.6	0.0	316.5	0.0
HEAVY	8543.3	<u>0.0</u>	529.1	0.0
CRUDE.	20005.3	0.0	PORT OF NEW YO	0.0
CRUDE.	20005.3	0.0	1146.8	
1974 CRUDE LIGHT HEAVY				0.0
CRUDE. LIGHT	20005•3 35387•7	0 • 0 0 • 0 0 • 0	1146.8 26922.8 20176.4	0.0
CRUDE. LIGHT HEAVY	20005•3 35387•7	0.0	1146.8 26922.8 20176.4	0.0 0.0 0.0
CRUDE LIGHT HEAVY 1975	20005.3 35387.7 35194.5	0 • 0 0 • 0 0 • 0	1146.8 26922.8 20176.4 1026.6 23955.1	0.0
CRUDE. LIGHT HEAVY 1975 CRUDE	20005.3 35387.7 35194.5	0.0	1146.8 26922.8 20176.4	0.0 0.0 0.0
CRUDE LIGHT HEAVY 1975 CRUDE LIGHT HEAVY	20005.3 35387.7 35194.5 19886.4 35723.9	0 • 0 0 • 0 0 • 0	1146.8 26922.8 20176.4 1026.6 23955.1 19201.2	0.0 0.0 0.0 0.0 0.0
CRUDE LIGHT HEAVY 1975 CRUDE LIGHT HEAVY	20005.3 35387.7 35194.5 19886.4 35723.9	0 • 0 0 • 0 0 • 0	1146.8 26922.8 20176.4 1026.6 23955.1	0.0 0.0 0.0 0.0
CRUDE LIGHT HEAVY 1975 CRUDE LIGHT HEAVY	20005.3 35387.7 35194.5 19886.4 35723.9 29616.3	0 • 0 0 • 0 0 • 0 0 • 0 0 • 0	1146.8 26922.8 20176.4 1026.6 23955.1 19201.2	0.0 0.0 0.0 0.0 0.0 0.0
CRUDE. LIGHT HEAVY 1975 CRUDE LIGHT HEAVY 1976 CRUDE	20005.3 35387.7 35194.5 19886.4 35723.9 29616.3	0.0 0.0 0.0 0.0 0.0	1146.8 26922.8 20176.4 1026.6 23955.1 19201.2	0.0 0.0 0.0 0.0 0.0 0.0
CRUDE LIGHT HEAVY 1975 CRUDE LIGHT HEAVY 1976 CRUDE LIGHT	20005.3 35387.7 35194.5 19886.4 35723.9 29616.3 22833.5 34200.2	0.0 0.0 0.0 0.0 0.0 0.0 0.0	1146.8 26922.8 20176.4 1026.6 23955.1 19201.2 2071.7 24066.8 20419.0	0.0 0.0 0.0 0.0 0.0 0.0 0.0
CRUDE LIGHT HEAVY 1975 CRUDE LIGHT HEAVY 1976 CRUDE LIGHT HEAVY	20005.3 35387.7 35194.5 19886.4 35723.9 29616.3 22833.5 34200.2	0.0 0.0 0.0 0.0 0.0 0.0	1146.8 26922.8 20176.4 1026.6 23955.1 19201.2 2071.7 24066.8	0.0 0.0 0.0 0.0 0.0 0.0 0.0
CRUDE LIGHT HEAVY 1975 CRUDE LIGHT HEAVY 1976 CRUDE LIGHT HEAVY 1977	20005.3 35387.7 35194.5 19886.4 35723.9 29616.3 22833.5 34200.2 33951.3	0.0 0.0 0.0 0.0 0.0 0.0 0.0	1146.8 26922.8 20176.4 1026.6 23955.1 19201.2 2071.7 24066.8 20419.0	0.0 0.0 0.0 0.0 0.0 0.0 0.0
CRUDE LIGHT HEAVY 1975 CRUDE LIGHT HEAVY 1976 CRUDE LIGHT HEAVY 1977 CRUDE	20005.3 35387.7 35194.5 19886.4 35723.9 29616.3 22833.5 34200.2 33951.3	0.0 0.0 0.0 0.0 0.0 0.0	1146.8 26922.8 20176.4 1026.6 23955.1 19201.2 2071.7 24066.8 20419.0	0.0 0.0 0.0 0.0 0.0 0.0 0.0
CRUDE LIGHT HEAVY 1975 CRUDE LIGHT HEAVY 1976 CRUDE LIGHT HEAVY 1977 CRUDE LIGHT HEAVY	20005.3 35387.7 35194.5 19886.4 35723.9 29616.3 22833.5 34200.2 33951.3 24266.6 39270.0 35633.4	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	1146.8 26922.8 20176.4 1026.6 23955.1 19201.2 2071.7 24066.8 20419.0 2675.0 24836.0 19238.4	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0
CRUDE LIGHT HEAVY 1975 CRUDE LIGHT HEAVY 1976 CRUDE LIGHT HEAVY 1977 CRUDE LIGHT HEAVY	20005.3 35387.7 35194.5 19886.4 35723.9 29616.3 22833.5 34200.2 33951.3 24266.6 39270.0 35633.4	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	1146.8 26922.8 20176.4 1026.6 23955.1 19201.2 2071.7 24066.8 20419.0 2675.0 24836.0	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0
CRUDE LIGHT HEAVY 1975 CRUDE LIGHT HEAVY 1976 CRUDE LIGHT HEAVY 1977 CRUDE LIGHT HEAVY	20005.3 35387.7 35194.5 19886.4 35723.9 29616.3 22833.5 34200.2 33951.3 24266.6 39270.0 35633.4	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	1146.8 26922.8 20176.4 1026.6 23955.1 19201.2 2071.7 24066.8 20419.0 2675.0 24836.0 19238.4	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0
CRUDE LIGHT HEAVY 1975 CRUDE LIGHT HEAVY 1976 CRUDE LIGHT HEAVY 1977 CRUDE LIGHT HEAVY	20005.3 35387.7 35194.5 19886.4 35723.9 29616.3 22833.5 34200.2 33951.3 24266.6 39270.0 35633.4	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	1146.8 26922.8 20176.4 1026.6 23955.1 19201.2 2071.7 24066.8 20419.0 2675.0 24836.0 19238.4	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0

LIGHT HEAVY	1504.5	0•0	/////	
HEAVY			7,00,9 • 7	396.0
	3730.8	22.0	4925.7	133.1
19.76				
CRUDE	0.0	0.0	0.0	0•0
LIGHT _	1329.2	0.0	7834.3	475.7
HEAVY	3592.4	6.0	4672.1	104.6
1977				
CRUDE	1.0	0.0	0.0	0.0
LIGHT	1731.4	0.0	7504.2	517.3
HEAVY	3308.5	0.0	4364.6	125 • 8
	•••		co 1 <del>000</del> 0 •	
_ DELAWARE	RIVERTR	OT LN NOTHE	THE SEA CONS	GLIDATED REPORT
1974				
CRUDE	47104.6	1292.5	9068.5	0.0
LIGHT	14146.1	3541.2	8047.0	1088.6
HEAVY	10597.7		7254.8	
1975	A	, = / 2 . •		
	47167-5	674.5	9992.8	0.0
LIGHT	12981.1	2505.6	6874.6	
		2430.1	6437.3	304.4
1976	02/1/2 • 1/-			30444
CRUDE	52262.6	222 0	9846.7	0.0
			6117.3	355.4
	11912.8			
	9247.5 _	2501.6	10163.3 _	142.6
1977		177 1		
	54450.7	444.0	11044.3	<u> </u>
LIGHT		3992.7	1698.6	274.5
HEAVY	89.41.0	2952.5	8810.2	239 • 9
	2011 5 644	TO NEW ORLEA		
	DBILE BAY	TO NEW ORLEA	NO LA	
. 1974				1424.2
CRUDE	0.0	0.0	4.1	=
LIGHT	ბ• ბ		272.3	
HEAVY	0.0	3 • 1	167.7	2917.4
1975				
CRUDE	0.0	0.0	6.4	2653 • 8
L.I GHT	<u></u>		252.0	4161.6
HEAVY	0.0	0.0	148.0	2785.7
1976.				
CRUDE	0.0	0.0	. 3.3	3485.2
LIGHT	0.0	39.7	125.7	3820.4
HEAVY	0.0	67.4	276.8	3379.7
1977				
CRUDE	0.0	0.0	C.O	3466.0
,				
LIGHT	0.0	0.0	20.1	4611.3

1974		0 0	10721 2	8259.8
CBUDE	<u> </u>	<u> </u>	10731 • 2 717 • 7	5610.5
LIGHT	0.0	0.0	498.3	8433 • 2
HEAVY	· · · · · · · · · · · · · · · · · · ·		470 - 5	0-7502
1075			6473 6	7502.7
CRUDE	<u> </u>		9672.8	
LIGHT	0.0	0.0	1069.5	5972 • 2
HEAVY	0.0	3.2	291.5	7523.5
1976			0//0 0	7257 1
CRUDE	0.1	0.0	9448.3	
LIGHT	0.0	4.9	615.9	6899.8
- HEAVY		29.4	377•9	8745.5
	0.0	0.0	8885.5	7309.7
LIGHT	0.0		752.7	
			470.7	10600.2
GICWW, MO	RGAN CITY	- PORT ALLE	N ROUTE	
CRUDE	0.0	0.0	769.6	267.9
LIGHT	0.0	0.0	210.7	2357.6
HEAVY 1975	0.0	0•0	3.7	3924.3
CRUDE	0.0	0.0	685.7	514.9
LIGHT		0.0		2750.7
HEAVY	0.0	0.0	0.0	3784.4
1976	Ç, • · ·	• ()	<b>∪ =</b> 1.	
CRUDE	0.0	0.0	816.2	744.6
LIGHT	-	0.0	227•2	
HEAVY	0.0	7•0	0.0	
1977	(2 € 17	, • ()	(7 • .7	300712
CRUDE	0.0	0.0	560.9	347.0
LIGHT	0.0	0.0	287.4	3354.0
HEAVY	0.0	0.0	0.0	4219.5
HOUMA NAV	IGATION CAL			
1974				
CRUDE	0.0	0.0	0.0	1369.2
LIGHT	0.0	0.0	2 • 2	67.8
HEAVY	0.0	0.0	5.6	0.0
1975				
CRUDE	0.0	0.0	0.0	1138.4
LIGHT	0.0	0.0	0.0	117.8
HEAVY	0.0	0.0	0.0	0.0
1976				
CRUDE	0.0	0.0	0.0	1232.3
LIGHT	0.0	0.0	0.0	47.7
HEAVY	0.0	0.0	0.0	0.0
1977				
CRUDE	0.0	0.0	0.0	1228.2
LIGHT	5.0	0.0	0.0	69.3
		11 - 11	V • 17	-,

1974	AH RIVER.			
CRUDE	0.0	0.0	1713.8	15.0
LIGHT.	0.0	0.0	86.8	0.0
HEAVY	0.0	0.0	2.8	0.0
1975				
CRUDE	0.0	0.0	1254.5	0.0
LIGHT	0.0	0.0	1.5	0.0
HEAVY	0.0	0.0	0.2	C • C
1976				
CRUDE	0.0	0.0	1485.5	13.9
LIGHT		0.0	67.8	0.0
HEAVY 1977	0.0	0.0	0.0	0 • 0
CRUDE	0.0	0.0	1515.0	32 • 4
LIGHT	0.0		0.0	0.0
HEAVY	0.0	0.0	0.7	C • O
MISSISSI	PPI RIVER,	NEW ORLEAN	S TO MOUTH OF	PASSES
1974				
CRUDE		14833.3		3008.9
LIGHT	1007.7	7854 • 2	4411.7	2771.3
HEAVY	1740 7	2330.6	5250 0	3343•6
1975		-	10 Nov 01	
CRUDE	6840.8		13797.6	
		8089.7	3895 • 3	
HEAVY 1976	1418.5			3256•4
CRUDE	6345.7		12933.5	
	1140.6		3720.4	
HEAVY 1977	772.6	3832•0	4819.4	3124•5
CRUDE	13548.8	65424.4	10670.4	
LIGHT		8761.8		
HEAVY		4886.3	5453.1	
MISSISSI 1974	PPI RIVER	BATON POUG	E TO_NEW_ORLEA	ANS
CRUDE	14833.4	0.0	8110.0	1964.3
LISHT	7854.2	0.0	8523.4	4011.0
HEAVY	2328.4		7089.0_	5177.2
1975				
_CRUDE	26568.3	0.0	8781.7	3044.0
LIGHT	8089.8	0.0	9066.9	3848 • 8
HEAVY	3336.2	8.6	5495.7	4791.3
1976				
CRUDE_	43987.3_	0.0	8263.3	3049.9
LIGHT	7779.4	0.0	11077.6	4030.0
HEAVY.	3801.6.	0.0	8279.9	4086.4
1977				
CRLDE	65424.4	0.0	7183.1	1734.5
LIGHT	8761.7	0.0	10412.0	3925 • 0
HEAVY	4863.9.	0.0	9635.8	3956 • 7

CALCASIE				
1974		0.0	5583.7	0.0
	2274.7		902.0	0.0
	1527.9 309.6		1021.4	0.0
HEAVY 1975	207.0	( • 1)	1021•4	0 • 0
CRUDE	4630.6	0.0	4760.4	0.0
LIGHT	1436.8		820.7	0 • 0
HEAVY	245.8	n.n	861.9	0.0
1976	2 + 7 • C	• • • • • • • • • • • • • • • • • • • •	501.	· · • · ·
CRUDE	5738.0	0.0	4204.2	0•0
LIGHT	1914.8	0.0	1170.9	0.0
HEAVY	376.7	0.0	1290.3	0.0
1977			247	
CRUDE		0.0	4674.1	0.0
		0.0		0.0
	195.7		1796.1	0.0
	AYA RIVER			
1974			1-10	
	0_0	0.0	224.0	959•3
LIGHT	a.a		166.9	529.8
HEAVY		0.0	149.7	1147.1
1975	V			
CRUDE	0.0	0.0		729•9
LIGHT	0.0	0.0		323.5
HENLY	0.0	0.0	144.1	594.9
1976				
CRUDE	0.0	0.0	375.9	738•4
LIGHT	0.0	0.0	327.0	893.8
HEAVY	0.1	0.0	150.9	984.9
1977				
-CRUDE-	-0.0		301.9	479.0.
LIGHT	0.0		465.6	
HEAVY	0.0	0.0	195 • 8	947.8
	LOUISIANA	COAST		
1974	24005 6	1,022 2	20001 0	17746 /
		14833.3		17268 • 6
LIGHT	10389.8	7854.2	15293.7	19470 • 9
HEAVY	4378.7	2333.7	14197.0	24942 • 8
1975	20020 7	24549 2	20122 2	2^558.7
CRUDE	_38039.7	26568.2	38133.3	
LIGHT	11413.1	8089.7	15631.7	19857•2 22736•2
HEAVY_	5000.5	3362.9	12379•3	22130 • 2
1976 CRUDE	61071 0	43987.3	37530.2	21030•3
LIGHT	61071.0	43987.3	37530•2	21030•3
	56071.0 4950.9		15195.2	24210.3
1977	4900.9	3928.8	19149.5	24210.3
CRUDE_	87042.0	65424.4	33790.9	16185•2
LIGHT	13065.4	8761.8	17490.5	21596•2
LIGHT	15005-4	010100	エイサブリョコ	6177006

 	NECHES WATER	YAY. TX		emotion of a far a spine	
 CRUDF	19462.1	0.0	3991.6	5197.6	
LIGHT	12587.1	0.0	4497.3	2646.9	
HEALY	4705.3	0.0	3254.6	5374.1	
1975					
	17938.3	0.0	4365.2	4191.1	
	12008.3		4782.3	2789.3	
HEAVY	3879.6	0.0	3536.5	4000 • 4	
1076					
	32213.1	0.0	4832.6	4825.0	
	13115.6		3682.1	3364.7	
HEAVY	5336.2	0.0	3980•9	5295 • 4	
 1077					
	38648.7	0.0	5559.2	4368.6	
	10980.7		3372.1	4719.4	
HEAVY	5243.5	0.0	3938.5	6666 • 1	
 	SHIP_ CANAL.	_TX			
1974	1.05		2021	0 • 0	
 -	14874.7		3934.2	THE RESERVE AND ADDRESS OF THE PARTY NAMED IN	
LIGHT		0.0	3863.5	0.0	
 	3308.3	<u> </u>	5892.1	0.0	
1975			2004	0.0	
	16012.3		2995 • 4 2864 • 3	0.0	Real Control of the C
	14535.5		5111.7	0.0	
	2997.6				* ***
1976	22020 0	0.0	3466.6	0.0	
	22039.0	0.0	3449.7	0.0	
	14239.9 2417.3		5961.4		
 1977		0• \/			
	28191.7	0.0	3584.2	0.0	
	14437.8	0.0	7220.7	0.0	
HEAVY	4935.2	0.0	8775.2		
	ITY CHANNEL.				
1974					
CRUDE	2696.6	0.0	3576.2	0.0	
 LIGHT	3296.0	0.0	2654.9	0.0	4 4 9 9
 HEAVY	425.4		787.6	0.0	
1975					
 CRUDE	5618.5	0.0	3466.1	0.0	
LIGHT	5494.8	0.0	2332.0	0.0	
 HEAVY.	5.74.2	0.0	745.6	0.0	
1976					
CRUDE	9598.6	6 • 5	2690•0	0 • _0	
LIGHT	4556.6	0.0	3002.6	0.0	
 HEAVY	2.59.4	0.0	1012.2	0 • 0	
1977	10007		0335		
 CRUDE-	12887_3	C.• O	3275.2		
LICHT	4282.6	0.0	4041.6	0.0	
HEAVY	1179.3	J • D	1554.7 _	0.0	

1974	202 /	0.0	6.0	0.0
CRUDE	203.4	0.0	47.0	0.0
LIGHT	0.0	0.0	102.1	0.0
HEAVY	0.0	(3 • ()	10201	3.0
CRUDE	233.3	C.O	16.5	0.0
LIGHT	0.0	0.0	52.4	0.0
HEAVY	0.0	0.0	74.5	0.0
1976	0 •		1 4 6 5	0 • (.
CRUDE	118.7	0.0	0.0	0.0
LIGHT	0.0	0.0	74.5	0.0
HEAVY	2.3	0.0	122.8	0.0
1977				
CRUDE	493.9	0.0	15.7	0.0
LIGHT		0.0	42.6	0.0
HEAVY	7.8	0.0	173.3	0.0
FREEPORT	HARBOR IX			
1974				
CRUDE	2060.1	0.0	1005.2	0 • 0
LIGHT	536.7	0.0	454.6	0.0
HEAVY	o.c	0.0	170.3	n•0
1975				
_CRUDE	3228.4	2.0.	622.3	0.0
LIGHT	484.3	0.0	124.7	0 • 0
HEAVY	.O.O.	0.0	108.8	0.0
1976				
CRUDE	4458.5	0.0	477.2	0.0
LIGHT	545.6	0.0	107.4	0 • 0
HEAVY	0.0	0.0	195.8	0.0
1977				
_CRUDF		0.0	313.2	0.0
LIGHT	528.1	0.0	128.4	0.0
HEAVY	0.0	0.0	313.9	0.0
	A SHIP CHAN	NFL, TX		
1974				
CRUDE	0.0	0.0	167.9	0.0
LICHT_	0.0	<u></u>	1.5	<u> </u>
HEAVY	61.1	0.0	8•5	0.0
1975			190.5	0.0
CRUDE	0.0	0.0		0.0
LIGHT		0.0	4.6	0.0
HEAVY	44.9	0.0	22.1	0.0
1976	0.0	0.0	178.3	0•0
CRUDE LIGHT	0.0	0.0	13.4	0.0
	11 61	1 / m 1 /	1007	V • /:

	0 0	2.0	139.6	0.0	
CRUDE	0.0	0.0		0.0	•
LIGHT.	7.0	0.0		0.0	
			VESTON, TX		
1974	SADIN	LA TO CALL	(L310114 17		
CRUDE	0.0	0.0	811.4	8785.4	
LIGHT	0.0	0.0	1909.0		
HEAVY		0.0	1745.5		
1975			114363		
	0.0	0.0	1184.8	7575.9	
CRUDE		0.0.	2672.6		
LIGHT	0.0 0.0	· ·			
HEALY		2 • 6			manufacture of the second seco
1976	0 0	2 0	1010.5	8783.7	
CRUDE					
LIGHT	4.9 4.0			7188.8	
HEAVY	4 • V				
1977	0.0	0.0	1446.1	8561.0	
CRUDF LIGHT	0.0	0.0			
HEAVY					
			CHRISTI, TX	00/311	
1076	GALVESTON	IN CORPUS	CUK12111 IX		
CRUDE	0.0	0.1	2102.9	2130.4	T Appear to the core of the total of
LIGHT		0.0			
HEAVY		0.0			
1975	0.0	0 • 0	333.0	10.701	
CRUDE	0.0	0.0	2414.8	1845.1	
LIGHT	0.0	0.0	621.3		-
HEAVY		0.0			
1976	0.0	· · · · · ·	20010	, , , , ,	
CRUDE	0.0	0.0	1469.3	2438.0	40 00 0 0 10T MT T-0
LIGHT					
HEAVY	0.0	7.0		_	
1077	(1.	', • ('	2 J 4 • 1)	1270+2	
	0 0	0.0	1948.7	2723.6	
CRUDE	0.0	0.0	214.0		
LIGHT		.0.0	268.3		
HEAVY	0.0	0.0	208 • 3	1000.2	

 TOTALS,	NORTH TEXAS	COAST			
CRUDE	19834.8	0.0	11603.8	10915.8	
LIGHT	19721.5	0.0	19211.7	7776.2	
HEAVY	3369.4	0.0	9061.9	8176.7	
1975					
 CRUDE	43030.8	0.0	15256.6	13612.1	
 LIGHT	32522.9	0.0	13454.2	9014.8	
HEAVY	7496.3	3.2	11496.9	10770.4	
 1976					
CRUDE	68427.9	0.0	14124.5	16046.7	
LIGHT	32462.6	0.0	12256.8	10382.0	
 HEALY	8647.0	25.4	13285.7	13774.4	
1977					•
CRUDE	90202.2	0.0	16281.9	15653.4	
LIGHT	30300.0	0.0	16861.6	14051.9	
HEAVY	11365.8	0.0	15942.9	17014.4	

#### APPENDIX D

TRIPS OF TANKERS, TANK BARGES, AND ALL VESSELS IN 1974-1977 FOR FOUR GEOGRAPHIC REGIONS OF THE UNITED STATES

EXTRACTED AND EXTRAPOLATED FROM - "Waterborne Commerce of the United States" (Army Corps of Engineers) for 1974-1976, excluding property and waterways with less than 10,000 tons annual oil movement.

The vessel trip data here tabulated were extracted from the ACOE volumes for the same waterways as were the tonnage data of Appendix C, with few exceptions. (1) The trip data do not include a consolidated statement of the Port of New York, analogous to that found in the tonnage data. Therefore, the trip data for the separate waterways that constitute the Port of New York as given in Table D-1 were summed to arrive at an equivalent consolidated statement of the Port of New York. (2) The Waterways given in Table D-2 were summed and are shown on the listing as Louisiana Inland Waterways. The list of Table D-2 includes six waterways (items 3 through 8) that are not included in the tonnage movement data of Appendix C, but these waterways comprise a relatively small fraction of all vessel trips in Louisiana. Hence the Louisiana Coast vessel trip data, for all practical purposes, covers the same waterways as the tonnage data.

### TABLE D-1. WATERWAYS IN THE NEW YORK CONSOLIDATED STATEMENT, ACCE DATA

The following waterways make up the Port of New York in the ACOE consolidated statement:

Eastchester Creek, NY Bronx River, NY Westchester Creek, NY Manhasset Bay, NY Flushing Bay and Creek, NY Harlem River, NY Hudson River, NY (Lower section) Hudson River Channel, NY and NJ East River, NY Newtown Creek, NY Buttermilk Channel, NY Bay Ridge and Red Hock Channels, NY Gowanus Creek Channel, NY Gowanus Canal, NY Gravesend Bay, NY Coney Island Channel, NY East Rockaway Inlet, NY Jamaica Bay, NY Raritan River, NJ Upper Bay, New York Harbor, NY and NJ Newark Bay, NJ Hackensack River, NJ Passaic River, NJ New York and New Jersey Channels, NY and NJ Raritan River to Arthur Kill Cutoff Channel, NJ New York Harbor, NY, Lower Entrance Channels

#### TABLE D-2. LOUISIANA INLAND WATERWAYS

- 1. Gulf Intracoastal Waterway, Mobile AL to New Orleans, LA
- 2. Gulf Intracoastal Waterway, Mississippi River to Sabine, TX
- 3. Inner Harbor Navigation Canal, New Orleans, LA
- 4. Mississippi River Gulf Outlet, LA
- 5. Waterway from Empire, LA to Gulf of Mexico
- 6. Barataria Bay Waterway, LA
- 7. Bayou Lafourche and Lafourche-Jump Waterway, LA
- 8. Bayou Little Caillou, LA
- 9. Huma Navigation Canal, LA
- 10. Gulf Intracoastal Waterway, Morgan City Port Allen Route
- 11. Mermantau River and Bayous Nezpique and DesCannes, LA

		COASTAL_AR	EAS	
1	974 THROUG			
	1974	1975	1976	1977
NEW LONDON H	ARBOR AND	THAMES RIV	FR. CT	
TANKERS	631	508	505	422
BARGES	1474	1251	959	713
ALL TYPES	20184	10792	14278	9179
CONNECTICUT				
TANKERS	516	430	562	549
RAPGES	1274	1172	917	697
ALL TYPES	67776	68143	65683	56488
NEW HAVEN HA			00000	
	1542	1308	1376	1243
TANKERS BARGES	2014	2308	2007	2103
	9283	8595	9010	8690
ALL TYPES		0777	7010	00,0
BPIDGEPORT H		222	192	191
TANKERS	209	223 598	192 647	661
BAPGES	602		3876	3946
ALL TYPES	3746	3825	2010	3946
NORWALK HARB				40
TANKERS	90	80	77	69
RAPGES	291	304	320	334
ALL TYPES	2340	2720	2768	3037
STAMFORD HAR				
TANKERS	305	296	292	285
BARGES	281	244	224	193
ALL TYPES	2284	1999	1611	1292
OYSTER BAY.				
TANKERS	364	339	248	139
BARGES	214	172	184	189
ALL TYPES	2233	2110	2187	1686
PORT CHESTER	. NY			
TANKERS	239	235	241	325
BAFGES	37	70	62	43
ALL TYPES	879	921	792	840
PORT JEFFERS	ON, NY			
TANKERS	712	561	504	384
BARGES	911	1085	560	501
ALL TYPES	8970	9064	8715	8661
HEMPSTEAD HA				
TANKERS	505	435	199	74
BARGES	504	485	577	595
ALL TYPES	9774	7111	4284	1563
TOTALS, LONG	ISLAND SO	UND		
TANKERS	5113	4415	4196	3681
BARGES	7702	7760	5457	6029
			114204	105382

PORT OF NEW	YORK, TABLE	E D-1.			_
TANKERS	74187	63806	59994	51798	
BARGES	93590	85666	84286	78498	
ALL TYPES	793452	675907	616054	518187	
					_

HUDSON RIVER,	DEEPWATE	R. IN UPPE	R BAY TO WA	TERFORD, NY	
TANKERS					
BARGES		7370		7085	
ALL TYPES	110884	92953	78930	62302	
DELAWARE RIVE	R, TRENTO	ד סד עא אמ	HE SEA, CON	SOLIDATED R	REPOR
TANKERS		4501	4504	4076	
BARGES	16483	13528	14767	12537	
ALL TYPES	118807	119612	94907	87209	
LOUISIANA INL	AND WATER	WAYS, TAE	BLE D-2.		
TANKERS	35	40	12	6	
BARGES	75306	80464	78623	81448	
ALL TYPES	337633	382947	407545	445954	
MISSISSIPPI R	IVER, NEW	ORLEANS	TO MOUTH OF	PASSES	60 MG.
TANKERS	4275	4702	4769	5076	
BARGES	3871./	41969	38218	39136	
ALL TYPES	167652	173744	172361		
MISSISSIPPI R	IVER . BAT	ON ROUGE	TO NEW ORLE	ANS	
TANKERS BARGES	2558	3110	3425	3898	
BARGES	44381	48503	47049	49312	
ALL VESSELS			175120	185435	
CALCASIED RIV	ER_AND PA	SS, LA			
TANKERS	605	584	693	715	
BARGES	8746	8290	8506	8274	
ALL VESSELS				41926	
ATCHAFALAYA R					
TANKERS	0	0	0	0	
BARGES	4367	3405		4910	
ALL VESSELS			45391	47302	
TOTALS. LOUIS	IANA COAS	T 0/0/	2200	9695	
TANKERS					
BARGES ALL_JYPES_	171517	182631		183080 896578	
ALL JYPES	2047/3	799928	838764	070010	

TANKERS	3003	2691	3321	3323
	29639	28321	20520	30374
ALL VESSELS	70550	65592	71898	70695
HOUSTON SHIP (	HANNEL,	TX		
TANKERS	3169	2984	3149	3081
RAPGES	21439	19290	21232	20450
ALL VESSELS	66299	61545	69940	69569
TEXAS CITY CHA	NNEL, TX			
TANKERS	1017.	1276	1321	1508
BAPGES	11157	9792	10785	10205
ALL VESSELS	16753	14780	17054	16497
GALVESTON CHAN	NEL, TX			
TANKERS	_ 242	225_	203	184
BARGES	745	605	527	408
ALL VESSELS	5952	5454	8455	9460
FREFPORT HARRO	2, TX			
TANKERS	721	575	704	650
PAPGES	3562	2700	2911	2895
ALL VESSELS	8765	6767	7583	7360

TANKERS	9	6 -	15		
BARGES				532	
ALL_VESSELS	2186	2201	2136	2124	
GICWW, SABIN	E RIVER TO	GALVESTON	, TX		
TANKERS	102	. 99	110	112	
RARGES	29712	28007	30039	29913	
_ ALL VESSELS	50086	55687	62306	62246	
GICHW. GALVE	STON TO CO	RPIIS CHRIS	TI, TX	and the same of th	
TANKERS	10	12	18	22	
BARGES				11734	
ALL VESSELS	46142	45.610	52254	54114	. —
TOTALS, NORT	H_TEXAS_CO	AST.			
TANKERS	8273	7868	8841	8896	
BARGES	110505	102305	109194	106511	
ALL VESSELS	275733	258646	291626	292065	

#### APPENDIX E

### A BRIEF DISCUSSION OF THREE TECHNIQUES TO ESTIMATE OIL SPILL RATES FROM HISTORIC DATA

The fundamental assumption made in the spill rate calculation to follow is that spills are a Foisson process on the exposure variable. This means that (Reference 14, p 14):

- (a) The probability of at least one spill occurring during exposure  $\Delta t$  approaches the value  $\lambda(\Delta t)$  as  $\Delta t$  approaches 0, where  $\lambda > 0$ .
- (b) The probability of two or more spills occurring during exposure  $\triangle t$  approaches 0 as  $\triangle t$  approaches 0.

It might be noted from (b) that collisions of oil-carrying vessels are not a Poisson process if they result in multiple spills; it is necessary to count the spills resulting from a collision as a single spill if they are to be considered part of a Poisson process.

Given the assumption of a Poisson process, the question arises: How does one estimate the spill rate parameter  $\lambda$  given several years of historic spill and exposure data? Three approaches will be discussed very briefly, in order of decreasing complexity.

#### 1) Maximum Likelihood Estimate

The idea behind this approach is to choose  $\lambda$  so as to maximize the probability of the actually observed spills. By the Poisson assumption, the probability of  $n_i$  spills in exposure  $t_i$  is  $P_i$ , and the probability of the set of observations is P:

$$P_{i} = (\lambda t_{i})^{n_{i}} \frac{e^{-\lambda t_{i}}}{n_{i}!}, \quad P = \prod_{i} P_{i}$$
 (E-1)

This rate  $\lambda$  may be selected so as to maximize P for, say, i = 1974, 1975, 1976, 1977. The result is

$$\sum_{i=1}^{4} (\lambda t_i - n_i) = 0 , \qquad (E-2)$$

which will be seen to be identical to that of the next approach to be discussed.

#### 1) Posterior/Prior Analysis

This approach is described in Reference 4. The authors start out with the assumption that, prior to the incorporation of the  $n_i$ ,  $t_i$  data, the spill rate  $\lambda$  has a Gamma distribution

$$f(\lambda) = e^{-\lambda \omega} (\lambda \omega)^{\circ -1} \omega / (\circ -1)!$$
 (E-3)

with both parameters  $\rho$  and  $\omega$  approaching zero. This essentially distributes  $\lambda$  uniformly everywhere on the positive axis, corresponding to almost complete ignorance.

When the observational data  $n_i$ , the available, the new (posterior) distribution of  $\lambda$  may be calculated:

$$\begin{split} f(\lambda/n_{i},t_{i}) &= f(n_{i}/\lambda,t_{i}) f(\lambda)/f(n_{i}/t_{i}) \\ &= f(n_{i}/\lambda,t_{i}) f(\lambda)/ff(n_{i}/\lambda,t_{i}) f(\lambda)d\lambda, \end{split}$$

The distribution  $f(n_i/\lambda,t_i)$  is now assumed to be Poisson, and the prior distribution  $f(\lambda)$  is the Gamma assumed above. When these two functions are put into the right side and simplified the result is

$$f(\lambda/n_i,t_i) = [\lambda(\omega+t_i)]^{n_i+c_i-\lambda(\omega+t_i)} e^{-\lambda(\omega+t_i)}/\lambda!(n_i+c-1)!$$

which, when evaluated at  $c = \omega = 0$ , is

$$f(\lambda/n_i,t_i) = (\lambda t_i)^{n_i-1} e^{-\lambda t_i}/(n_i-1)!$$

Thus when the data  $n_i$ ,  $t_i$  are incorporated the distribution of the spill rate  $\lambda$  is again a Gamma. This process obviously may be repeated with the same result as new data  $(n_i, t_i; i = 1, 2, ...)$  become available.

At this point in the development one has an estimate not simply of  $\lambda$ , but of its entire posterior probability density distribution. The authors proceed to derive from it a prediction or distribution of the probability of observing a given number of spills in a given future exposure. But if only an extimate of the spill rate  $\lambda$  is required, the above distribution  $f(\lambda/n_{ij})$  is completely adequate. From it any number of estimates of  $\lambda$  may be derived, (e.g., the mean, the mode, the median). The simplest, perhaps, is the mean  $\overline{\lambda}$  which is just the ratio of spills observed to exposure observed. For the ith year this is

$$\bar{\lambda}_{i} = n_{i}/t_{i}$$

while for all years together it is  $\overline{\lambda}$ 

$$\overline{\lambda} = \left(\sum_{i} n_{i}\right) / \left(\sum_{i} t_{i}^{\top}\right).$$

This is the same result as obtained from the maximum likelihood estimate (1) above.

#### 5) Least-Squares Fit

If cumulative spills are regressed against cumulative oil movement the slope of the resulting line is an approximation to the spill rate of the underlying Poisson process. As the amount of data increases the slope approaches the spill rate  $\lambda$ .

In fitting a straight line to the cumulative data, the origin may be considered a valid data point, i.e., the cumulative spills and cumulative oil flow may be taken as zero before any data are accumulated. This point is valid for the same reason that the cumulative data for intermediate days in the year, if they were available, would be acceptable points.

Because it is generally accepted and easy to apply, the slope of the linear regression to the cumulative data is commonly employed as an estimate of the spill rate.

#### Discussion

It is instructive to compare the posterior estimator with the least square fit. The two are illustrated in Figure E-1, using fictitious data points for emphasis. It is seen that:

- (a) The posterior estimate  $\overline{\lambda}$  is the slope of the straight line joining the origin with the last (cumulative) point. The least square straight line, on the other hand, need not pass through either the origin or the last point.
- (b) The least square fit depends upon the order in which the  $(n_i, t_i)$  data are taken, while  $\overline{\lambda}$  is independent of the order. This is a consequence of the next observation.
- (c) The posterior estimator assumes a Poisson spill process relative to the exposure variable; the least square fit requires no assumption about the spill process.
- (d) As the amount of data increases, the least square fit approaches the prior/posterior estimator.

Because of (4), least-square fit does not differ greatly from the posterior estimator in practical situations in which there are a large number of data points. For example, the two estimates were found to agree to within 1/2% for 80 data points representing the U. S. oil spill rate (spills over 50,000 gallons) from 1974-77. Since the posterior estimator is simpler to calculate than the least square fit, and because it is the same as the maximum likelihood estimate, it is employed exclusively in the body of this report.




FIGURE E-1. ILLUSTRATION OF TWO SPILL RATE ESTIMATION TECHNIQUES

### APPENDIX F SIGNIFICANCE TESTING FOR POISSON PROCESSES

If spills occur according to a Poisson law then it is of considerable interest to determine whether the spill rate indicated by one set of data is significantly different from the spill rate indicated by another set of data. Methods to do so are discussed in Reference 22, Chapter 9. The following analysis is a simplified discussion of the relevant portions of that reference.

Assume  $n_1$  events are observed from a Poisson process with exposure  $t_1$ , and  $n_2$  events are observed from another Poisson process having exposure  $t_2$ . It is desired to determine if the number of events observed in the second process is significantly different from the number in the first process. Let the null hypothesis be that both processes have the same rate  $\lambda$ . It is then necessary to calculate the probability of observing  $n_2$  events in exposure  $t_2$  given that a total of  $n_1$  +  $n_2$  events are observed in exposure  $t_1$  +  $t_2$ . As shown in Reference 22, this reduces to the calculation of the binomial probability that, in  $n_1$  +  $n_2$  trials, exactly  $n_2$  will fall into the exposure interval  $t_2$ , when the probability for each trail is  $\theta$ :

$$P(n_2/n_1+n_2) = {n_1+n_2 \choose n_2} e^{n_2} (1-e)^{n_1}, \qquad (F-1)$$

where

$$\hat{z} = t_2/(t_2+t_1). \tag{F-2}$$

In other words, if both processes have the same occurrence rate, the ratio (2) gives the probability that any one of the events falls into the exposure interval  $t_2$ . Therefore (1) gives the probability that exactly  $n_2$  events fall into the interval  $t_2$ .

The above formulation has the advantage that it does not require a hypothesis regarding the process rate  $^{\circ}$ , but only the hypothesis that it is the same for both intervals. Thus by giving the exposure intervals  $t_1$  and  $t_2$ , and the observations  $n_1$  and  $n_2$ ,

one can obtain the probability of the observed number of events  $\mathbf{n}_2$  . By taking the sum

$$P(X>n_2/n_1+n_2) = \sum_{x=n_2}^{x=\infty} {n_1+x \choose x} e^x (1-e)^{n_1},$$

one may be able to determine whether the observation  $n_2$  is inconsistent with the hypothesis of equal process rates.

If n (=n<sub>1</sub> + n<sub>2</sub>) is greater than, say, 30 the binomial function (1) cannot be readily computed, being the sum of numerous small terms. In that case, however, the binomial may be approximated by the normal distribution, (Ref.18). The number n<sub>2</sub>, of events expected in exposure t<sub>2</sub> is normally distributed about the mean

пê

with variance

$$n\theta(1-\theta)$$
,

where n = n<sub>1</sub> + n<sub>2</sub> and  $\theta$  =  $c/(1+\rho)$ , with  $\rho$  equal to the ratio  $\lambda_2 t_2/\lambda_1 t_1$ . If it is hypothesized that  $\lambda_2 = \lambda_1 = \lambda_0$ , i.e., that both processes have the same rate, then

$$\theta = t_2/(t_1 + t_2),$$

and the distribution of  $n_2$ , given  $n_1$  -  $n_2$  events <u>in toto</u>, can be calculated without any specific assumption on  $\lambda_0$ .

## APPENDIX G OIL SPILL RATES IN SELECTED WESTERN RIVERS

#### 1. INTRODUCTION

This appendix develops oil spill rates for the major Western Rivers. It serves for comparison with the spill rates in four Coastal areas (New York, Delaware Bay, Louisiana Coast, N. Texas Coast) that were investigated in the final report to which this appendix is attached.

The method followed in this appendix is similar to that employed in the main part of the report: first, the study area is defined, then the data base of spills is described, followed by the oil movement data, and concluding with the calculation and discussion of the spill rates that result.

#### 2. STUDY AREA

The rivers covered in this appendix are those Western Rivers that carry 500,000 tons or more of oil and oil products annually. They are:

- a. Lower Mississippi, from mouth of Ohio River up to and not including Baton Rouge LA.
- b. Upper Mississippi, Minneapolis MN to mouth of Ohio River,
- c. Illinois River, from Lockport IL to mouth.
- d. Ohio River System as follows
  - Ohio River, from Pittsburgh PA to mouth of river.
  - Cumberland River, mouth to mile 552.
  - Tennessee River, mouth to Knoxville TN.
  - Allegheny River, Pittsburgh PA to above East Brady PA.

- Monongahela River, Pittsburgh PA to Fairmont WV.
- Kanawha River, mouth to mile 90.57 (head of navigation).

#### 3. SPILL DATA

The spill data were obtained from the Pollution Incident Reporting System (PIRS), from the National Response Center (MRC) files and from the Commercial Vessel Casualty File, (CVCF), all of the U.S. Coast Guard. All spills of oil or oil products of 10,000 gallons or more from January 1974 through December 1977 contained in those records were extracted and tabulated (see Table A-1.), if they occurred in or near any of the rivers in the study region. A spill was judged to be "near" a river if it occurred within 2 miles of the river or in a city or town contiguous to the river. In practice, only one of the 36 spills (NRC #109-77) occurred near but not in one of the rivers.

In addition to the 36 recorded spills listed as within the bounds of the study, there were found to be four others that would be included except for an uncertainty in the amount spilled, and twenty others that would be included except for some uncertainty in their exact location. These are listed in Table A-2.

The four spills with uncertain quantity of oil spilled originated in the CVCF computer listing, having there a pollution indicator of 1 (light pollution). For the reasons outlined in the accompanying memorandum, these were considered as possible rather than confirmed spills. One CVCF spill was considered a confirmed spill, and included in the total, because it bore a pollution indicator of 2 (medium pollution).

The twenty spills with uncertain location originated in the PIRS listings, having there only the state as an indication of location. All of these spills are recorded as inland in a non-navigable tributary to navigable water or in an inland river, canal, or other restricted navigable waterway. All twenty were recorded in 1974 or 1975.

An analysis of Table A-1 yields a breakdown by River System and spill type (i.e., source code), shown in Table A-3. The source code classification employed in Table A-3 is as follows:

LIST OF SPILLS IN SELECTED WESTERN RIVERS, 1974-1977 (10,000 GALLONS OR MORE OF OIL OR OIL PRODUCTS) TABLE A-1.

ONE DIGIT TO INDICATE CARD	7 VCF	60496 60864 63662 72469 72467 73596
ONE DIGIT TO INDICATE CAR ODING	6 NRC	320-75 287-75 -75 83-76 17-77 94-77 94-77
HOUR FOLLOWED BY AND ONE DIGII 10 LE. AS PER PIRS C	5 PIRS	0800112 0801836 0200137 0202707 020020 1170 521 0200215 0200014 02000309
YE U		LILLARAL FRANKANNAND
1, DAY, HOUR F SPILLS AND OF AND MILE, AS C FEATURE.	4 CITY/STATE	TUNICA NATCHEZ HELENA VICKSBURG MEMPHIS GREFNVILL MEMPHIS ALIUN ALIUN SAINI LUUIS SAINI LUUIS CAPEGIRADEAU CAPEGIRADEAU SAINI LOUIS CAPEGIRADEAU SAINI LOUIS
DIGIIS EACH FOR YEAR, MONIH, DAY, HOUR FOLLOWED BY ONE D CAIE MULIIPLE SIMULIANEOUS SPILLS AND ONE DIGII IO INDIC ER 1 OR 2.  TUDE AND LONGITUDE OR RIVER AND MILE, AS PER PIRS CODING AL, CG-450, FEB 1976.  R BODY NAME, WHEN AVAILABLE. EST CITY, TOWN OR GEOGRAPHIC FEATURE. NUMBERS.	3 WATER BODY	MISSISSIPPI RIVER
IWO DIGIIS EACH FOR YE INDICAIE MULIIPLE SIMUNUMBER 1 OR 2. LATITUDE AND LONGITUDE MANUAL, CG-450, FEB 19 WATER BODY NAME, WHEN NEAREST CITY, TOWN OR CASE NUMBFRS.	2 4E LOCATION	RIVERS — 1 301 R LM 06695 011 R LM 06695 101 R LM 06395 911 R LM 06396 011 R LM 07380 011 R LM 07380 011 R LM 07380 011 R LM 07390 011 R LM 07000 011 R LM 07000 011 R LM 07000 011 R LM 07000 011 R UM 02000 011 R UM 01758 001 R UM 01758 001 R UM 01758 001 R UM 01758 001 R UM 01758
COL 1 COL 2 COL 3 COL 4 COL 5-7	COL 1 DATE/TIME	WESTERN RIV 7403032301 7403032301 7407190011 7503051911 7511120011 7511130021 (6172,00011 (701042301 (701120111 (701120111 (7011201111 (7011201111 (7011201111 (701101201111 7705072301 7407030021

											_						
		239-75				324-75	486-75	523-75	102-76	105-76				17-11	109-77		
0200230	0200310		n200070	0200078	0200133	0200136	0200963	0201243	0200370	0200428		0200016		0200259		0201385	0201551
1	HO	OHO	OH O	ЬΑ	۸	<u>۷</u>	×	۲	Z	۲,	۲	5	Σ,	Υ	3	НО	÷ Ö
CAIRO(CUMBER)	CINCINNATI	MARIETTA	CINCINNATI	ALIGUIPPA	PIIISBURGH	PITTSBURGH	EVANSVILLEIN	CONWAY	NASHVILLE	PILLISHURGH	EASI BRADY	CINCINNALI	LOUISVILLE	LOUISVILLE	WEIRION	RIPLEY	MARIETTA
OHIO RIVER	OHIO/LICKING RIVR	OHIO RIVER	OHIO RIVER	OHIO RIVER	UHIO RIVER	MUNONGEHELA RIVER	UHIO RIVER	OHIO RIVER	SIMS CKEEK	MUNUNGAHELA KIVEK	ALLEGHENT KIVEK	UTILO KIVEK	UHIO KIVEK	UHIO KIVER	HAKMUN CREEK	OHIO RIVER	OHIO RIVER
00389	96950	01729	04910	00195	00108	00000	96080	02200	64610	00000	07/00	89840	06040	24090	00460	04526	01747
HO	OHO	HO	HO	HO	HO	Ψ	HO	HO	3	Ξ	AL	CH	S	CH	CH	HO	HO
ď	œ	~	œ	œ	~	×	¥	×	×	¥	×	¥	¥	¥	×	~	~
7404252101	7405231501	7412121601	7502050401	7502101301	7503011401	7503080901	151001171	1512061001	1011804091	Tubukupua/	1010608091	1101130201	1/03050401	1/04050601	1007509011	7712071201	7712091501
	7404252101 R OH 09389 OHIO RIVER CAIRO(CUMBER) 1L 0200230	× R	× ×	VR CINCINNATI OH 0200310 MARIETTA OH C20070 CINCINNATI OH 020070	VR CINCINNATI OH 0200310 NARIETTA OH CINCINNATI OH 0200310 ALIQUIPPA PA 0200078	CAIRO(CUMBER) IL 0200230 RIVR CINCINNATI OH 0200310 MARIETTA OH CINCINNATI OH 0200070 ALIQUIPPA PA 0200078 PITISBURGH PA 0200133	CAIRO(CUMBER) IL 0200230 VR CINCINNATI OH 0200310 MARIETTA OH CINCINNATI OH 0200070 ALIQUIPPA PA 0200078 PITISBURGH PA 0200133	CATRO(CUMBER) IL 0200230 VR CINCINNATI 0H 0200310 MARIETTA 0H CINCINNATI 0H 0200070 ALIQUIPPA PA 0200078 PITISBURGH PA 0200133 FER PITISBURGH PA 0200136 EVANSVILLEIN KY 0200963	CATRO(CUMBER) VR CINCINNATI MARIETTA CINCINNATI ALIQUIPPA PITISBURGH FER PITISBURGH CONWAY	CATRO (CUMBER) VR CINCINNATI MARIETTA CINCINNATI ALIQUIPPA PITISBURGH FVANSVILLEIN CONWAY NASHVILLE	CATRO(CUMBER) IL 0200230  VR CINCINNATI 0H 0200310  MARIETTA 0H  CINCINNATI 0H 0200070  ALIQUIPPA PA 0200078  PITISBURGH PA 0200133  FER PITTSBURGH PA 0200136  EVANSVILLEIN KY 0200963  CONWAY PA 0200243	VR CINCINNATI MARIETTA CINCINNATI ALIGUIPPA PITISBURGH FER PITISBURGH EVANSVILLEIN CONWAY NASHVILLE LER PITISBURGH CONWAY NASHVILLE LER PITISBURGH CONWAY NASHVILLE LER PITISBURGH CONWAY NASHVILLE LER PITISBURGH CONWAY NASHVILLE	VR CINCINNATI MARIETTA CINCINNATI ALIQUIPPA PITISBURGH FER PITISBURGH CONWAY NASHVILLEIN CONWAY LEK PITISPURGH CONWAY LEK PITISPURGH CONWAY LEK PITISPURGH CONWAY LEK PITISPURGH LENSI BRADY CINCINNAII	VR CINCINNATI MARIETTA CINCINNATI ALIQUIPPA PITISBURGH FR PITISBURGH FVANSVILLEIN CONWAY NASHVILLE LASI BRADY LUUISVILLE	VR CINCINNATI MARIETTA CINCINNATI ALIQUIPPA PITISBURGH FVANSVILLEIN CONWAY NASHVILLE LUUISVILLE LOUISVILLE LOUISVILLE	VR CINCINNATI MARIETTA CINCINNATI ALIGUIPPA PITISBURGH EVANSVILLEIN CONWAY NASHVILLE CONWAY NASHVILLE LASI BRADY LOUISVILLE LOUISVILLE WEIRION	VR CINCINNATI MARIETTA CINCINNATI ALIQUIPPA PITISBURGH EVANSVILLEIN CONWAY NASHVILLE LUUISVILLE LUUISVILLE LUUISVILLE WEIRION RIPLEY

# TABLE A-1. (CONTINUED)

				,	N091					18N	0 3 N	100	50N	380	17N	300		92N	
NUMBER. RDING ED BY CF. POLLUTION	14 QTY	916	136	840P	10279	> N	216	^\	۲۸	18N	10P	10P	40P	38N	17P	30N	> 2	886	217P
SEL NUMBE ACCORDING LLOWED BY V=VCF.	13 01L	101	1000	1011	1000		1022	4		1010	1011	1011	1052	1052	1040	1001		1040	1000
LY VES E. IGNED IGNED NS, FO N=NRC,	FACTOR	GROHINDG	COLLISN	COLLISN	FXP-FIR	EXP-FIR	GROUNDG	COLLISN	GROUNDG	CNKNOWN	COLLISA	COLLISN	GROUNDG	GROUNDG	MAT-FLT	CORROSN	GROUNDG	COLLISN	CINKNOWN
2	12 CAUSE/FACTOR				HLLRPT		HLLRPT HI BPT			1	HLLRPT TAKEDT		_		_	TNKRPT			COTHER
THIS D IN CRIPT ANDS ATE9			A						28		AA					BC		AA	
RS COD BLE. URCE. ECORDE SO. THOUS ESTIM CATE L	11 ID	ON518273	00007946	01210940	ON287014	ON550414	ON255920	ON513601	ON264305		ON262757	ON299026	ON270758		98588329		ON262829	ON515189	00088329
E TYPE CODE, AS PER PIRS CODING OF SOURCE, WHEN AVAILABLE.  IFICATION NUMBER OF SOURCE, THIS SIGN OR OTHER NUMBER RECORDED IN FACTOR CODE LETTERS AND DESCRIP RS CODING MANUAL, CG-450.  ITY OF OIL TYPE.  ITY OF OIL SPILLED, IN THOUSANDS R INDICATING SOURCE OF ESTIMATED ETTERS LV, MV, HV INDICATE LIGHT ATORS IN THE VCF COMPUTER FILE.	10 NAME				318+116 MVWH116[D	T-B 8924	MVSTFOSTER	ТВСНИВВУ	V DEL	T-8 JDS303	T_B H24.2	-8	TB T-250SL	T/BT-150SL	STORAGTANK	T/R LBT50	TBKENTUCKY		(PIPELINE)
URCE, URCE, URCE, OR OT OR CO OR CO OF OIL FOR O	TYPE	S A A B	PPLN	BARG	BOAT	BARG	BOAT	BARG	BOAT	BARG	BARG	BARG	BARG	BARG	CGTR	BARG	BARG	BARG	PPLM
F SOUR FICATIC TIGN OR FACTOR S CODIN ODE FOR TY OF C INDICATORS IN	9 IRCE	1 2 T	ONS	TNK	TNK	TNK	TUG	TNK	TUG	TNK	TNK	IN Y	TNK	TNK	SNO	INK	INK	INK	SNO
SOURCE NAME OF IDENTIF CAUSE/F TO PIRS PIRS CO QUANTII LETTER INDICAT	Sou	FRS 034	010	34	524	34	052	9	52	9	34	34	35	6	0.1	3	3	34	01
COL 10 NACCOL 11 IG	COL 8 DATE/TIME	WESTERN RIV	7407190012	7503030102	7511120012	7511130022	7612270012	7703300012	7706190012	7501291002	7507120802	7603121002	7701101202	7702122202	7704021002	7705072302	7407030022	7408041402	7505100102

225N			35N				N/I	107N	100N	438	150N	180N		13N	15N			
225N	13P	74P	35N	82P	45P	12P	10P	84P	100P	386	150P	180N	136	13N	75P		15P	26P
1020	1040	1021	1040	1040	1000	1010	1095	1040	1040	1040	1041	1001	1011	1095	1011	1080	1040	1011
GROUNDG	COLL I SN	COLLISN	IJNKNOWN	UNKNOMN	ERROR	UNKNOWN	XSVWEAR	GROUNDG	UNKNOWN	UNKNOMN	VLV-OPN	UNKNOWN	MAT-FLT	COLLISA	GROUNDG	UNKNOWN	CURROSN	OTHER
HLLRPT	HLLRPT	HLLRPT	TNKRPT	HLLRPT	OVRFLO	TNKOFO	EOPFLR	HLLRPT	PPLRPT	PIPRPT	IMPOPN	RRDACD	PIPRPT	TNKRPT	HLLRPT	STRFLR	PIPRPT	HLLRPT
AB	AA	4	80	70	X	SK	RB	AB	Ö	IР	16	OF	C	BA	AB	읖	1	٨F
	ON537344	CG000003		ON261395	55400033	00088329	ON241256	ON504963	00068740	00000045	00018740	00000000			99690000	00000033	000000000	CG000620
TH FLORIDA							ONWARD	BARGE 2181	STORAGETNK		STORAGTANK	R-RINKCARS	•	TBEXNEB218	T/BHINES36000043544	HOLDNGPOND 00000033		
BARG	BOAT	BARG	STFY	BARG	PRFY					PPLN	FLFY	LOBK	PPLN	BARG	BARG	PRFY	PLNT	BARG
TNK	TOW	INK	ONS	TNK	ONS	SNO	<b>TUG</b>	TNK	RWY	NTR	RWY	RWY	ONS	TNK	TNK	SNO	PWR	TNK
			502		503					508		201	401	03	034	503	507	033
7602082202 034	7404252102 052	7405231502	7412121602	,7502050402	7502101302	7503011402	7503080902	7510071722	7512041002	7604081102	7604090802	7608090702	7701130202	7703050402	7704050602	7706052002	7712071202	7712091502

LIST OF SPILLS POSSIBLY QUALITYING FOR TABLE A-1. TABLE A-2.

GIIS EACH FOR YEAR, MONIH, DAY, HOUR FOLLOWED BY ONE DIGIT TO INDICATE CARD IN 2.	OR RIVER AND MILE, AS PER PIRS CODING	AVAILABLE.	•		CITY/STATE PIRS NRC	CERTAIN		KY 257		MO 283		33				048 HO			19		18		1 314	122	011 1232
COL 1 1WO DIGIIS EACH FOR YEAR, MONIH, DAY, INDICALE MULIFILE SIMULIANEOUS SPILLS NUMBER 1 OR 2.	DE ANG	3 WATER BODY NAME, WHEN	COL 5-7 CASE NUMBERS.	2	DATE/TIME LOCATION WATER BODY	1974-77 LOCATION OR QUANTITY UNCERTAIN	7401141801	7401171801	7401260201	7402161101	7403280701	7406031501	7406071001	7406111201	7406211801	7407121001	741161201	7412110701	7501171201	7501241201	7504051201	7504271601	7505202101		7512041601

## (CONTINUED) TABLE A-2.

SOURCE TYPE CODE, AS PER PIRS CODING MANUAL CG-450.	NAME OF SOURCE, WHEN AVAILABLE.	IDENTIFICATION NUMBER OF SOURCE. THIS IS USUALLY VESSEL NUMBER.	CALL SIGN OR OTHER NUMBER RECORDED IN PIRS FILE.	CAUSE/FACTOR CODE LETTERS AND DESCRIPTION, ASSIGNED ACCORDING	TO PIRS CODING MANUAL, CG-450.			THE LETTERS LV, MV, HV INDICATE LIGHT, MEDIUM, AND HEAVY POLLUTION	INDICATORS IN THE VCF COMPUTER FILE.
	10			12		13	14		
COL	COL	COL		COL		COL	COL		

14 QTY

13 01L

CAUSE/FACTOR

11

10 NAME

COL 8 9
DATE/TIME SOURCE TYPE

21P 12P	846	21P	10P	20P	136	15P	15P	14P	42P	15P	19P	23P	13P	14P	12P	126	106P	40b
1001	1040	1001	1001	1000	1001	1001	1000	1001	1001	1001	1001	1001	1010	1097	1095	1040	1011	1022
CORRUSN OTHER	OVR-FLL	P1P-CUT	CORROSN	OVRTURN	IMP-OPN	OTHER	CORROSN	SAB-VAN	CORRUSN	CORROSN	NTM- DWI	PIP-CUT	CORRUSN	SAB-VAN	WEATHER	SAB-VAN	PIP-CUI	OTHER
PIPRPI NATURL	TNKOFL	PIPRPI	PIPRPT	TNKRPT	VLVFLR	NATURL	PIPRPT	INTDCH	PIPRPT	PIPRPT	PIPRPT	PIPRPI	PIPRPT	INTDCH	TNKRPT	INTDCH	PIPRPI	PIPRPT
IC YE	SE	Ξ	<u></u>	80	S.	ΥE	<u>)</u>	9×	<u> </u>	2	16	Ξ	21	9 X	98	9×	Ξ	O
56532729	33334630	55504929	44407929	00000000	00000013	95000000	3000006	77700046	88804929	55553729	0007000	44400029	88800046	00000000	00000000	00000028	99904929	94000000
														velt in vitration				
PPLN	STFY	PPLN	PPLN	BKVL	PPLN	PPLN	PPLN	STFY	PPLN	PPLN	PRFY	PPLN	PPLN	PRFY	STFY	PRFY	PPLN	STFY
ONS	ONS	ONS	SNO	RRD	SNO	ONS	ONS	SNO	SNO	SNO	ONS	ONS	ONS	ONS	SNO	ONS	ONS	ONS
401	502	401	401	201	401	105	401	502	401	401	504	401	401	503	502	503	401	505
7401141802		7402161102	7403280702	7406031502			7406211802	7407121002	7408020702	7411161202		7501171202		7504051202	7504271602	7505202102	7506211602	7512041602

TABLE A-3. AMALYSIS OF SPILLS OF TABLE A-1 BY RIVER SYSTEM AND SOURCE

### River System

Spill Source	Lower MR	Upper MR	Illinois	Onio	Total
Vessel-Related	5	7	3	8	23
Marine Facility	0	1	0	0	1
Onshore	1	0	1	10	12
Year					
1974	2	0	2	5	7
1975	3	3	1	6	13
1976	0	1	1	3	5
1977	1	4	0	6	11

<u>Vessel-Related Spills</u>: PIRS source codes 000 through 058 <u>Marine Facility Spills</u>: PIRS source codes 100 through 108, and 505

Onshore Spills: All other PIRS source codes, except 506 and 402, which are offshore drilling and production spills

Table A-3 also breaks down spills by year and source type.

### 4. EXPOSURE DATA

The exposure variable employed is millions of tons of oil movement on the selected rivers as recorded for 1974 through 1977 by the Army Corps of Engineers (ACOE), "Waterborne Commerce of the United States." The data are given in Table A-4, which has been extracted from Part 2 of the ACOE volumes. The total movement of light, heavy and crude for the four river systems in 1974 through 1977 are:

Lower Mississippi	tons
Upper Mississippi90,057,000	
Illinois23,829,000	
Ohio122,459,000.	

It should be noted that these totals include through oil movement as well as landed and loaded oil. Thus, oil that passes from, say, Baton Rouge through the Lower Mississippi and Ohio. Rivers, to be unloaded on the Allegheny, is counted three times: once for its passage through the Lower Mississippi, once for its passage through the Ohio, and once for its receipt on the Allegheny. This multiple counting allows for the added exposure of through passage, and also allows the necessary breakdown of oil movement by river system.

TABLE A-4. OIL MOVEMENT IN 1974-77 ON SELECTED WESTERN RIVERS, THOUSANDS OF SHORT TONS

	1974	1975	1976	1977
MISSISSIPPI	RIVER - MOUT	H OF OHIO	TO BUT	NOT INCLUDING BATON ROUG
CRUDE	3178	4346	4773	3688
LIGHT	11758	11259	13814	13877
HEAVY	9581	8103	8074	9557
MISSISSIPPI.	RIVER - MINN		O_MOUTH	OF MISSOURI
CRUDE	503	256	848	752
LIGHT	6572	6635	6751	
HEAVY	4250	4447	4436	
MISSISSIPPI	RIVER - MOUT	H OF MISS		MOUTH OF OHIO
CRUDE	414	219	860	752
LIGHT	5028	5288	6024	5250
HEAVY	4238	4175	4129	
TOTAL, UPPE	R MISSISSIPPI	PIVER -		OLIS TO MOUTH OF OHIO
CRUDE	017	475	1708	
LIGHT	11600	11923	12775	
HEAVY	8488	8622	8565	8197
ILLINOIS RIV	VER , LOCKPORT	IL TO MO	UTH	
CRUDE	65	42	175	140
LIGHT	3258	2824	3069	
HEAVY	3443	2973	2578	2383
OHIO RIVER, CRUDE	MOUTH TO PIT	TSBURGH, 867	PA 883	406
		867 15774	883 15928	
CRUDE LIGHT HEAVY	644 15780 5728	867 15774 5391	883 15928 5257	15350 6303
CRUDE LIGHT HEAVY	644 15780	867 15774 5391 PGH PA TO	883 15928 5257 ABOVE F	15350 6303 FAST BRADY, PA
CRUDE LIGHT HEAVY ALLEGHENY R' CRUDE	644 15780 5728 IVEP, PITTSBU 2	867 15774 5391 PGH PA TO	883 15928 5257	15350 6303 FAST BRADY PA
CRUDE LIGHT HEAVY ALLEGHENY R' CRUDE LIGHT	644 15780 5728 IVEP, PITTSBU	867 15774 5391 PGH PA TO	883 15928 5257 ABOVE 6 3 230	15350 6303 FAST BRADY, PA 00 213
CRUDE LIGHT HEAVY ALLEGHENY R CRUDE LIGHT HEAVY	644 15780 5728 IVEP, PITTSBU 2 328 469	867 15774 5391 PGH PA TO 00 404 421	883 15928 5257 ABOVE 6 3 230 414	15350 6303 FAST BRADY, PA 00 213 451
CRUDE LIGHT HEAVY ALLEGHENY R CRUDE LIGHT HEAVY MONONGAHELA	644 15780 5728 IVEP, PITTSBU 2 328 469 RIVER, PITTS	867 15774 5391 PGH PA TO 00 404 421 BURGH PA	883 15928 5257 ABOVE 6 3 230 414	15350 6303 FAST BRADY, PA 00 213 451
CRUDE LIGHT HEAVY ALLEGHENY R CRUDE LIGHT HEAVY MONONGAHELA CRUDE	644 15780 5728 IVEP, PITTSBU 2 328 469 RIVER, PITTS	867 15774 5391 PGH PA TO 00 404 421 BUPGH PA	883 15928 5257 ABOVE F 3 230 414 TO FAIR!	15350 6303 FAST BRADY, PA 00 213 451 VONT, WV
CRUDE LIGHT HEAVY ALLEGHENY R CRUDE LIGHT HEAVY MONONGAHELA CRUDE LIGHT	644 15780 5728 IVEP, PITTSBU 2 328 469 RIVER, PITTS 2 1591	867 15774 5391 PGH PA TO 00 404 421 BURGH PA	883 15928 5257 ABOVE F 230 414 TO FAIR!	15350 6303 FAST BRADY, PA 00 213 451 YONT, WV 47 1606
CRUDE LIGHT HEAVY ALLEGHENY R CRUDE LIGHT HEAVY MONONGAHELA CRUDE LIGHT HEAVY	644 15780 5728 IVEP, PITTSBU 2 328 469 RIVER, PITTS 2 1591 1110	867 15774 5391 PGH PA TO 00 404 421 BURGH PA 773 1659	883 15928 5257 ABOVE F 230 414 TO FAIR! 00 1742 628	15350 6303 FAST BRADY, PA 00 213 451 YONT, WV 47 1606 888
CRUDE LIGHT HEAVY ALLEGHENY R CRUDF LIGHT HEAVY MONONGAHELA CRUDF LIGHT HEAVY KANAWHA RIV	644 15780 5728 IVEP, PITTSBU 2 328 469 RIVER, PITTS 2 1591 1110	867 15774 5391 PGH PA TO 00 404 421 BURGH PA 773 1659 HEAD CF N	883 15928 5257 ABOVE 6 230 414 TO FAIR! 1742 628 AVIGATIO	15350 6303 FAST BRADY, PA 00 213 451 YONT, WV 47 1606
CRUDE LIGHT HEAVY ALLEGHENY R CRUDE LIGHT HEAVY MONONGAHELA CRUDE LIGHT HEAVY KANAWHA RIVE CRUDE	644 15780 5728 IVER, PITTSBU 2 328 469 RIVER, PITTS 2 1591 1110 FR, MOUTH TO	867 15774 5391 PGH PA TO 00 404 421 BURGH PA 773 1659 HEAD CF N	883 15928 5257 ABOVE 6 230 414 TO FAIR! 1742 628 AVIGATIO	15350 6303 FAST BRADY, PA 00 213 451 VONT, WV 47 1606 888 ON )MILE 90.57*
CRUDE LIGHT HEAVY ALLEGHENY R CRUDE LIGHT HEAVY MONONGAHELA CRUDE LIGHT HEAVY KANAWHA RIVE CRUDE LIGHT	644 15780 5728 IVEP, PITTSBU 2 328 469 RIVER, PITTS 2 1591 1110 FR, MOUTH TO 1 954	867 15774 5391 PGH PA TO 00 404 421 BUPGH PA 773 1659 HEAD OF N 00 1075	883 15928 5257 ABOVE 6 230 414 TO FAIR! 00 1742 628 AVIGATIO 00 1104	15350 6303 FAST BRADY, PA 00 213 451 YONT, WV 47 1606 888 ON )MILE 90.57*
CRUDE LIGHT HEAVY ALLEGHENY R CRUDF LIGHT HEAVY MONONGAHELA CRUDF LIGHT HEAVY K ANAWHA RIVE CRUDF LIGHT HEAVY	644 15780 5728 IVEP, PITTSBU 2 328 469 RIVER, PITTS 2 1591 1110 FR, MOUTH TO 1 954 24	867 15774 5391 PGH PA TO 00 404 421 BUPGH PA 773 1659 HEAD CF N 00 1075 46	883 15928 5257 ABOVE F 230 414 TO FAIR! 00 1742 628 AVIGATIO 00 1104 24	15350 6303 FAST BRADY, PA 00 213 451 VONT, WV 47 1606 888 ON )MILE 90.57*
CRUDE LIGHT HEAVY ALLEGHENY R CRUDE LIGHT HEAVY MONONGAHELA CRUDE LIGHT HEAVY KANAWHA RIVE CRUDE LIGHT HEAVY CRUDE LIGHT HEAVY CUMBERLAND	644 15780 5728 IVEP, PITTSBU 2 328 469 RIVER, PITTS 2 1591 1110 FR, MOUTH TO 1 954 24 RIVER, MOUTH	867 15774 5391 PGH PA TO 00 404 421 BURGH PA 773 1659 HEAD OF N 00 1075 46 TO MILE 5	883 15928 5257 ABOVE F 230 414 TO FAIR! 00 1742 628 AVIGATIO 100 1104 24	15350 6303 FAST BRADY, PA 00 213 451 YONT, WV 47 1606 888 DN )MILE 90.57*
CRUDE LIGHT HEAVY ALLEGHENY R CRUDE LIGHT HEAVY MONONGAHELA CRUDE LIGHT HEAVY KANAWHA RIVE CRUDE LIGHT HEAVY CRUDE LIGHT HEAVY CRUDE CRUDE CRUDE CRUDE CRUDE CRUDE CRUDE	644 15780 5728 IVEP, PITTSBU 2 328 469 RIVER, PITTS 2 1591 1110 FR, MOUTH TO 1 954 24 RIVER, MOUTH	867 15774 5391 PGH PA TO 00 404 421 BURGH PA 773 1659 HEAD OF N 00 1075 46 TO MILE 5	883 15928 5257 ABOVE F 230 414 TO FAIR! 00 1742 628 AVIGATIO 100 1104 24	15350 6303 FAST BRADY, PA 00 213 451 YONT, WV 47 1606 888 DN )MILE 90.57* 1040 30
CRUDE LIGHT HEAVY ALLEGHENY R CRUDF LIGHT HEAVY MONONGAHELA CRUDF LIGHT HEAVY KANAWHA RIVE CRUDF LIGHT HEAVY CRUDF LIGHT HEAVY CRUDF LIGHT HEAVY CRUDF LIGHT LIGHT LIGHT	644 15780 5728 IVER, PITTSBU 2 328 469 RIVER, PITTS 2 1591 1110 FR, MOUTH TO 1 954 24 RIVER, MOUTH 20 727	867 15774 5391 PGH PA TO 00 404 421 BURGH PA 773 1659 HEAD OF N 00 1075 46 TO MILE 5 3 967	883 15928 5257 ABOVE 6 230 414 TO FAIR! 1742 628 AVIGATIO 00 1104 24 52 00 1267	15350 6303 FAST BRADY, PA 00 213 451 VONT, WV 47 1606 888 DN )MILE 90.57* 1040 30
CRUDE LIGHT HEAVY ALLEGHENY R CRUDF LIGHT HEAVY MONONGAHELA CRUDF LIGHT HEAVY KANAWHA RIVE CRUDF LIGHT HEAVY CUMBERLAND S CRUDF LIGHT HEAVY	644 15780 5728 IVER, PITTSBU 2 328 469 RIVER, PITTS 2 1591 1110 FR, MOUTH TO 1 954 24 RIVER, MOUTH 20 727 252	867 15774 5391 PGH PA TO 00 404 421 BURGH PA 773 1659 HEAD OF N 00 1075 46 TO MILE 5 3 967 271	883 15928 5257 ABOVE 6 230 414 TO FAIR! 1742 628 AVIGATIO 00 1104 24 52 00 1267 271	15350 6303 FAST BRADY, PA 00 213 451 YONT, WV 47 1606 888 DN )MILE 90.57* 1040 30
CRUDE LIGHT HEAVY ALLEGHENY R CRUDE LIGHT HEAVY MONONGAHELA CRUDE LIGHT HEAVY CRUDE LIGHT HEAVY CRUDE LIGHT HEAVY CRUDE LIGHT HEAVY CRUDE LIGHT HEAVY TENCESSEE R	644 15780 5728 IVER, PITTSBU 2 328 469 RIVER, PITTS 2 1591 1110 FR, MOUTH TO 1 954 24 RIVER, MOUTH 20 727 252	867 15774 5391 PGH PA TO 00 404 421 BURGH PA 773 1659 HEAD OF N 00 1075 46 TO MILE 5 3 967 271	883 15928 5257 ABOVE 6 230 414 TO FAIR! 00 1742 628 AVIGATIO 0104 24 52 00 1267 271 LE, TN	15350 6303 FAST BRADY, PA 00 213 451 VONT, WV 47 1606 888 DN )MILE 90.57* 1040 30 00 1049 440
CRUDE LIGHT HEAVY ALLEGHENY R CRUDE LIGHT HEAVY MONONGAHELA CRUDE LIGHT HEAVY CRUDE LIGHT HEAVY CRUDE LIGHT HEAVY CRUDE LIGHT HEAVY CRUDE LIGHT HEAVY CRUDE LIGHT HEAVY CRUDE LIGHT HEAVY CRUDE LIGHT HEAVY CRUDE LIGHT HEAVY CRUDE LIGHT HEAVY CRUDE LIGHT HEAVY CRUDE LIGHT HEAVY CRUDE LIGHT HEAVY CRUDE LIGHT HEAVY CRUDE LIGHT HEAVY CRUDE LIGHT HEAVY CRUDE LIGHT HEAVY CRUDE LIGHT HEAVY CRUDE CRUDE LIGHT HEAVY CRUDE CRUDE LIGHT HEAVY CRUDE CRUDE LIGHT HEAVY CRUDE LIGHT HEAVY CRUDE LIGHT HEAVY CRUDE LIGHT HEAVY CRUDE LIGHT HEAVY CRUDE LIGHT HEAVY CRUDE LIGHT HEAVY CRUDE LIGHT HEAVY CRUDE LIGHT HEAVY CRUDE LIGHT HEAVY CRUDE CRUDE LIGHT HEAVY CRUDE CRUDE LIGHT HEAVY CRUDE CRUDE CRUDE CRUDE CRUDE CRUDE LIGHT	644 15780 5728 IVEP, PITTSBU 2 328 469 RIVER, PITTS 2 1591 1110 FR, MOUTH TO 1 954 24 RIVER, MOUTH 20 727 252 IVER, MOUTH T	867 15774 5391 PGH PA TO 404 421 BURGH PA 773 1659 HEAD CF N 00 1075 46 TO MILE 5 3 967 271 0 KNOXVIL	883 15928 5257 ABOVE 6 230 414 TO FAIR! 00 1742 628 AVIGATIO 1104 24 52 00 1267 271 LE, TN	15350 6303 FAST BRADY, PA 00 213 451 VONT, WV 47 1606 888 DN )MILE 90.57* 1040 30 00 1049 440
CRUDE LIGHT HEAVY ALLEGHENY R CRUDE LIGHT HEAVY MONONGAHELA CRUDE LIGHT HEAVY CRUDE LIGHT HEAVY CRUDE LIGHT HEAVY CRUDE LIGHT HEAVY CRUDE LIGHT HEAVY CRUDE LIGHT HEAVY CRUDE LIGHT HEAVY CRUDE LIGHT HEAVY CRUDE LIGHT HEAVY	644 15780 5728 IVEP, PITTSBU 2 328 469 RIVER, PITTS 2 1591 1110 FR, MOUTH TO 1 954 24 RIVER, MOUTH 20 727 252 IVER, MOUTH T 1 1214	867 15774 5391 PGH PA TO 404 421 BURGH PA 773 1659 HEAD CF N 00 1075 46 TO MILE 5 3 67 271 0 KNOXVIL 1 1676	883 15928 5257 ABOVE 6 3 230 414 TO FAIR! 00 1742 628 AVIGATIO 00 1104 24 52 00 1267 271 LE, TN	15350 6303 FAST BRADY, PA 00 213 451 YONT, WV 47 1606 888 DN )MILE 90.57* 1040 30 00 1049 440
CRUDE LIGHT HEAVY ALLEGHENY R CRUDE LIGHT HEAVY MONONGAHELA CRUDE LIGHT HEAVY CRUDE LIGHT HEAVY CRUDE LIGHT HEAVY CRUDE LIGHT HEAVY CRUDE LIGHT HEAVY TENLESSEE R CRUDE LIGHT HEAVY	644 15780 5728 IVEP, PITTSBU 2 328 469 RIVER, PITTS 2 1591 1110 FR, MOUTH TO 1 954 24 RIVER, MOUTH 20 727 252 IVER, MOUTH T 1 1214 861	867 15774 5391 PGH PA TO 404 421 BURGH PA 773 1659 HEAD CF N 00 1075 46 TO MILE 5 3 67 271 0 KNOXVIL 1 1676 1119	883 15928 5257 ABOVE 6 230 414 TO FAIR! 00 1742 628 AVIGATIO 1104 24 52 00 1267 271 LE, TN	15350 6303 FAST BRADY, PA 00 213 451 VONT, WV 47 1606 888 DN )MILE 90.57* 1040 30 00 1049 440
CRUDE LIGHT HEAVY ALLEGHENY R CRUDF LIGHT HEAVY MONONGAHELA CRUDF LIGHT HEAVY KANAWHA RIVE CRUDF LIGHT HEAVY CRUDF LIGHT HEAVY CRUDF LIGHT HEAVY CRUDF LIGHT HEAVY TENNESSEE R CRUDF LIGHT HEAVY TOTAL OHIO	644 15780 5728 IVEP, PITTSBU 2 328 469 RIVER, PITTS 2 1591 1110 FR, MOUTH TO 1 954 24 RIVER, MOUTH 20 727 252 IVER, MOUTH T 1 1214 861 RIVER SYSTEM	867 15774 5391 PGH PA TO 00 404 421 BUPGH PA 773 1659 HEAD CF N 00 1075 46 TO MILE 5 3 967 271 0 KNOXVIL 1 1676 1119	883 15928 5257 ABOVE F 230 414 TO FAIR! 00 1742 628 AVIGATIO 00 1104 24 52 00 1267 271 LE, TN 3 2057 1189	15350 6303 FAST BRADY, PA 00 213 451 YONT, WV 47 1606 888 DN )MILE 90.57* 1040 30 00 1049 440 12 1911 1578
CRUDE LIGHT HEAVY ALLEGHENY R CRUDE LIGHT HEAVY MONONGAHELA CRUDE LIGHT HEAVY CRUDE LIGHT HEAVY CRUDE LIGHT HEAVY CRUDE LIGHT HEAVY CRUDE LIGHT HEAVY TENLESSEE R CRUDE LIGHT HEAVY	644 15780 5728 IVEP, PITTSBU 2 328 469 RIVER, PITTS 2 1591 1110 FR, MOUTH TO 1 954 24 RIVER, MOUTH 20 727 252 IVER, MOUTH T 1 1214 861	867 15774 5391 PGH PA TO 404 421 BURGH PA 773 1659 HEAD CF N 00 1075 46 TO MILE 5 3 67 271 0 KNOXVIL 1 1676 1119	883 15928 5257 ABOVE 6 3 230 414 TO FAIR! 00 1742 628 AVIGATIO 00 1104 24 52 00 1267 271 LE, TN	15350 6303 FAST BRADY, PA 00 213 451 YONT, WV 47 1606 888 DN )MILE 90.57* 1040 30 00 1049 440

### 5. SPILL RATES

Spills per million tons are calculated in Table A-5 for vessel-related spills and other spills. One observes a high spill rate for the Illinois River System, both for vessel-related spills and for non-vessel-related spills. Also, the Ohio River System shows a high rate for non-vessel-related spills. The significance of these rates is difficult to judge without tests, because of the relatively few number of spills involved. Also, the existence of 24 additional spills, that may or may not be assignable to the various river systems, adds further to the uncertainty of the calculated spill rates.

### Significance Tests

Table A-6 shows the results of significance testing on the spill data of Table A-5.

The tests of Appendix F with normal approximation were employed for vessel-related spills. They show no significant deviation of the observed number of spills from the expected number, as seen by the relatively high probabilities in the last column.

A different significance test was applied to non-vesselrelated spills because of the small number of spills (13) involved
in total. The test employed is described in section 5.3 of the
accompanying final report in connection with Table 5.6. The results, given in the last column of Table A-6, show that only the
Ohio River System has significant deviation from the expected
number of spills, having an observation probability of
.02.

### Possible Spills

Before the deviation shown for the Ohio River System can be assessed fully, it is necessary to take account, if possible, of the 24 possibly relevant spills of Table A-2. Of these, 4 are vessel-related and 20 are not.

TABLE A-5. OIL SPILL RATES OF SELECTED WESTERN RIVERS, 1974-77

	SPILLS IN 1974-77		
VESSEL-RELATED SPILLS			
Lower Mississippi	5	102.0	.049
Upper Mississippi	7	90.1	.078
Illinois	5	23.8	.126
Ohio	_8_	122.5	.065
Total	23	538.4	.068
NON VESSEL-RELATED SPILLS			
Lower Mississippi	1	102.0	.010
Upper Mississippi	1	90.1	.011
Illinois	1	25.8	.042
Ohio	10	122.5	.082
Total	13	338.4	.038

TABLE A-6. SIGNIFICANCE TESTS OF SPILLS IN SELECTED WESTERN RIVERS 1974-1977

	Observed Spills (1)	Expected Spills (2)	Expected Variance(3)	Probability of Observed Spills <sup>(4)</sup>
VESSEL-RELATE	SPILLS			
Lower MR	5	6.9	4.84	.38
Upper MR	7	6.1	4.49	.67
Illinois	5	1.6	1.50	. 25
Ohio	8	8.3	5.31	.90
Total	23	23.0		
NON VESSEL-REI	LATED SPILL	S	(5)	(6)
Lower MR	1	3.9	3.9	.20
Upper MR	1	3.5	3.5	.28
Illinois	1	0.9	0.9	.99
Ohio	10	4.7	4.7	.02
Total	13	13.0		

- (1) Taken from Table A-5.
- (2) Based on a uniform spill rate, and oil movement for each river system shown in Table A-5.
- (5) Calculated by method of Appendix F.
- (4) Calculated by method of Appendix F, employing the normal approximation.
- (5) Expected variance based on Poisson Distribution with mean of expected spills, column 2.
- (6) Probability of any observation differing from the mean by an amount equal to or greater than the observation of column 1.

For most of these 24 spills, the possible river assignment is unique; for the remainder there are either 2 or 3 rivers to which an assignment may be made. A breakdown of possible spill assignments is given in Table A-7. It can be seen that the number of non-vessel-related spills that may be added to any of the four river systems exceeds the number of such spills actually known to have occurred in the river system. To determine whether the ten spills actually known to have occurred in the Ohio system is still significantly high when the effect of unassigned spills is allowed for, one may make an assignment of non-vessel-related spills from Table A-7 according to some assumed rules. For present purposes the rules adopted are, for each river system:

- 1. One half of non-vessel-related spills of type 1. in Table A-7 are assigned.
- 2. One-fourth of non-vessel-related spills of type 2. in Table A-7 are assigned.
- One-sixth of non-vessel-related spills of type 3. in Table A-7 are assigned.

With the above rules, the number of observed spills is increased by assigned spills, as shown in Table A-8. The result of the significance tests, performed as before on non-vessel-related spills, is also shown in that table.

It is seen that the Ohio River System still shows significantly more spills than expected, but the significance level is 95% instead of 98%. This level of significance indicates that the Ohio River area probably has more non-vessel-related spills than normal even when the likely effects of possible other spills in the area are allowed for. It is apparent then, that the 24 spills possibly assignable to the river systems should be investigated individually in order to resolve with greater certainty the apparently high rate of non vessel-related spills in the Ohio River System. If the high spill rate is confirmed then a further investigation is required to determine its causes.

TABLE A-7. POSSIBLE SPILL ASSIGNMENTS TO ONE OR MORE OF THE FOUR WESTERN RIVER SYSTEMS

	R	iver Sy	stem(1)	)	
Number of Spills that could have occurred	LM	UM	IL	ОН	Total
1. In one of the River Systems	9*	2	0	5	
2. In one of two River Systems	6	1	0	5	
<ol> <li>In one of three River Systems</li> </ol>	0	2	2	2	
Maximum Number of spills that could have occurred in the River System	15*	5	2	12	

<sup>\*</sup>Includes four vessel-related spills. All other spills are not vessel-related.

<sup>(1)</sup> Lower Mississippi, Upper Mississippi, Illinois, Ohio.

TABLE A-8. WORST CASE ANALYSIS OF ONIO RIVER NON-VESSEL-RELATED SPILLS

	Observed plus Assigned Spills	Expected Spills	Expected Variance	Probability of Observed & Assigned
NON VESSEL-RELATE	D SPILLS			
Lower Mississippi	4.8	6.8	6.8	.57
Upper Mississippi	2.6	6.1	6.1	.30
Illinois	1.3	1.6	1.6	.99
Ohio	14.1	8.3	8.3	.05
	22.8	28.		

### 6. RESULTS

The results of this study are based on a total of 36 spills over 10,000 gallons recorded in PIRS, NRC and VCF in the selected Western Rivers, from 1974 through 1977. In addition some 24 other spills are recorded that may have occurred in or near one of the selected rivers. The major results are:

- a. The number of vessel-related spills per million tons of oil movement shows no significant deviation from one river system to another.
- b. Vessel-related spills per million tons of oil movement in the Western Rivers are about equal to total spills per million ton of oil movement in the four coastal regions investigated in the final report.
- C. Non vessel-related spills per million tons of oil moved have no significant deviations among the selected Western Rivers, except for the Ohio River System.
- d. The non vessel-related spill rate in the Ohio River system appears to be about twice the rate in other parts of the Western Rivers. The significance level is 98%, but this significance level can be strongly affected by the 24 additional spills that may fall into the Western Rivers. (A trial assignment reduced the significance level to 95%). The exact location of these additional spills must be ascertained before a definite significance level can be estimated for the non-vessel-related spills in the Ohio River System.

### REFERENCES

- 1. Bender, A., G. Brown, Jr., and J. Posenbusch, "Tank Barge Oil Pollution Study," Report No. CG-M-2-78, February 1978.
- 2. Charnes, A., W. Cooper, J. Harrold, K. Karwan, and W. Wallace, "A Goal Interval Programming Model for Resource Allocation in a Marine Environmental Protection Program," Journal of Environmental Economics and Management, 3, 347-362(1976).
- 3. Devanney, J.W. and R.J. Sfewart, "A Bayesian Approach to the Probability of Large Oil Spills: An Application of the Erlang Sampling Process." Report No. 73-16. Commodity Transportation and Economic Development Laboratory, Massachusetts Institute of Technology, July 1973.
- 4. Devanney, J.W. and R.J. Stewart, "Bayesian Analysis of Oil Spill Statistics," Marine Technology, Vol. 365-382, October 1974.
- 5. MIT, Department of Ocean Engineering, "Primary Physical Impacts of Offshore Petroleum Developments," Report to the Council on Environmental Quality, Report No. MITSG 74-20 April 1974.
- 6. Stewart, R.J., "The Tanker/Pipeline Controversy," 1977 Oil Spill Conference, March 8-10, 1977, New Orleans.
- 7. Stewart, R.J., "Tankers in U.S. Waters," Ocean. (4), Fall 1977, Woods Hole Oceanographic Institution, MA.
- 8. Bellantoni, J.F. et al. Transportation Systems Center, U.S. Department of Transportation "Deployment Requirements for U.S. Coast Guard Pollution Response Equipment," September 1978. Report CG-D-63-78.
- 9. U.S. Army Corps of Engineers, "Waterborne Commerce of the United States," Parts 1 through 4, 1974 through 1976.
- 10. Department of Transportation, Coast Guard, "Pollution Incident Reporting Systems, Coding Instruction Manual," CG-450, Feb. 1976.

- 11. Department of Transportation, Report of U.S. Coast Guard Task Force, "A Recommended Plan for Implementing Presidential Initiatives Concerning Oil Pollution Response," October 1979.
- 12. Department of Transportation, Coast Guard, "Supplemental Report to a Recommended Plan for Implementing Presidential Initiatives Concerning Oil Pollution Response," October 1979, NTIS AD-AO-67076.
- 13. Department of the Army, Corps of Engineers, "Waterborne Commerce of the United States, Part 5 National Summaries, 1974 through 1976."
- 14. Karlin, S., "A First Course in Stochastic Processes," Academic Press, New York, 1966.
- 15. Bland, R., Kalafus, R., Wisleder, R., et al. U.S. Department of Transportation, Research and Special Programs Administration, Transportation Systems Center, 'Dffshore Vessel Traffic Management (OVTM) Study," Final Report, August 1978, Report No. CG-D-55-78.
- 16. Lloyd's Weekly Casualty Reports, Lloyd's of London Press, Ltd.
- 17. Council on Environmental Quality, "National Oil and Hazardous Substances Pollution Contingency Plan," Federal Register Part 40, November 28, Part 2, Title 40, Part 1510, February 1975.
- 18. Feller, W., "An Introduction to Probability Theory and Its Applications," Vol I. Second Edition, Wiley, NY, 1957, p. 168 ff.
- 19. NMAC Study Group, U.S. Department of Transportation, Federal Aviation Administration, "Near Midair Collision Report of 1968," Air Traffic and Flight Standards Technical Report, July 1969, p. 79-80.
- 20. Dev R. Chaudhari, U.S. Department of Transportation, Coast Guard, "Analysis of the Coastal Tank Vessel and Barge Traffic," Final Report, April 1973, Report No. DOT-CG-23560-A.
- 21. U.S. Department of Transportation, Transportation Systems
  Center, "Pollution Response Systems Analysis, Documentation of
  Computer Programs," December 1978, material on file at DOT-TSC.

22. Cox, D.R. and P.A.W. Lewis, "The Statistical Analysis of Series of Events, Methuen, London, 1966, Chapter 9, p. 223-230.



spills possibly assignable to the river systems should be investigated individually in order to resolve with greater certainty the apparently high rate of non vessel-related spills in the Ohio River System. If the high spill rate is confirmed then a further investigation is required to determine its causes.

G-16

- 9. U.S. Army Corps of Engineers, "Waterborne Commerce of the United States," Parts 1 through 4, 1974 through 1976.
- 10. Department of Transportation, Coast Guard, "Pollution Incident Reporting Systems, Coding Instruction Manual," CG-450, Feb. 1976.

- 20. Pev R. Chaudhari, U.S. Department of Transportation, Coast Guard, "Analysis of the Coastal Tank Vessel and Barge Traffic," Final Report, April 1973, Report No. DOT-CG-23560-A.
- 21. U.S. Department of Transportation, Transportation Systems Center, "Pollution Response Systems Analysis, Documentation of Computer Programs," December 1978, material on file at DOT-TSC.

R-2

### DTIC